

Lyon has long been America's leading manufacturer of a complete line of quality lockers and accessories for schools, hospitals, and industry. Lyon lockers include:

- Recessed handle standard
- Secure latching system increases the break-in protection compared to existing locker latching systems
- Nylon lockbar glides quiet door operations
- All door frame corners are lapped and welded to form a strong, rigid assembly
- All one-piece locker door construction from prime, high-grade Class 1 16-gauge steel for extra strength and durability
- One piece, top-to-bottom 16-gauge steel door-strike on all lockers for strength and security
- Single-Tier Lockers includes a separate shelf space for books, electronics, lunches, etc.
- 6" Louvers



Color Selection

In Stock

- DD Dove Gray
- PP Putty



Additional colors are available upon request

Alternate color selections only include the door and frame assembly. Interior components including; tops, bottoms, sides, backs, and shelves will be painted putty.

Dove Gray and Putty Lockers from stock will include matching interior components.



ADA REQUIREMENTS FOR LOCKERS



1. Doors must be able to be opened without a twisting or clapping motion. The standard test for compliance is if the door can be opened with closed fingers.

A recessed handle with a lockbar or single point is compliant.

2. The locker bottom must be a minimum of 15" from the finished floor. This is accomplished by locating a shelf 12" from the bottom of the locker. Additional shelves can be purchased separately, contact Lyon Customer Service. The shelf is acceptable as the locker bottom and when the locker is placed on a minimum 3" base the shelf/bottom is a minimum of 15" from the finished floor.

3. The locker shelf or hooks can not exceed 48" from the finished floor. The shelf and hooks can be relocated during set-up.

Contact Lyon Customer Service for more ADA product specs, and project support on choosing the best locker solution for your project.

NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 92 for important locker anchoring information.

W x D x H* (per locker opening)	No. of Frames	No. of Openings	K.D. Cat. No.	Set Up Cat. No.
Single Tier				
12" x 12" x 60"	1	1	5002	5002SU**
12" x 12" x 60"	3	3	50023	50023SU**
12" x 15" x 60"	1	1	5012	5012SU**
12" x 15" x 60"	3	3	50123	50123SU**
12" x 18" x 60"	1	1	5022	5022SU**
12" x 18" x 60"	3	3	50223	50223SU**
12" x 12" x 72"	1	1	5112	5112SU**
12" x 12" x 72"	3	3	51123	51123SU**
12" x 15" x 72"	1	1	5032	5032SU**
12" x 15" x 72"	3	3	50323	50323SU**
12" x 18" x 72"	1	1	5042	5042SU
12" x 18" x 72"	3	3	50423	50423SU
15" x 18" x 72"	1	1	5062	5062SU**
15" x 18" x 72"	3	3	50623	50623SU**
18" x 18" x 72"	1	1	5092	5092SU**
18" x 18" x 72"	3	3	50923	50923SU**
18" x 21" x 72"	1	1	5102	5102SU**
18" x 21" x 72"	3	3	51023	51023SU**
Double Tier				
12" x 12" x 30"	1	2	5242	5242SU**
12" x 12" x 30"	3	6	52423	52423SU**
12" x 12" x 36"	1	2	5202	5202SU**
12" x 12" x 36"	3	6	52023	52023SU**
12" x 15" x 36"	1	2	5212	5212SU**
12" x 15" x 36"	3	6	52123	52123SU**
12" x 18" x 36"	1	2	5222	5222SU
12" x 18" x 36"	3	6	52223	52223SU
15" x 15" x 36"	1	2	5252	5252SU**
15" x 15" x 36"	3	6	52523	52523SU**
Triple Tier				
12" x 15" x 24"	1	3	5283	5283SU**
12" x 15" x 24"	3	9	52833	52833SU**

*Heights shown do not include legs – add 6" to height for legs.

**Call Customer Service for lead time.

Provide high density storage for individual belongings and supplies. Great in classrooms, laboratories, gymnasiums, sports and recreational facilities, and more.

- Pull Handles with built-in padlock loop are standard on multiple tier lockers. Optional roll point catch available.
- Doors with built-in locks have no pulls
- Door frame corners are overlapped and welded for strength
- 6" legs — rear legs are adjustable for leveling
- 3" louvers for ventilation



Color Selection

In Stock

- DD** Dove Gray
- PP** Putty



Additional colors are available upon request

Alternate color selections only include the door and frame assembly. Interior components including; tops, bottoms, sides, backs, and shelves will be painted putty.

Dove Gray and Putty Lockers from stock will include matching interior components.

Example

Order one **No. 5332** & receive this one section: **one frame wide (six locker openings).**

Order one **No. 53323** & receive this one section: **three frames wide (eighteen locker openings).**



"Set Up" means product ships fully assembled.
"K.D." means knocked down, ships flat and assembly is needed.



W x D x H* (per locker opening)	No. of Frames	No. of Openings	K.D. Cat. No.	Set Up Cat. No.
Four Tier				
12" x 12" x 12"	1	4	5352	5352SU**
12" x 12" x 12"	3	12	53523	53523SU**
Five Tier				
12" x 12" x 12"	1	5	5302	5302SU**
12" x 12" x 12"	3	15	53023	53023SU**
12" x 15" x 12"	1	5	5312	5312SU**
12" x 15" x 12"	3	15	53123	53123SU**
15" x 15" x 12"	1	5	5322	5322SU**
15" x 15" x 12"	3	15	53223	53223SU**
Six Tier				
12" x 12" x 12"	1	6	5332	5332SU**
12" x 12" x 12"	3	18	53323	53323SU**
12" x 15" x 12"	1	6	5342	5342SU**
12" x 15" x 12"	3	18	53423	53423SU**
12" x 18" x 12"	1	6	5362	5362SU**
12" x 18" x 12"	3	18	53623	53623SU**

*Heights shown do not include legs — add 6" to height for legs.

**Call Customer Service for lead time.

ACCESSORIES AND RELATED PRODUCTS

See pages 92-93



Two Person Lockers

Ample storage for two people in a space only 15" wide!

- Each occupant has a full-length coat compartment with two hooks, plus a full-width opening at top for small articles
- Left door and upper compartment work together as do the right-hand door and lower compartment
- Coat compartment doors have recessed handles with padlock attachments
- Built-in locks are optional
- Available shipped K.D. (knock down) or Set-up
- Locker opening dimensions:
Small – 15" w x 18" d x 9" h,
Large – 7½" w x 18" d x 54" h

Features



Small upper door is released with a latch inside the corresponding coat compartment door.

Ideal for the Healthcare Industry!

Add optional antimicrobial finish for protection against the touch transfer of bacteria on locker surfaces.

See page 91 for details on how antimicrobial protection works.



Example

Order one **No. 5407** & receive this one section: **one frame wide (four locker openings for two people).**

Order one **No. 54073** & receive this one section: **three frames wide (twelve locker openings for six people).**



W x D x H* Overall Size	No. of Frames	No. of Openings	K.D. Cat. No.	Set Up Cat. No.
15" x 18" x 72"	1	4	5407	5407SU**
45" x 18" x 72"	3	12	54073	54073SU**

*Heights shown do not include legs – add 6" to height for legs.

**Call Customer Service for lead time.

Color Selection

In Stock

- DD** Dove Gray
- PP** Putty



Additional colors are available upon request

Alternate color selections only include the door and frame assembly. Interior components including; tops, bottoms, sides, backs, and shelves will be painted putty.

Dove Gray and Putty Lockers from stock will include matching interior components.

Lockerack®

- Provides coat storage and lock-up compartments for 16 people in approximately one square foot per person
- Door pulls serve as padlock hasps (padlocks not furnished)
- Built-in locks and number plates may be added (see page 92)
- Shipped set up, or knocked down with frames and doors factory assembled
- Coat rod included
- Overall dimensions: 69" w x 18" d x 78" h
- Compartments are 12" w x 18" d x 12" h

No. 5990 – Shipped Knocked Down

No. 5990SU – Shipped Set Up



Four-Door Horizontal Section Mounts to wall

45" w x 18" d x 13¾" h

No. 5991CR – Shipped Knocked Down

No. 5991CRSU – Shipped Set Up



Antimicrobial lockers are recommended for healthcare, food processing facilities, and educational facilities of all types.

Antimicrobial steel lockers provide continuous, residual protection against the touch transfer of bacteria on the locker surface, as well as colonization of mold and bacteria in locker corners, seams and on hidden surfaces behind and under the locker.

- Agion™ antimicrobial advanced powder technology
- 20+ years of antimicrobial protection
- Single and double tier openings
- Other sizes available upon request


Antimicrobial Lockers Feature:

- Antimicrobial coating
- Recessed handles
- Smooth fronts (no louvers)
- Sloping tops and
- E-Zee™ style locker base

Color Selection

UG Monorail Gray

Additional colors are available upon request




W x D x H* (per locker opening)	No. of Frames	No. of Openings	Knocked Down Cat. No.	Set Up Cat. No.
Single Tier				
15" x 18" x 72"	1	1	UGRNS5062H	UGRNS5062HSU
15" x 18" x 72"	3	3	UGRNS50623H	UGRNS50623HSU
18" x 18" x 72"	1	1	UGRNS5092H	UGRNS5092HSU
18" x 18" x 72"	3	3	UGRNS50923H	UGRNS50923HSU
Double Tier				
12" x 12" x 36"	1	2	UGRNS5202H	UGRNS5202HSU
12" x 12" x 36"	3	6	UGRNS52023H	UGRNS52023HSU
12" x 18" x 36"	1	2	UGRNS5222H	UGRNS5222HSU
12" x 18" x 36"	3	6	UGRNS52223H	UGRNS52223HSU

*Heights shown do not include E-Zee™ Base – add 4" to height for E-Zee™ Base. Sloping Top adds 6" to height for 18"D locker. Sloping Top adds 4" to height for 12"D locker. NOTE: E-Zee™ Base ships knocked down. Some easy assembly is required.



How Does it Work?

Any moisture triggers the controlled release of powerful silver ions (see charts) to provide superior antimicrobial protection for decades. The antimicrobial compound is completely inorganic, less toxic than ordinary table salt, less irritating than talcum powder, and has been approved by the EPA, FDA and NSF for medical devices and food contact applications.



NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 92 for important locker anchoring information.



Anchoring Systems

Important: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored.

Anchoring Angle

For Lockers Without Legs

Locker Anchoring Angles (running from front to rear on the inside bottom of the locker) provide a bearing surface for the fasteners which are connected to the floor or locker base. Order one locker anchoring angle for each end of a row, plus sufficient quantity to provide angles on 36" centers. On single-row installations where backs are against a wall, lockers should be suitably wall anchored.

- No. 5872** – For 12"d lockers - 10 pack
- No. 5873** – For 15"d lockers - 10 pack
- No. 5874** – For 18"d lockers - 10 pack
- No. 5875** – For 21"d lockers - 10 pack

For more details – see assembly instructions packed with lockers.



Locker Foot

For Lockers With Legs

When backs are exposed (free-standing) a locker foot is recommended for all locker legs. When backs are against a wall and suitably wall anchored, locker feet are recommended on front legs only.

- No. 5870** - 10 pack



Number Plates

- Etched black figures on aluminum plate
- Numbers stocked from 1 to 999

Size: 2¾" w x 1" h

(Must be purchased in addition to locker order.)

For Lockers and Baskets
No. 5829



Touch-up Paint

For fast, easy touch-ups. Choose 12 oz. spray can.

Dove Gray
No. DD7003

Putty
No. PP7003

Wedgewood Blue
No. BB7003



Safe-O-Mat Locking System



Master-Keyed Built-in Combination Lock



Flat-Key Locks



Master-Keyed Combination Padlock

Lock Options

Can be used with all locker handles, and retrofitted to existing installations.

Safe-O-Mat Locking System – A coin-deposit locking system. Designed to be installed like a built-in combination lock. Can be retrofitted to most existing lockers. Available from manufacturing schedules only.

Flat-Key Locks – Same lock fits all Lyon Lockers except Personal Effects & ExchangeMaster®. Easy to install and furnished with two keys. **No. 7020**

Built-in Combination Locks – Five combinations per lock with master key for emergency access.

Combination Padlocks – For use with Tamper Guard Handles, Single Point Latching Systems, Recessed Handles and Pull Handles.

**Locks are imported.*

Color Selection

In Stock



DD Dove Gray




PP Putty



Additional colors are available upon request


Top and Front Fillers

Used to close space between two lockers when obstruction prevents installation of a locker. Can be furnished on flat or sloping tops.




Flat Top Fillers

W x D	Cat. No.
For Corners	
12" x 12"	5900
15" x 15"	5901
18" x 18"	5902
21" x 21"	5898
For Tops of Lockers	
9½" x 12"	5922
9½" x 15"	5923
9½" x 18"	5924
15½" x 12"	5925
15½" x 15"	5926
15½" x 18"	5927



Sloping Top Fillers

W x D	Cat. No.
For Corners	
12" x 12"	5903
15" x 15"	5904
18" x 18"	5905
21" x 21"	5899
For Tops of Lockers	
9½" x 12"	5916
9½" x 15"	5917
9½" x 18"	5918
15½" x 12"	5919
15½" x 15"	5920
15½" x 18"	5921



Front Expansion Fillers

W x D	Cat. No.
For Lockers With 6" Legs	
7½"w x 66"h	5906
7½"w x 78"h	5907
13½"w x 66"h	5910
13½"w x 78"h	5911
For Lockers Without Legs	
7½"w x 60"h	5912
7½"w x 72"h	5913
13½"w x 60"h	5914
13½"w x 72"h	5915



Note: Lockers with Integral Sloping Tops are available from manufacturing schedules at a slight additional cost.

Individual Slope-Top Kits

Quickly convert standard flat top steel lockers into sloping-top lockers. Includes hardware and instructions.

Slope-Top Kits include:

- tops and ends
- interim supports

Slope-Top Bulk Pack consist of:

- 40 slope tops
- 40 interim supports

Bulk pack ends (20 pairs) must be ordered separately.

Sizes W x D	Kits		Bulk Packages	
	Cat. No.	Cat. No.	Cat. No.	Cat. No.
	1-Wide	3-Wide	Tops (40 Pack)	Pair of Ends (20 Pack)
12" x 12"	58301	5830	5841	5842
12" x 15"	58311	5831	5846	5847
12" x 18"	58321	5832	5851	5852
15" x 15"	58331	5833	5856	5847
15" x 18"	58341	5834	5861	5852
18" x 18"	58351	5835	5866	5852
18" x 21"	58361	5836	N/A	N/A

Not designed for use on welded lockers.

Closed Style Bases

Quickly attach without tools to lockers with 6" legs. For Standard Lockers.



Front Bases

One Pack

No. 5800-1 – 12"w x 6"h

No. 5801-1 – 15"w x 6"h

No. 5802-1 – 18"w x 6"h

Three Packs

No. 5800-3 – 12"w x 6"h

No. 5801-3 – 15"w x 6"h

No. 5802-3 – 18"w x 6"h

End Bases

Only required at exposed ends.

Pack of 2

No. 5803 – 12"d x 6"h

No. 5804 – 15"d x 6"h

No. 5805 – 18"d x 6"h

No. 5806 – 21"d x 6"h

