



LYON®

**OPTIMIZING
YOUR SPACE**

STORAGE
PRODUCT CATALOG

ENGINEERED STORAGE AND MATERIAL HANDLING SYSTEMS

*for Catwalks, High Bay
Systems, Deck Overs, and
Modular Drawer Cabinets*



CATWALKS **Taking it up a notch**

Lyon Catwalks are the perfect solution for any facility with high ceilings and limited floor space. Easily install catwalks in manufacturing plants, warehouses, distribution centers, or a broad range of other facilities.



HIGH BAY SYSTEMS **Next level storage**

Lyon High Bay Systems redesign your storage space by going vertically, serving a broad range of facilities with limited floor space. All product is fully accessible and can be efficiently archived, managed, and manually or mechanically picked.



DECK OVERS **Layer your space**

Lyon Deck Overs are designed to create functional work space for a variety of applications such as expanded two-level offices, storage items, and employee locker rooms. Deck Overs are created within the walls of your existing facility and easily installed with limited interruptions to everyday business activity.

Lyon's innovative energy is transferred to every project through custom layout and design, agile project management, and a turnkey installation.

● **Design**

Lyon's team works with you to create a customized 3D rendering of your large scale storage systems.

● **Project Management**

Our collaboration process ensures efficiency at every stage of your storage project.

● **Installation**

Add value to your next project with our expert installers, located nationwide.

**For more information on Lyon's services and support contact your
Lyon Regional Manager or call Lyon directly at 1-800-323-0082.**

LYON®

TABLE OF CONTENTS

Shelving Storage

8000 Series T-Post Shelving	2-10
8000 Series Pre-Engineered Bin Shelving	11
8000 Series T-Post Shelving Accessories.....	12-15
2000 Series Beaded Post Shelving	16-21
2000 Series Shelving - Modular Drawers.....	22-25

Storage Racking Systems

Buk Storage Rack	26-34
Rivet Rack	35-36
Pallet Rack	37-41
Bar Pipe and Rod Rack.....	42
Cantilever Rack.....	43-45

Modular Drawer Cabinets (MDC)

Features and Ordering Guide	46-48
Pre-Engineered Modular Drawer Cabinets.....	49-59
Pre-Engineered Overhead Units.....	60-61
Pre-Engineered Shelf Units with and without Doors.....	62-63
Pre-Engineered Mobile Cabinets	64-65
Pre-Engineered Workstations	66-67
Workbench Conceptions and Accessories	68-79
Weapons Storage	80-81

All-Welded Cabinets

Storage Cabinets.....	82-83
Clearview and 4-Door Shelf Cabinets	84
Visible Storage Cabinets.....	85
Cabinets w/Removable Bins.....	86-87
Deep Door Cabinets w/Removable Tilt Bins	88-89
Maintenance Centers w/Modular Drawers.....	90-91

Economical Storage Cabinets

1000 Series, Counter High and Standard Cabinets	92
Combination Wardrobe and Wardrobe	93
1000 Series Visible Storage Cabinets	94

Safety Storage

HazMat Response Cabinets.....	95
Safety Storage Cabinets	96-97

Steel Lockers

ValTec Steel Lockers.....	98-101
Standard Steel Lockers.....	102-103
LockeRack®.....	104
Antimicrobial Lockers.....	105
Standard Steel Locker Accessories.....	106-107
Locker Room Benches	108
TA-50 Gear and Command Gear Lockers.....	109
Valor™ Law Enforcement Lockers.....	110-111
Athletic Lockers / Collegiate.....	112-113
Specialty Lockers.....	114

Premier Colors


Color Selection	115
-----------------------	-----

LYON®

lyonworkspace.com

1-800-323-0082

8000 SERIES STEEL SHELVING



Shown in Lyon's premier color Red Baron,
Additional colors are available upon request.



Shelf Clips

Quickly lock into place, on either side of uprights. Disengages easily to re-position shelves, no tools needed. Each shelving unit is equipped with 4 shelving clips per shelf.




T-Post Uprights

Patented design, formed of tough, durable hot-rolled steel offers easy shelf adjustments on 1-1/2" centers using shelf clips.

Growth Illustration Chart - 8000 Series Shelving

- Growth Illustration for a 36" w x 24" d Shelving System
- Shelf dimensions: 35-13/16" w x 24" d
- Centerline of T-Posts: 36"
- Overall growth in width = 1-1/2"
- Overall growth in depth = 9/16"





BOX FORMATION STEEL SHELVING AND LOAD CAPACITIES

*Capacities are based on evenly distributed loads. All shelves maintain a 1.65 safety factor and posts a 1.92 factor.

See pages 4-5 for detailed product specifications. Maximum load capacity per section is 8,000 lbs. based on 18" maximum shelf spacing and no seismic considerations.



24 Gauge Standard-Duty, Box shelves provide up to 350 lb. capacity*

Size W x D	Cat. No.	Capacity (lbs.)
36" x 12"	8560S	350
36" x 15"	8584S	
36" x 18"	8561S	
36" x 24"	8562S	



22 Gauge Medium-Duty, Box shelves provide up to 550 lb. capacity* for storage of aerosols, tools, drills, safety supplies, etc.

Size W x D	Cat. No.	Capacity (lbs.)
36" x 12"	8560M•	500
36" x 15"	8584M•	
36" x 18"	8561M•	
36" x 24"	8562M•	550



20 Gauge Heavy-Duty, Box shelves provide up to 850 lb. capacity* to hold grinders, wheels, gears, sprockets, and other similar articles.

Size W x D	Cat. No.	Capacity (lbs.)
30" x 30"	8593H	800
36" x 12"	8560H•	800
36" x 15"	8584H	825
36" x 18"	8561H•	850
36" x 24"	8562H•	800
36" x 30"	8585H	600
36" x 36"	8586H	550
42" x 12"	8565H	600
42" x 15"	8587H	600
42" x 18"	8566H	650
42" x 24"	8567H	650
42" x 30"	8588H	625
42" x 36"	8589H	550
48" x 12"	8300H•	500
48" x 15"	8590H•	525
48" x 18"	8301H•	550
48" x 24"	8302H•	550
48" x 30"	8591H	525
48" x 36"	8592H	500



18 Gauge Extra Heavy-Duty, Box shelves provide up to 1,250 lb. capacity* for storing motors, pumps, and other heavy equipment.

Size W x D	Cat. No.	Capacity (lbs.)
36" x 12"	8560X•	1,100
36" x 15"	8584X	1,100
36" x 18"	8561X•	1,200
36" x 24"	8562X•	1,250
36" x 30"	8585X	900
36" x 36"	8586X	900
42" x 12"	8565X	900
42" x 15"	8587X	900
42" x 18"	8566X	950
42" x 24"	8567X	1,000
42" x 30"	8588X	1,000
42" x 36"	8589X	900
48" x 12"	8300X	750
48" x 15"	8590X	850
48" x 18"	8301X•	900
48" x 24"	8302X•	900
48" x 30"	8591X	750
48" x 36"	8592X	500

Shelves available in multi- or single pack quantities. Contact Lyon Customer Service at 800-323-0082. Products on this page are shown in Lyon's premier color Red Baron. Additional colors are available upon request.



8000 SERIES STEEL SHELVING

MATERIALS

Roll-formed "T" uprights hot-rolled steel, gauges specified.

Shelf clips hot-rolled steel, gauges specified.

Other sheet steel cold-rolled and hot-rolled, gauges specified.

UPRIGHTS

"T" Uprights - all posts punched on 1-1/2" centers with pairs of parallel slots 1-1/16" long, and one slot keyhole-shaped for bolting cross braces and accessories to uprights.

Open Uprights - consist of two 16 gauge, hot-rolled, formed steel "T"s, 1-1/2" x 2-1/8" x 1/8" with one pair of 12 gauge, 1" band cross braces on uprights less than 120" high. Uprights 120" and higher require two or more pairs of 12 gauge, 1" band cross braces as required.

Closed Uprights - two 16 gauge, hot-rolled, formed steel "T"s" 1-1/2" x 2-1/8" x 1/8" with 24 gauge side sheet spot-welded on 6" centers to the 1/2" extension of the "T."

"Box Post" Uprights - all posts shall be punched on 1-1/2" centers to accept either clip attachment or bolt attachment. Each upright shall consist of two 14 gauge, hot-rolled, formed steel "box posts" 1-3/4" x 1-13/16" with two 12 gauge, 4-11/16" ladder braces on uprights of 96" or less. Uprights 120" and 144" require three ladder braces.

Shelf Clips - 12 gauge, hot-rolled, 1-piece construction. Four shelf clips used with each shelf.

NOTE: "Box post" uprights require the use of the 65160 integration clip.

Lyon's Steel Shelving, and Storage Racks conform to MHI, ISMA, RMI and SMA standards.





SHELVES

Standard-Duty Industrial Shelves - 24 gauge with front and rear box formation. The front and rear box formation is not less than 1-11/64" x 3/4" x 1-3/16" with a 9/16" return flange spot-welded to bottom surface of the shelf. The front and rear flanges of the shelf shall be punched to accept bin fronts, label holders, and other accessories. Ends are to be flanged not less than 1-1/4" with a 90-degree return flange of not less than 1/2". All corners lapped and welded. All shelves punched on 3" centers for divider attachment. The front and rear flanges of the shelf are to be embossed with "24 GA." Shelves also punched at 4 corners for bolting to uprights.

Medium-Duty Industrial Shelves - 22 gauge with front and rear box formation. The front and rear box formation is not less than 1-11/64" x 3/4" x 1-3/16" with a 9/16" return flange spot-welded to bottom surface of the shelf. The front and rear flanges of the shelf shall be punched to accept bin fronts, label holders, and other accessories. Ends are to be flanged not less than 1-1/4" with a 90-degree return flange of not less than 1/2". All corners lapped and welded. All shelves punched on 3" centers for divider attachment. The front and rear flanges of the shelf are to be embossed with "22 GA." Shelves also punched at 4 corners for bolting to uprights.

Heavy-Duty Industrial Shelves - 20 gauge with front and rear box formation. The front and rear box formation is not less than 1-1/4" x 3/4" x 1-3/16" with a 9/16" return flange, spot-welded to the bottom portion of the shelf. The front and rear flanges of the shelf shall be punched to accept bin fronts, label holders, and other accessories. Ends are to be flanged not less than 1-1/4" with a 90-degree return flange of not less than 1/2". All corners lapped and welded. All shelves punched on 3" centers for divider attachment. The front and rear flanges of the shelf are to be embossed with "20 GA." Shelves also punched at 4 corners for bolting to uprights.

Extra Heavy-Duty Industrial Shelves - 18 gauge with front and rear box formation. The front and rear box formation is not less than 1-1/4" x 3/4" x 1-3/16" with a 9/16" return flange spot-welded to the bottom portion of the shelf. The front and rear flanges of the shelf shall be punched to accept bin fronts, label holders, and other accessories. Ends are to be flanged not less than 1-1/4" with a 90-degree return flange of not less than 1/2". All corners lapped and welded. All shelves punched on 3" centers for divider attachment. Shelves also punched at four corners for bolting to up-rights. The front and rear flanges of the shelf are to be embossed with "18 GA." Shelves also punched at 4 corners for bolting to uprights.

Lateral Cross Braces - 12 gauge, 1" band formed and punched at each end to bolt to upright post. One pair of lateral cross braces - used with every three shelving sections with shelf spacing less than 30". Shelving sections with 30" or greater shelf spacings - two pairs of lateral cross braces with every three shelving sections.

Backs - two half panels of heavy gauge steel providing a total of three vertical rows of holes on 1-1/2" centers for attachment to shelves with back to shelf clips optional, three screws at the top and bottom shelves, and two at midpoint.

Shelf Boxes - heavy gauge steel body with divider slots on 1" centers of box sides. Heavy gauge box fronts have integral handle and card holder and backs have integral "E" stop.

Label Holders - 24 gauge steel, friction type with 7/8" inside dimension, attached to shelves with push-in fasteners.

Crosswise Dividers - front and rear edges - 3/8" outside diameter curls. Top and bottom - flanges not less than 3/4" punched for attaching to shelves. All crosswise dividers are heavy gauge steel.

Lengthwise Dividers - range from 22 gauge to 18 gauge steel depending upon shelf spacings.

Bin Fronts - A formed channel design that is 9/16" thick, featuring a return flange on the top edge and an offset along the bottom. The offset allows for the bin front to be attached to the front flange of the shelf using plastic push-in fasteners. Bin Fronts are 20 gauge material.

Front Bases - An "L" shaped design that attaches to the front flange of the shelf using plastic push-in fasteners. Both ends of the front bases are designed to fit behind the shelving posts. Front Bases are 20 gauge material.

Swinging Doors - heavy gauge steel with one full-height heavy gauge pan reinforcement per door. Each pair of double swinging doors has three-point latching with one built-in lock. One pair of double swinging doors covers one full section of 36" wide shelving.

Seismic Information - Lyon is equipped to handle all seismic requirements. Contact your local Lyon factory representative for specific seismic information relating to your area.

36" WIDE 8000 SERIES PRE-ENGINEERED SHELVING SECTIONS

All pre-engineered sections are 36" wide, 84" high, with shelves adjustable on 1-1/2" centers. For double row, back-to-back installations, use economical open back shelving on one side, common backs of closed shelving sections on the other side.

Some assembly required.

Parts and components, see pages 12-15.

Open Shelving Sections

Ideal for storing packaged stock and other material where high visibility is a concern.

Order one starter unit and the balance as add-ons to make up a row of shelving.

DD - Dove Gray



Box Formation Open Shelving	No. Of Shelves	36" Wide x 84" High					
		12" Deep		18" Deep		24" Deep	
		Starters	Add-Ons	Starters	Add-Ons	Starters	Add-Ons
18 Gauge Extra Heavy-Duty	5	8005SX•	8005X•	8006SX•	8006X•	8007SX•	8007X•
	6	8040SX•	8040X•	8041SX•	8041X•	8042SX•	8042X•
	7	8030SX•	8030X•	8031SX•	8031X•	8032SX•	8032X•
	8	8020SX•	8020X•	8021SX•	8021X•	8022SX•	8022X•
20 Gauge Heavy-Duty	5	8005SH•	8005H•	8006SH•	8006H•	8007SH•	8007H•
	6	8040SH•	8040H•	8041SH•	8041H•	8042SH•	8042H•
	7	8030SH•	8030H•	8031SH•	8031H•	8032SH•	8032H•
	8	8020SH•	8020H•	8021SH•	8021H•	8022SH•	8022H•
22 Gauge Medium-Duty	5	8005SM•	8005M•	8006SM•	8006M•	8007SM•	8007M•
	6	8040SM•	8040M•	8041SM•	8041M•	8042SM•	8042M•
	7	8030SM•	8030M•	8031SM•	8031M•	8032SM•	8032M•
	8	8020SM•	8020M•	8021SM•	8021M	8022SM•	8022M•
24 Gauge Standard-Duty	5	8005SS	8005S	8006SS	8006S	8007SS	8007S
	6	8040SS	8040S	8041SS	8041S	8042SS	8042S
	7	8030SS	8030S	8031SS	8031S	8032SS	8032S
	8	8020SS	8020S	8021SS	8021S	8022SS	8022S

36" WIDE 8000 SERIES PRE-ENGINEERED SHELVING SECTIONS

All pre-engineered sections are 36" wide, 84" high, with shelves adjustable on 1-1/2" centers. For double row, back-to-back installations, use economical open back shelving on one side, common backs of closed shelving sections on the other side.

Some assembly required.

Parts and components, see pages 12-15.

Closed Shelving Sections

Can be used to divide work and storage space into separate areas.

Order one starter unit and the balance as add-ons to make up a row of shelving.

DD - Dove Gray



Box Formation Closed Shelving		36" Wide x 84" High						
		No. Of Shelves	12" Deep		18" Deep		24" Deep	
			Starters	Add-ons	Starters	Add-ons	Starters	Add-ons
18 Gauge Extra Heavy-Duty	5	8037SX•	8037X•	8038SX•	8038X•	8039SX•	8039X•	
	6	8260SX•	8260X•	8261SX•	8261X•	8262SX•	8262X•	
	6**	8270SX•	8270X•	8271SX•	8271X•	8272SX•	8272X•	
	7	8090SX•	8090X•	8091SX•	8091X•	8092SX•	8092X•	
	8	8080SX•	8080X•	8081SX•	8081X•	8082SX•	8082X•	
20 Gauge Heavy-Duty	5	8037SH•	8037H•	8038SH•	8038H•	8039SH•	8039H•	
	6	8260SH•	8260H•	8261SH•	8261H•	8262SH•	8262H•	
	6**	8270SH•	8270H•	8271SH•	8271H•	8272SH•	8272H•	
	7	8090SH•	8090H•	8091SH•	8091H•	8092SH•	8092H•	
	8	8080SH•	8080H•	8081SH•	8081H•	8082SH•	8082H•	
22 Gauge Medium-Duty	5	8037SM•	8037M•	8038SM•	8038M•	8039SM•	8039M•	
	6	8260SM•	8260M•	8261SM•	8261M•	8262SM•	8262M•	
	6**	8270SM•	8270M•	8271SM•	8271M•	8272SM•	8272M•	
	7	8090SM•	8090M•	8091SM•	8091M•	8092SM•	8092M•	
	8	8080SM•	8080M•	8081SM•	8081M•	8082SM•	8082M•	
24 Gauge Standard-Duty	5	8037SS	8037S	8038SS	8038S	8039SS	8039S	
	6	8260SS	8260S	8261SS	8261S	8262SS	8262S	
	6**	8270SS	8270S	8271SS	8271S	8272SS	8272S	
	7	8090SS	8090S	8091SS	8091S	8092SS	8092S	
	8	8080SS	8080S	8081SS	8081S	8082SS	8082S	

**Closed Sides with Open Backs

42" AND 48" WIDE 8000 SERIES PRE-ENGINEERED SHELVING SECTIONS

Wider for Greater Storage Flexibility

- Greater lateral clearance yields more shelf space for long, unwieldy items and offers more flexibility for storing packaged stock
- Both 42" and 48" wide sections integrate with comparable 36" wide 8000 series units, and with each other
- Features Lyon T-Post Uprights and box formation shelf design

Order one starter unit and the balance as add-ons to make up a row of shelving.

DD - Dove Gray



Box Formation Open Shelving	No. of Shelves	12" Deep		18" Deep		24" Deep	
		Starters	Add-Ons	Starters	Add-Ons	Starters	Add-Ons
42" Wide x 84" High 20 Gauge Heavy-Duty	5	8046SH	8046H	8047SH	8047H	8048SH	8048H
	6	8056SH	8056H	8057SH	8057H	8058SH	8058H
	7	8066SH	8066H	8067SH	8067H	8068SH	8068H
	8	8073SH	8073H	8074SH	8074H	8075SH	8075H
48" Wide x 84" High* 20 Gauge Heavy-Duty	5	8340SH*	8340H*	8341SH*	8341H*	8342SH*	8342H*
	6	8346SH*	8346H*	8347SH*	8347H*	8348SH*	8348H*
	7	8396SH*	8396H*	8397SH*	8397H*	8398SH*	8398H*
	8	8363SH*	8363H*	8364SH*	8364H*	8365SH*	8365H*
48" Wide x 84" High* 18 Gauge Extra Heavy-Duty	5	8340SX	8340X	8341SX*	8341X*	8342SX*	8342X*
	6	8346SX	8346X	8347SX*	8347X*	8348SX*	8348X*
	7	8396SX	8396X	8397SX*	8397X*	8398SX*	8398X*
	8	8363SX	8363X	8364SX*	8364X*	8365SX*	8365X*

*Items in stock.

42" AND 48" WIDE 8000 SERIES PRE-ENGINEERED SHELVING SECTIONS

Wider for Greater Storage Flexibility

- Greater lateral clearance yields more shelf space for long, unwieldy items and offers more flexibility for storing packaged stock
- Both 42" and 48" wide sections integrate with comparable 36" wide 8000 series units, and with each other
- Features Lyon T-Post Uprights and box formation shelf design

Order one starter unit and the balance as add-ons to make up a row of shelving.

DD - Dove Gray



Box Formation Closed Shelving	No. of Shelves	12" Deep		18" Deep		24" Deep	
		Starters	Add-Ons	Starters	Add-Ons	Starters	Add-Ons
42" Wide x 84" High 20 Gauge Heavy-Duty	5	8266SH	8266H	8267SH	8267H	8268SH	8268H
	6	8276SH	8276H	8277SH	8277H	8278SH	8278H
	7	8286SH	8286H	8287SH	8287H	8288SH	8288H
	8	8289SH	8289H	8290SH	8290H	8291SH	8291H
48" Wide x 84" High* 20 Gauge Heavy-Duty	5	8334SH•	8334H•	8335SH•	8335H•	8336SH•	8336H•
	6	8331SH•	8331H•	8332SH•	8332H•	8333SH•	8333H•
	7	8391SH•	8391H•	8392SH•	8392H•	8393SH•	8393H•
	8	8343SH•	8343H•	8344SH•	8344H•	8345SH•	8345H•
48" Wide x 84" High* 18 Gauge Extra Heavy-Duty	5	8334SX	8334X	8335SX•	8335X•	8336SX•	8336X•
	6	8331SX	8331X	8332SX•	8332X•	8333SX•	8333X•
	7	8391SX	8391X	8292SX•	8292X•	8393SX•	8393X•
	8	8343SX	8343X	8344SX•	8344X•	8345SX•	8345X•

*Items in stock.

36" WIDE 8000 SERIES COUNTER SHELVING

- Open counter shelving is ideal for packing, assembly, and inspection work, where bin openings are not required
- Closed-counter design offers barrier-separations for partitioning off areas
- All shelves are adjustable up or down on 1-1/2" centers

Note: counter shelving shown with optional finishing ends.
See page 12-15 additional components and catalog numbers.

DD - Dove Gray

3-Shelf Open Counter



3-Shelf Closed Counter



4-Shelf Closed Counter



Type	Starters	Add-Ons	Capacity
36"w x 18"d x 39"h			
Heavy-Duty	8232SH	8232H	900 lbs.
36"w x 24"d x 39"h			
Heavy-Duty	8233SH	8233H	800 lbs.

Type	Starters	Add-Ons	Capacity
36"w x 18"d x 39"h			
Heavy-Duty	8235SH	8235H	900 lbs.
36"w x 24"d x 39"h			
Heavy-Duty	8236SH	8236H	800 lbs.

Type	Starters	Add-Ons	Capacity
36"w x 18"d x 39"h			
Heavy-Duty	8240SH	8240H	900 lbs.
36"w x 24"d x 39"h			
Heavy-Duty	8241SH	8241H	800 lbs.

8000 Series Counter Shelving is available through manufactured schedule. Call customer service for lead time.



STEEL PEGBOARD

- Easily add peg type storage on the end upright of 18" deep 8000 Series Shelving
- Also great mounted on a wall, or on other types of rack
- 5/16" dia. holes are punched every 1"

No. 8210 – Steel Mounting Panel, overall size: 18"w x 42"h DD - Dove Gray



No. 8200 – 3" Tool Peg (50 per package)

- Held in place with one tang and one bolt



SWINGING DOORS FOR 8000 SERIES SHELVING

Transform your closed shelving sections into a lockable storage cabinet.

- Designed to retrofit the 36"w x 84"h closed 8000 Series Shelving
- Mounts directly to uprights in three places
- Right-hand swing door has chrome-plated handle and a built-in key lock for extra security
- Set of swinging doors only

No. 8837•

DD - Dove Gray

36" WIDE 8000 SERIES PRE-ENGINEERED BIN SHELVING


Get as many as 38 compartments, and all dividers can be adjusted to further customize the bin sizes!

- Steel Bin Shelving is ideal where materials require assigned locations
- Shelf dividers are individually adjustable side-to-side on 3" centers
- Dividers can be removed or additional dividers added when your storage needs change
- To order extra dividers, see page 14
- Assembly required

DD - Dove Gray


44-COMPARTMENT BIN SHELF

Heavy-Duty Shelves			
W x D x H	Starter	Add-On	Capacity
36" x 12" x 84"	8120RS•	8120R•	500 lbs.
36" x 18" x 84"	8121RS•	8121R•	500 lbs.
36" x 24" x 84"	8122RS•	8122R•	550 lbs.




33-COMPARTMENT BIN SHELF

Heavy-Duty Shelves			
W x D x H	Starter	Add-On	Capacity
36" x 12" x 84"	8100RS•	8100R•	500 lbs.
36" x 18" x 84"	8101RS•	8101R•	500 lbs.
36" x 24" x 84"	8102RS•	8102R•	550 lbs.



19-COMPARTMENT BIN SHELF

Heavy-Duty Shelves			
W x D x H	Starter	Add-On	Capacity
36" x 12" x 84"	8060RS•	8060R•	500 lbs.
36" x 18" x 84"	8061RS•	8061R•	500 lbs.
36" x 24" x 84"	8062RS•	8062R•	550 lbs.



HOW TO BUILD A 8000 SERIES SHELVING SYSTEM

Back-to-Back Tie
(see step 5)



Anchoring System
(see step 5)



Step 1

Select Upright Assembly

Determine an Open or Closed Upright. Then choose upright based on the depth and height of the Shelving System

(A) OPEN Shelving

T-Post Upright Assembly

No. 8530•	12"d x 84"h	- 1 pack
No. 85306•	12"d x 84"h	- 6 pack
No. 8536•	18"d x 84"h	- 1 pack
No. 85366•	18"d x 84"h	- 6 pack
No. 8541•	24"d x 84"h	- 1 pack
No. 85416•	24"d x 84"h	- 6 pack
No. 8531	12"d x 96"h	- 1 pack
No. 85316	12"d x 96"h	- 6 pack
No. 8538	18"d x 96"h	- 1 pack
No. 85386	18"d x 96"h	- 6 pack
No. 8542	24"d x 96"h	- 1 pack
No. 85426	24"d x 96"h	- 6 pack
No. 8532	12"d x 120"h	- 1 pack
No. 85326	12"d x 120"h	- 6 pack
No. 8539	18"d x 120"h	- 1 pack
No. 85396	18"d x 120"h	- 6 pack
No. 8543	24"d x 120"h	- 1 pack
No. 85436	24"d x 120"h	- 6 pack
No. 8841	30"d x 84"h	- 1 pack
No. 88416	30"d x 84"h	- 6 pack

(B) CLOSED Shelving

T-Post Upright Assembly

No. 8500•	12"d x 84"h	- 1 pack
No. 85006•	12"d x 84"h	- 6 pack
No. 8506•	18"d x 84"h	- 1 pack
No. 85066•	18"d x 84"h	- 6 pack
No. 8511•	24"d x 84"h	- 1 pack
No. 85116•	24"d x 84"h	- 6 pack
No. 8886	30"d x 84"h	- 1 pack
No. 88866	30"d x 84"h	- 6 pack
No. 8501	12"d x 96"h	- 1 pack
No. 85015	12"d x 96"h	- 5 pack
No. 8507	18"d x 96"h	- 1 pack
No. 85075	18"d x 96"h	- 5 pack
No. 8512	24"d x 96"h	- 1 pack
No. 85125	24"d x 96"h	- 5 pack
No. 8502	12"d x 120"h	- 1 pack
No. 85024	12"d x 120"h	- 4 pack
No. 8508	18"d x 120"h	- 1 pack
No. 85084	18"d x 120"h	- 4 pack
No. 8513	24"d x 120"h	- 1 pack
No. 85134	24"d x 120"h	- 4 pack

Step 2

Select Back Bracing

Choose Lateral Cross Brace for an Open Shelving System or a Solid Back Panel for a Closed Shelving System

(C) OPEN Lateral (Back) Cross Brace

Fits all 30"w & 36"w shelving including all counter shelving

No. 87901•	- 1 pack
No. 8790•	- 10 pack

Fits all 42"w shelving

No. 87911•	- 1 pack
No. 8791	- 10 pack

Fits all 48"w shelving except counter shelving

No. 83301•	- 1 pack
No. 8330•	- 10 pack

(D) CLOSED Shelving Back Panels (1 pk)

No. 86481	30"w x 84"h	No. 86071	42"w x 96"h
No. 86001	36"w x 39"h	No. 86081	42"w x 120"h
No. 86011•	36"w x 84"h	No. 83161•	48"w x 84"h
No. 86021	36"w x 96"h	No. 8882•	Additional
No. 86031	36"w x 120"h	Slotted Hex Head Screws	
No. 86061	42"w x 84"h	to attach shelving backs	

Notes: Floor and/or wall anchoring is recommended for all shelving sections.

Lateral and end cross braces shown for illustrative purposes only. For quantities required and general erection instructions, see shelving installation instruction #9110-CA (included in standard packaged units). Installation must be level and plumb.

HOW TO BUILD A 8000 SERIES SHELVING SYSTEM

Step 3

Select Box Formation Shelves Determine dimensions. Then choose gauge. (All shelves include 4 clips)

(E) Standard-Duty Shelves

24 Gauge (without label holder)

No. 8560S1	36" w x 12" d - 1 pack
No. 8560S5	36" w x 12" d - 5 pack
No. 8584S	36" w x 15" d - 1 pack
No. 8561S1	36" w x 18" d - 1 pack
No. 8561S5	36" w x 18" d - 5 pack
No. 8562S1	36" w x 24" d - 1 pack
No. 8562S5	36" w x 24" d - 5 pack

Medium-Duty Shelves

22 Gauge (without label holder)

No. 8560M1	36" w x 12" d - 1 pack
No. 8560M5	36" w x 12" d - 5 pack
No. 8561M1	36" w x 18" d - 1 pack
No. 8561M5	36" w x 18" d - 5 pack
No. 8562M1	36" w x 24" d - 1 pack
No. 8562M5	36" w x 24" d - 5 pack

Heavy-Duty Shelves

20 Gauge (without label holder)

No. 8593H1	30" w x 30" d - 1 pack
No. 8593H5	30" w x 30" d - 5 pack
No. 8560H1	36" w x 12" d - 1 pack
No. 8560H5	36" w x 12" d - 5 pack
No. 8584H1	36" w x 15" d - 1 pack
No. 8584H5	36" w x 15" d - 5 pack
No. 8561H1	36" w x 18" d - 1 pack
No. 8561H5	36" w x 18" d - 5 pack
No. 8562H1	36" w x 24" d - 1 pack
No. 8562H5	36" w x 24" d - 5 pack
No. 8585H5	36" w x 30" d - 5 pack
No. 8585H1	36" w x 30" d - 1 pack
No. 8586H1	36" w x 36" d - 1 pack
No. 8565H1	42" w x 12" d - 1 pack
No. 8565H5	42" w x 12" d - 5 pack
No. 8587H5	42" w x 15" d - 5 pack
No. 8566H1	42" w x 18" d - 1 pack
No. 8566H5	42" w x 18" d - 5 pack
No. 8567H1	42" w x 24" d - 1 pack
No. 8567H5	42" w x 24" d - 5 pack
No. 8588H1	42" w x 30" d - 1 pack
No. 8588H5	42" w x 30" d - 5 pack
No. 8589H1	42" w x 36" d - 1 pack
No. 8589H5	42" w x 36" d - 5 pack
No. 8300H1	48" w x 12" d - 1 pack
No. 8300H5	48" w x 12" d - 5 pack
No. 8301H1	48" w x 18" d - 1 pack
No. 8301H5	48" w x 18" d - 5 pack
No. 8302H1	48" w x 24" d - 1 pack
No. 8302H5	48" w x 24" d - 5 pack
No. 8591H1	48" w x 30" d - 1 pack
No. 8591H5	48" w x 30" d - 5 pack
No. 8592H1	48" w x 36" d - 1 pack
No. 8592H5	48" w x 36" d - 5 pack

Extra Heavy-Duty Shelves

18 Gauge (without label holder)

No. 8560X1	36" w x 12" d - 1 pack
No. 8560X5	36" w x 12" d - 5 pack
No. 8584X5	36" w x 15" d - 5 pack
No. 8561X1	36" w x 18" d - 1 pack
No. 8561X5	36" w x 18" d - 5 pack
No. 8562X1	36" w x 24" d - 1 pack
No. 8562X5	36" w x 24" d - 5 pack
No. 8585X1	36" w x 30" d - 1 pack
No. 8586X1	36" w x 36" d - 1 pack
No. 8586X5	36" w x 36" d - 5 pack
No. 8565X1	42" w x 12" d - 1 pack
No. 8565X5	42" w x 12" d - 5 pack
No. 8587X5	42" w x 15" d - 5 pack
No. 8566X1	42" w x 18" d - 1 pack
No. 8566X5	42" w x 18" d - 5 pack
No. 8567X1	42" w x 24" d - 1 pack
No. 8567X5	42" w x 24" d - 5 pack
No. 8588X1	42" w x 30" d - 1 pack
No. 8589X1	42" w x 36" d - 1 pack
No. 8589X5	42" w x 36" d - 5 pack
No. 8300X1	48" w x 12" d - 1 pack
No. 8300X5	48" w x 12" d - 5 pack
No. 8300X1	48" w x 12" d - 1 pack
No. 8590X1	48" w x 15" d - 1 pack
No. 8590X5	48" w x 15" d - 5 pack
No. 8301X1	48" w x 18" d - 1 pack
No. 8301X5	48" w x 18" d - 5 pack
No. 8302X1	48" w x 24" d - 1 pack
No. 8302X5	48" w x 24" d - 5 pack
No. 8591X1	48" w x 30" d - 1 pack
No. 8591X5	48" w x 30" d - 5 pack
No. 8592X1	48" w x 36" d - 1 pack
No. 8592X5	48" w x 36" d - 5 pack

Bin Shelves - available as pre-engineered shelving units (see page 11)

Step 4

Select Components and/or Accessories

(F) OPEN Shelving End

Cross Braces

No. 85551	• for 12" d open uprights - 1 pack
No. 8555	• for 12" d open uprights - 6 pack
No. 85561	• for 18" d open uprights - 1 pack
No. 8556	• for 18" d open uprights - 6 pack
No. 85571	• for 24" d open uprights - 1 pack
No. 8557	• for 24" d open uprights - 6 pack
No. 85582	• for 30" d open uprights - 2 pack
No. 8558	• for 30" d open uprights - 6 pack
No. 85592	• for 36" d open uprights - 2 pack
No. 8559	• for 36" d open uprights - 6 pack

Roll-Formed T-Posts Only (2 pk)

No. 8550	• 84" h
No. 8551	• 96" h
No. 8552	• 120" h

(G) 8000 Series Clips

No. 8854	• (Shelf Clip)
No. 65160	• (Bulk Storage Rack Integration Clip)

(H) Bin Fronts (10 pk)

No. 8675	• 36" w x 1-1/2" h
No. 8676	• 36" w x 3" h
No. 8677	• 42" w x 1-1/2" h
No. 8678	• 42" w x 3" h
No. 8679	• 48" w x 1-1/2" h
No. 8680	• 48" w x 3" h

Back-to-Shelf Clips†

Tightens back panel to shelf

No. 8853	- for Box Formation shelves Side-to-Back Clip
No. 8850	- connects T-Post to back

(J) Base Strips (10 pk)

No. 8665	• 36" w x 3" h
No. 8666	• 36" w x 6" h
No. 8667	• 42" w x 3" h
No. 8668	• 42" w x 6" h
No. 8669	• 48" w x 3" h

(K) Shelf Dividers (see page 14)

(L) Steel Shelf Boxes (see page 14)

Label Holders (see page 14)

Swinging Doors for 8000 Series (see page 10)

Step 5

Select Anchoring System and Additional Bracing Components

Upright to Floor Angle

No. 8859	• (4) per section of shelving
-----------------	-------------------------------

Footplate

No. 8860	• 3" x 3" x 3/8" plate (1) per post
-----------------	--

Anchor

No. 8861	• 3/8" dia. x 3" wedge anchor (1) per post
-----------------	---

Shim Plates (for uneven floors)

No. 8852	- used w/o anchoring
No. 8862	- 18 gauge used w/anchor
No. 8863	- 14 gauge used w/anchor
No. 8864	- 12 gauge used w/anchor

Arch Sway Brace 36" w

No. 8809	
-----------------	--

Back-to-Wall Tie

No. 8855	
-----------------	--

Back-to-Back Tie††

No. 8856	• Ties sections back-to-back
-----------------	---------------------------------

†Not included with shelving backs. Order separately.

††2 per location at ends and every third upright.

8000 SERIES SHELVING ACCESSORIES

- Add storage density to 8000 Series shelving with shelf boxes
- Choose steel, plastic, or corrugated fiberboard to provide safe, systematic storage for small parts, tools and other items
- All are easily labeled for fast identification of contents and can be combined with modular drawers (pages 52-53) in shelving sections

DD - Dove Gray

Shelf Dividers

The curled sides of the dividers create a smooth and safe edge. Each shelf divider features both a top and bottom flange. The included push-in plastic fasteners quickly secure your steel shelf dividers in place. Each divider attaches directly to the shelves both above and below.



Divider Height	12" Deep	18" Deep	24" Deep
	Cat. No.	Cat. No.	Cat. No.
6"	J8620•	J8630•	J8640•
9"	J8621•	J8631•	J8641•
12"	J8622•	J8632•	J8642•
15"	J8623	J8633	J8643
16-1/2"	-	J8635	-
18"	J8624•	J8634•	J8644•

Sliding Shelf Dividers

Sliding shelf dividers rest on top of the shelf and are easily moved to accommodate nearly any sized item.

Divider Height	12" Deep	18" Deep	24" Deep
	Cat. No.	Cat. No.	Cat. No.
6"	8681•	8682•	8683•
9"	8684•	8685•	8686•

Additional Plastic Fasteners - **No. 9P523**


Label holders (25 Pack)

No. 8673 - for 30"w shelves
No. 8670• - for 36"w shelves
No. 8671 - for 42"w shelves
No. 8672• - for 48"w shelves



Labels (100 Pack)

No. 8615• - white



8000 SERIES SHELVING ACCESSORIES

Heavy-Duty Steel Shelf Boxes

Designed and manufactured for maximum durability!

Tough, steel boxes feature flanged backs that allow boxes to hang at an angle for 100% access. Sides are slotted on 1" centers for adjustable galvanized dividers (included). Box fronts have integral handle and a label holder. Fit six boxes snugly side by side on a Lyon 36" wide shelving unit.

DD - Dove Gray



	Cat. No.	QTY	To Fit Shelves	W x D x H	Dividers included
Standard 22 Gauge Shelf Boxes	8116	12 pk	12" Deep	5-21/32" x 11-1/4" x 4-5/16"	24
	8117	12 pk	18" Deep	5-21/32" x 17-1/4" x 4-5/16"	36
	8115	12 pk	24" Deep	5-21/32" x 23-1/4" x 4-5/16"	36
	8118	100 pk	Extra Dividers for 8115, 8116, 8117 (galvanized finish)		



Yellow Plastic Shelf Bins

Durable, one-piece molded polypropylene is impervious to moisture, grease, and oils. Sides and bottoms reinforced for added strength. Molded front handle includes 3" x 3/4" slot for labeling. Use up to 7 dividers in each box (available separately). Nest empty boxes to save space. Each box is 4" high. Yellow finish only.

*Plastic Shelf Boxes are imported.



Outside Width	Inside Width	Height	12" Outside Depth (10-3/8" Inside Depth)	Qty	18" Outside Depth (16-3/4" Inside Depth)	Qty	24" Outside Depth (22-3/8" Inside Depth)	Qty	Qty that fits on a 36" w shelf
4-1/8"	3-5/8"	4"	53124*	24 pk	53184*	12 pk	-	-	8
6-5/8"	6-1/8"		53126*	12 pk	53186*	12 pk	53246*	6 pk	5
8-1/4"	7-3/4"		53128*	12 pk	53188*	12 pk	-	-	4

Plastic Bin Cups

Easily removable, translucent plastic, fits neatly into No. 53124 and No. 53184.

No. 53110 - 3-1/4"w x 2"d x 3"h - 48 pk



Plastic Dividers


Subdivide boxes to maximize inventory control. Black only.

No. 53104 - fits 53124 and 53184 - 24 pk

No. 53106 - fits 53126, 53186, 53246 - 24 pk

No. 53108 - fits 53128, 53188 - 24 pk

*Plastic Bin Cups and Plastic Dividers are imported.



2000 SERIES INDUSTRIAL CLIP SHELVING

2000 SERIES SHELVING

2000 Series Shelving offers complete storage solutions for everything from basic backroom storage to integrated warehouse applications. Basic systems are configured from posts, shelves, and compression clips and are enhanced with bins, boxes, and dividers to maximize available space and create efficient storage solutions.

DD - Dove Gray

Easy Assembly

One-piece shelving posts up to 17' 1" high, eliminate the need for field splicing. Custom post heights are available on 1-1/2" increments from standard heights.

Space Utilization

2000 Series shelves are roll formed with box formations in the front and rear of the shelf for high capacity ratings, without additional reinforcing. Sizes range from 24" to 60" wide and 9" to 36" deep.

Welded Uprights

Welded upright assemblies are available up to 10' tall.

Rapid Repositioning

Our compression clip is the most imitated clip in the industry. The 13 gauge clip formed with 2 rectangular lugs engages square holes for more rigidity and maximum bearing on upright posts. Clips allow for rapid repositioning of shelves, with 1-1/2" vertical shelf adjustability, resulting in easier assembly.

Flexibility

Mezzanine, multi-level, and high-rise capable. Shelving is available as open or closed, along with a full line of accessories for customizing your project.

2000 Series Shelving - Shelf Loads

Allowable Shelf Loads - ANSI MH 28.1															
Shelf Size	18 gauge	20 gauge	22 gauge	Shelf Size	18 gauge	20 gauge	22 gauge	Shelf Size	18 gauge	20 gauge	22 gauge	Shelf Size	18 gauge	20 gauge	22 gauge
24" x 12"	-	850	500	36" x 24"	1250	800	550	42" x 32"	950	600	330	54" x 18"	750	480	-
24" x 18"	-	750	500	36" x 30"	900	600	450	42" x 36"	900	550	300	54" x 24"	750	480	-
24" x 24"	-	600	500	36" x 36"	900	550	350	48" x 12"	750	500	275	54" x 30"	650	460	-
30" x 12"	-	850	500	42" x 12"	900	600	330	48" x 15"	850	525	285	54" x 32"	650	460	-
30" x 18"	-	800	500	42" x 15"	900	600	330	48" x 18"	900	550	300	54" x 36"	600	430	-
30" x 24"	-	700	500	42" x 18"	950	650	355	48" x 24"	900	550	300	60" x 18"	600	420	-
36" x 12"	1100	800	500	42" x 24"	1000	650	355	48" x 30"	750	525	285	60" x 30"	560	400	-
36" x 15"	1100	825	500	42" x 30"	1000	625	340	48" x 36"	750	500	275	60" x 36"	500	375	-
36" x 18"	1200	850	500												

*Loads are limited by the ANSI MH 28.1-1997 safety factor of 1.5. Do not exceed uniformly distributed loads shown. Concentrated load points or impact (dropped) loads could cause shelf failure even though the impact load is less than allowable load shown.

SIMPLICITY



- A** Angle or Beaded Posts
- B** Full Height Dividers
- C** Compression Clips
- D** Angle and Sliding Dividers
- E** 2000 Series Shelves
- F** Welded Upright Assemblies are used to build closed units and reduce installation costs
- G** Ledge and Counter Tops extend storage and create work areas
- H** Swinging Doors
- I** Full Length Label Holders
- J** Bin Fronts keep small packages and parts contained on the shelf
- K** Front and End Bases close the bottom of the unit below the shelf

FLEXIBILITY



2000 SERIES SHELVING – OPEN UNIT

Open shelving units are ideal for economical, general purpose storage. They allow light to penetrate a storage area and allow for free air flow around stored materials.

Standard side and back sway braces made from 12 gauge steel are used to stabilize open shelving units. Braces are punched to attach to upright posts with nuts and bolts.

The units shown feature 2000 Series heavy-duty 20 gauge shelves for standard capacity requirements.

Angle Post units have angle posts on both front and rear corners.



Beaded Post units use beaded posts on front corners and angle posts on rear corners.

Units include all necessary assembly hardware.

Order one starter unit and the balance as add-ons to make up a row of shelving.

Shelving units ship unassembled.

DD - Dove Gray

OPEN Units	W	D	H	Capacity	5 Shelves		6 Shelves		7 Shelves	
					Starter	Add-On	Starter	Add-On	Starter	Add-On
Angle Post Units 	36"	12"	85"	800 lbs.	JDP3001•	JDP3004•	JDP3013•	JDP3016•	JDP3025•	JDP3028•
	36"	18"		850 lbs.	JDP3002•	JDP3005•	JDP3014•	JDP3017•	JDP3026•	JDP3029•
	36"	24"		800 lbs.	JDP3003•	JDP3006•	JDP3015•	JDP3018•	JDP3027•	JDP3030•
	42"	12"		600 lbs.	JDP3211	JDP3214	JDP3217	JDP3220	JDP3223	JDP3226
	42"	18"		650 lbs.	JDP3212	JDP3215	JDP3218	JDP3221	JDP3224	JDP3227
	42"	24"		650 lbs.	JDP3213	JDP3216	JDP3219	JDP3222	JDP3225	JDP3228
	48"	12"		500 lbs.	JDP3101•	JDP3104•	JDP3113•	JDP3116•	JDP3125•	JDP3128•
	48"	18"		550 lbs.	JDP3102•	JDP3105•	JDP3114•	JDP3117•	JDP3126•	JDP3129•
Beaded Post Units 	48"	24"		550 lbs.	JDP3103•	JDP3106•	JDP3115•	JDP3118•	JDP3127•	JDP3130•
	36"	12"		800 lbs.	JDP3007•	JDP3010•	JDP3019•	JDP3022•	JDP3031•	JDP3034•
	36"	18"		850 lbs.	JDP3008•	JDP3011•	JDP3020•	JDP3023•	JDP3032•	JDP3035•
	36"	24"		800 lbs.	JDP3009•	JDP3012•	JDP3021•	JDP3024•	JDP3033•	JDP3036•
	42"	12"		600 lbs.	JDP3261	JDP3264	JDP3267	JDP3270	JDP3273	JDP3276
	42"	18"		650 lbs.	JDP3262	JDP3265	JDP3268	JDP3271	JDP3274	JDP3277
	42"	24"		650 lbs.	JDP3263	JDP3266	JDP3269	JDP3272	JDP3275	JDP3278
	48"	12"		500 lbs.	JDP3107•	JDP3110•	JDP3119•	JDP3122•	JDP3131•	JDP3134•
	48"	18"		550 lbs.	JDP3108•	JDP3111•	JDP3120•	JDP3123•	JDP3132•	JDP3135•
	48"	24"		550 lbs.	JDP3109•	JDP3112•	JDP3121•	JDP3124•	JDP3133•	JDP3136•



2000 SERIES SHELVING – CLOSED UNIT

Closed shelving units are used for applications where stored materials require additional protection or containment. They utilize 24 gauge back and side sheets with the basic post/shelf connection for strength and stability. To improve the ease and speed of installation, welded upright assemblies are used in place of individual posts and side sheets. End uprights are used at the beginning and end of rows. Intermediate uprights are used between units in a row. Two backs can be used when units exceed 8'1" in height; splices cover the seams on exposed two-piece backs.

The units shown feature 2000 Series heavy-duty 20 gauge shelves for standard capacity requirements.

Angle Post units have angle posts on both front and rear corners.



Beaded Post units use beaded posts on front corners and angle posts on rear corners.

Units are supplied with 4" front bases to close off the unit below the bottom shelf. All necessary hardware is included.

Order one starter unit and the balance as add-ons to make up a row of shelving.

Shelving units ship unassembled.

DD - Dove Gray

CLOSED Units	W	D	H	Capacity	5 Shelves		6 Shelves		7 Shelves	
					Starter	Add-On	Starter	Add-On	Starter	Add-On
Angle Post Units 	36"	12"	85"	800 lbs.	JDP3049•	JDP3052•	JDP3061•	JDP3064•	JDP3073•	JDP3076•
	36"	18"		850 lbs.	JDP3050•	JDP3053•	JDP3062•	JDP3065•	JDP3074•	JDP3077•
	36"	24"		800 lbs.	JDP3051•	JDP3054•	JDP3063•	JDP3066•	JDP3075•	JDP3078•
	42"	12"		600 lbs.	JDP3307	JDP3310	JDP3313	JDP3316	JDP3319	JDP3322
	42"	18"		650 lbs.	JDP3308	JDP3311	JDP3314	JDP3317	JDP3320	JDP3323
	42"	24"		650 lbs.	JDP3309	JDP3312	JDP3315	JDP3318	JDP3321	JDP3324
	48"	12"		500 lbs.	JDP3149•	JDP3152•	JDP3161•	JDP3164•	JDP3173•	JDP3176•
	48"	18"		550 lbs.	JDP3150•	JDP3153•	JDP3162•	JDP3165•	JDP3174•	JDP3177•
Beaded Post Units 	48"	24"		550 lbs.	JDP3151•	JDP3154•	JDP3163•	JDP3166•	JDP3175•	JDP3178•
	36"	12"		800 lbs.	JDP3055•	JDP3058•	JDP3067•	JDP3070•	JDP3079•	JDP3082•
	36"	18"		850 lbs.	JDP3056•	JDP3059•	JDP3068•	JDP3071•	JDP3080•	JDP3083•
	36"	24"		800 lbs.	JDP3057•	JDP3060•	JDP3069•	JDP3072•	JDP3081•	JDP3084•
	42"	12"		600 lbs.	JDP3331	JDP3334	JDP3337	JDP3340	JDP3343	JDP3346
	42"	18"		650 lbs.	JDP3332	JDP3335	JDP3338	JDP3341	JDP3344	JDP3347
	42"	24"		650 lbs.	JDP3333	JDP3336	JDP3339	JDP3342	JDP3345	JDP3348
	48"	12"		500 lbs.	JDP3155•	JDP3158•	JDP3167•	JDP3170•	JDP3179•	JDP3182•
	48"	18"		550 lbs.	JDP3156•	JDP3159•	JDP3168•	JDP3171•	JDP3180•	JDP3183•
	48"	24"		550 lbs.	JDP3157•	JDP3160•	JDP3169•	JDP3172•	JDP3181•	JDP3184•

2000 SERIES SHELVING – COMPONENTS

DD - Dove Gray

Upright posts for 2000 Series shelving units are available in angle, beaded, and heavy-duty styles.

Available in lengths up to 17'1", posts are roll formed from 14 gauge steel for maximum strength and feature 1-1/2" vertical shelf adjustment. Post splices for all styles can be used for high-rise and multi-level shelving applications.



Angle Post are the most economical design.



Beaded Post offer clear shelf access.



Heavy-Duty Post with a rectangular tube design offer additional capacity, providing up to four times the capacities of angle and beaded posts.


2000 Series Shelving - Post Loads

Shelving Post Load Table - ANSI MH 28.1 - 1997						
	Single Angle Post - Sway Brace Bolted Side Sheet Welded End Upright	Double Angle Post Sway Brace Bolted Side Sheet	Double Angle Post Welded Intermediate Upright	Beaded Post Sway Brace Bolted Side Sheet	Beaded Post Welded Upright	Heavy-Duty Post
Shelf Spacing	Allowable Axial (Vertical) Load Per Post Type					
12"	1800 lbs.	3600 lbs.	4800 lbs.	4300 lbs.	4900 lbs.	8300 lbs.
18"	1325 lbs.	2650 lbs.	4500 lbs.	3100 lbs.	4100 lbs.	8000 lbs.
24"	900 lbs.	1600 lbs.	4100 lbs.	1950 lbs.	3200 lbs.	7800 lbs.
30"	670 lbs.	1340 lbs.	3600 lbs.	1300 lbs.	2250 lbs.	7500 lbs.
36"	500 lbs.	1000 lbs.	3100 lbs.	1000 lbs.	1650 lbs.	7000 lbs.
42"	-	-	2500 lbs.	750 lbs.	1250 lbs.	6500 lbs.
48"	-	-	1900 lbs.	-	-	5900 lbs.


Post capacities are dependent upon shelf spacing. The carrying capacity of a post increases as shelf spacing decreases. Do not exceed the allowable loads listed.

2000 SERIES SHELVING NOMINAL GROWTH CHART

Angle Post



Front Beaded Post



2000 SERIES SHELVING – COMPONENTS

2000 Series shelves are available in extra heavy-duty, 18 gauge, heavy-duty, 20 gauge, and medium-duty, 22 gauge construction to meet a wide range of capacity requirements

For custom applications, the width dimension is fully adjustable to match specific storage requirements.

2000 Series shelves are roll formed with box formations in the front and rear of the shelf for high capacity ratings, without additional reinforcing.

Compression clips are formed from heavy 13 gauge steel for maximum strength. They engage square holes on upright posts to form a secure support for the shelf. As weight is

added to the shelf, compression increases to transfer the load to the posts.

Standard side and back sway braces made from 12 gauge steel are used to stabilize open shelving units. Braces are punched to attach to upright posts with nuts and bolts.

DD - Dove Gray

	Item	Cat. No.	Qty
Angle Post	85" H	J1000491*	1
	97" H	J1000571*	1
	121" H	J1000731*	1
	Splice	J1992201*	1
Beaded Post	85" H	J1070491*	1
	97" H	J1070571*	1
	121" H	J1070731*	1
	Splice	J1992191*	1
Label Holders	30" W	J8673	25
	36" W	J8670*	25
	42" W	J8671	25
	48" W	J8672*	25
Foot Plate	2-1/8" x 2-7/8"	J1937011*	1
Sway Braces for Units	12", 24" D, 24" W	J106822*	1
	12", 24" D, 24" W	J10682210*	10
	18" D, 30" W	J106823*	1
	18" D, 30" W	J10682310*	10
	30", 36" D, 36" W	J106824*	1
	30", 36" D, 36" W	J10682410*	10
	42", 48" W	J106825*	1
Back Panel	42", 48" W	J10682510*	10
	36" W x 49" H	J1051711*	1
	36" W x 49" H	J1051718*	8
	36" W x 61" H	J1051791*	1
	36" W x 61" H	J1051796*	6
	36" W x 85" H	J1051951*	1
	36" W x 85" H	J1051954*	4
	42" W x 85" H	J1052681	1
	42" W x 85" H	J1052684	4
	48" W x 49" H	J1053171*	1
	48" W x 49" H	J1053176*	6
	48" W x 61" H	J1053251*	1
	48" W x 61" H	J1053255*	5
	48" W x 85" H	J1053411*	1
	48" W x 85" H	J1053414*	4
Side Panel	12" D x 49" H	J1010981*	1
	12" D x 61" H	J1011061*	1
	12" D x 85" H	J1011221*	1
	18" D x 49" H	J1012441*	1
	18" D x 61" H	J1012521*	1
	18" D x 85" H	J1012681*	1
	18" D x 85" H	J1012686*	6
	24" D x 49" H	J1013171*	1
	24" D x 61" H	J1013251*	1
	24" D x 85" H	J1013411*	1
Welded End Upright Assembly (Beaded Post)	24" D x 85" H	J1013416*	6
	12" D x 85" H	J1073221*	1
	12" D x 85" H	J1073224*	4
	18" D x 85" H	J1074681*	1
	18" D x 85" H	J1074684*	4
	24" D x 85" H	J1075411*	1
Welded Intermediate Upright Assembly (Beaded Post)	24" D x 85" H	J1075414*	4
	12" D x 85" H	J1083221*	1
	12" D x 85" H	J1083224*	4
	18" D x 85" H	J1084681*	1
	18" D x 85" H	J1084684*	4
	24" D x 85" H	J1085411*	1
	24" D x 85" H	J1085414*	4

	Item	Cat. No.	Qty
Welded End Upright Assembly (Angle Post)	12" D x 85" H	J1031221	1
	12" D x 85" H	J1031224	4
	18" D x 85" H	J1032681	1
	18" D x 85" H	J1032684	4
	24" D x 85" H	J1033411	1
	24" D x 85" H	J1033414	4
Welded End Intermediate Upright Assembly (Angle Post)	12" D x 85" H	J1041221	1
	12" D x 85" H	J1041224	4
	18" D x 85" H	J1042681	1
	18" D x 85" H	J1042684	4
	24" D x 85" H	J1043411	1
	24" D x 85" H	J1043414	4
Extra Heavy-Duty 18 gauge Shelves	48" W x 18" D	J1022191*	1
	48" W x 18" D	J1022195*	5
	48" W x 24" D	J1022241*	1
	48" W x 24" D	J1022245*	5
Heavy-Duty 20 gauge Shelves	36" W x 12" D	J1021071*	1
	36" W x 12" D	J1021075*	5
	36" W x 18" D	J1021171*	1
	36" W x 18" D	J1021175*	5
	36" W x 24" D	J1021221*	1
	36" W x 24" D	J1021225*	5
	42" W x 12" D	J1021081	1
	42" W x 12" D	J1021085	5
	42" W x 18" D	J1021181	1
	42" W x 18" D	J1021185	5
	42" W x 24" D	J1021231	1
	42" W x 24" D	J1021235	5
	48" W x 12" D	J1021091*	1
	48" W x 12" D	J1021095*	5
	48" W x 18" D	J1021191*	1
	48" W x 18" D	J1021195*	5
	48" W x 24" D	J1021241*	1
	48" W x 24" D	J1021245*	5
Medium-Duty 22 gauge Shelves	36" W x 12" D	J1020071*	1
	36" W x 12" D	J1020075*	5
	36" W x 18" D	J1020171*	1
	36" W x 18" D	J1020175*	5
	36" W x 24" D	J1020221*	1
	36" W x 24" D	J1020225*	5
Closed Base Front - Fits Beaded and Angle Posts	36" W x 4" H	J1079321*	1
	36" W x 4" H	J1079325	5
	36" W x 4" H	J10793220*	20
	42" W x 4" H	J1079331	1
	42" W x 4" H	J1079335	5
	42" W x 4" H	J10793320	20
	48" W x 4" H	J1079341*	1
	48" W x 4" H	J1079345*	5
	48" W x 4" H	J10793420*	20
Clips (supplied with shelves)	Shelf Clip	J193719*	1
	Half Shelf Clip	J193728*	1

MODULAR DRAWERS FOR 36" & 48" WIDE 2000 SERIES SHELVING

- Modular Drawers are constructed to be used with our 2000 Series Shelving beaded front post and angle back post. See pages 18-21.
- Modular Drawers in Shelving are easy to install using only four brackets. Suspension glide rails lock into brackets, then drawers slide into place
- Existing 36" and 48" wide 2000 Series Shelving can be retrofitted with Lyon Modular Drawers

Photo to the right is shown in Lyon Premier Red Baron, optional, color. Modular drawer installation should have a shelf directly above and below the drawer guide support as shown.

DD - Dove Gray - Brackets and Modular Drawers

How to Build Your Own Drawers in Shelving: The total of the drawer numbers must add up to the bracket segment total.

Example:

N053618NN000K = 05 Drawer

N053618NN000K = 05 Drawer

N053618NN000K = 05 Drawer

JMB3615 = 15 Bracket Segment Total



Step 1


Determine Bracket Height needed from the brackets chart.



Bracket Height	Bracket Segment Total	Bracket Cat No.
12"	15	JMB3615
18"	22	JMB3622
24"	30	JMB3630
36"	45	JMB3645
48"	60	JMB3660

Step 2

Choose the number of drawers needed, based on the Drawer No. chart below. The total Drawer No.'s. must add up to the bracket segment total.




- Each drawer includes suspension equipment that features drawer capacities of 400 lbs.
- Ergonomic handles with removable labels and shields
- Layout Kits and components can be found on opposite page

	Drawer No.	Usable Height	Front Height	Drawer Cat No.		Drawer No.	Usable Height	Front Height	Drawer Cat No.
36" Wide 18" Deep Shelving	04	2-1/4"	3-1/16"	N043618NN000K	48" Wide 18" Deep Shelving	04	2-1/4"	3-1/16"	N044818NN000K
	05	3"	3-7/8"	N053618NN000K		05	3"	3-7/8"	N054818NN000K
	06	3-7/8"	4-5/8"	N063618NN000K		06	3-7/8"	4-5/8"	N064818NN000K
	07	4-5/8"	5-7/16"	N073618NN000K		07	4-5/8"	5-7/16"	N074818NN000K
	08	5-3/8"	6-3/16"	N083618NN000K		08	5-3/8"	6-3/16"	N084818NN000K
	09	6-1/4"	7"	N093618NN000K		09	6-1/4"	7"	N094818NN000K
	10	7"	7-3/4"	N103618NN000K		10	7"	7-3/4"	N104818NN000K
	11	7-3/4"	8-9/16"	N113618NN000K		11	7-3/4"	8-9/16"	N114818NN000K
	12	8-1/2"	9-3/8"	N123618NN000K		12	8-1/2"	9-3/8"	N124818NN000K
	13	9-3/8"	10-1/8"	N133618NN000K		13	9-3/8"	10-1/8"	N134818NN000K
	14	10-1/8"	10-7/8"	N143618NN000K		14	10-1/8"	10-7/8"	N144818NN000K
	15	10-7/8"	11-3/4"	N153618NN000K		15	10-7/8"	11-3/4"	N154818NN000K
	16	11-3/4"	12-1/2"	N163618NN000K		16	11-3/4"	12-1/2"	N164818NN000K
	17	12-1/2"	13-15/16"	N173618NN000K		17	12-1/2"	13-15/16"	N174818NN000K
	18	13-1/4"	14-1/16"	N183618NN000K		18	13-1/4"	14-1/16"	N184818NN000K
36" Wide 24" Deep Shelving	04	2-1/4"	3-1/16"	N043624NN000K	48" Wide 24" Deep Shelving	04	2-1/4"	3-1/16"	N044824NN000K
	05	3"	3-7/8"	N053624NN000K		05	3"	3-7/8"	N054824NN000K
	06	3-7/8"	4-5/8"	N063624NN000K		06	3-7/8"	4-5/8"	N064824NN000K
	07	4-5/8"	5-7/16"	N073624NN000K		07	4-5/8"	5-7/16"	N074824NN000K
	08	5-3/8"	6-3/16"	N083624NN000K		08	5-3/8"	6-3/16"	N084824NN000K
	09	6-1/4"	7"	N093624NN000K		09	6-1/4"	7"	N094824NN000K
	10	7"	7-3/4"	N103624NN000K		10	7"	7-3/4"	N104824NN000K
	11	7-3/4"	8-9/16"	N113624NN000K		11	7-3/4"	8-9/16"	N114824NN000K
	12	8-1/2"	9-3/8"	N123624NN000K		12	8-1/2"	9-3/8"	N124824NN000K
	13	9-3/8"	10-1/8"	N133624NN000K		13	9-3/8"	10-1/8"	N134824NN000K
	14	10-1/8"	10-7/8"	N143624NN000K		14	10-1/8"	10-7/8"	N144824NN000K
	15	10-7/8"	11-3/4"	N153624NN000K		15	10-7/8"	11-3/4"	N154824NN000K
	16	11-3/4"	12-1/2"	N163624NN000K		16	11-3/4"	12-1/2"	N164824NN000K
	17	12-1/2"	13-15/16"	N173624NN000K		17	12-1/2"	13-15/16"	N174824NN000K
	18	13-1/4"	14-1/16"	N183624NN000K		18	13-1/4"	14-1/16"	N184824NN000K


OPTIONAL ACCESSORIES FOR MODULAR DRAWERS FOR 36" WIDE 2000 SERIES SHELVING

**Step
3**

Select Pre-Engineered Layout Kits. For use with Modular Drawers listed on opposite page. For other layouts, order partitions, dividers, and plastic bins from listings on page 25.



Drawer No.	36" Wide x 18" Deep Shelving			36" Wide x 24" Deep Shelving		
	Layout Kit E 24 Compartments	Layout Kit L 12 Compartments	Layout Kit C 9 Compartments	Layout Kit J 32 Compartments	Layout Kit L 12 Compartments	Layout Kit C 9 Compartments
04 / 05	0E0453618	0L0453618	0C0453618	0J0453624	0L0453624	0C0453624
06 / 07	0E0673618	0L0673618	0C0673618	0J0673624	0L0673624	0C0673624
08 / 09	0E0893618	0L0893618	0C0893618	0J0893624	0L0893624	0C0893624
10 & over	0E1003618	0L1003618	0C1003618	0J1003624	0L1003624	0C1003624



Drawer No.	48" Wide x 18" Deep Shelving			48" Wide x 24" Deep Shelving		
	Layout Kit E 24 Compartments	Layout Kit L 12 Compartments	Layout Kit C 9 Compartments	Layout Kit J 32 Compartments	Layout Kit L 12 Compartments	Layout Kit C 9 Compartments
04 / 05	0E0454818	0L0454818	0C0454818	0J0454824	0L0454824	0C0454824
06 / 07	0E0674818	0L0674818	0C0674818	0J0674824	0L0674824	0C0674824
08 / 09	0E0894818	0L0894818	0C0894818	0J0894824	0L0894824	0C0894824
10 & over	0E1004818	0L1004818	0C1004818	0J1004824	0L1004824	0C1004824

Compartment Size - The chart below identifies individual compartment sizes found in the layout kit illustrations.

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"

Examples

STARTER AND ADD-ON EXAMPLES

How to Build Your Own Drawers in Shelving Stater and Add-Ons. The total drawer numbers must add up to the bracket segment total. See examples below.

Starter Example - How to Build J115005				Add-On Example - How to Build J115005A			
Qty	Item No.	Description		Qty	Item No.	Description	
2	J1074681	End Upright Assembly Beaded Post 18" X 85"		1	J1084681	Intermediate Upright Assembly Beaded Post 18" X 85"	
1	J1020171-5	Box Shelf 36" X 18", 22 Gauge-5 pack		1	J1020171-5	Box Shelf 36" X 18", 22 Gauge-5 pack	
1	XJ1051951	Back 36" X 85		1	J1051951	Back 36" X 85	
1	NFJDPHDW	Shelving Hardware		1	NFJDPHDW	Shelving Hardware	
1	JMB3622	18"H Bracket for Drawers in Shelving	22 Total Segments	1	JMB3622	18"H Bracket for Drawers in Shelving	22 Total Segments
4	N043618NNOCIK	36"W x 18"D Drawer, 04 Drawer No., 3-1/16" Front Height, with Layout Kit "C" Installed.	16 Drawer Numbers	4	N043618NNOCIK	36"W x 18"D Drawer, 04 Drawer No., 3-1/16" Front Height, with Layout Kit "C" Installed.	16 Drawer Numbers
1	N063618NNOCIK	36"W x 18"D Drawer, 06 Drawer No., 4-5/8" Front Height, with Layout Kit "C" Installed.	6 Drawer Numbers	1	N063618NNOCIK	36"W x 18"D Drawer, 06 Drawer No., 4-5/8" Front Height, with Layout Kit "C" Installed.	6 Drawer Numbers
22 Total Bracket Segments = 22 Total Drawers				22 Total Bracket Segments = 22 Total Drawers			

**MODULAR
DRAWERS IN
SHELVING
36" WIDE
2000 SERIES
SHELVING**



**PRE-ENGINEERED
MODULAR DRAWERS IN
SHELVING FOR 36" WIDE
2000 SERIES SHELVING**



18" and 24" Deep

- Increase storage density within 18" or 24" deep shelving sections with Modular Drawers in Shelving
- Constructed with beaded front post and angle back posts
- Drawers feature capacity of 400 lbs. and fully extend for visual and physical access
- Shelves feature capacity of 800 lbs. and are adjustable on 1-1/2" centers
- Modular Drawers in Shelving are easy to install using only four brackets. Suspension glide rails lock into brackets, then drawers slide into place
- Existing 36" wide 2000 Series Shelving can be retrofitted with Lyon Modular Drawers

Width	Depth	Upright Height	Type	Item No.	Drawers / Shelves	Bracket Height	Bracket Segment Total	Drawer No. / Drawer Front Height
36"	18"	85" (7'-1")	Starter	J115005	5 Drawers / 5 Shelves	18"	22	(4) 04 / 3-1/16", (1) 06 / 4-5/8"
	Add-On		J115005A	5 Drawers / 5 Shelves	(4) 04 / 3-1/16", (1) 06 / 4-5/8"			
	24"		Starter	J115006	5 Drawers / 5 Shelves			(4) 04 / 3-1/16", (1) 06 / 4-5/8"
	Add-On		J115006A	5 Drawers / 5 Shelves	(4) 04 / 3-1/16", (1) 06 / 4-5/8"			
36"	18"	85" (7'-1")	Starter	J115015	5 Drawers / 5 Shelves	24"	30	(3) 04 / 3-1/16", (2) 09 / 7"
	Add-On		J115015A	5 Drawers / 5 Shelves	(3) 04 / 3-1/16", (2) 09 / 7"			
	24"		Starter	J115016	5 Drawers / 5 Shelves			(3) 04 / 3-1/16", (2) 09 / 7"
	Add-On		J115016A	5 Drawers / 5 Shelves	(3) 04 / 3-1/16", (2) 09 / 7"			
36"	18"	85" (7'-1")	Starter	J115025	7 Drawers / 5 Shelves	36"	45	(4) 05 / 3-7/8", (2) 08 / 6-3/16", (1) 09 / 7"
	Add-On		J115025A	7 Drawers / 5 Shelves	(4) 05 / 3-7/8", (2) 08 / 6-3/16", (1) 09 / 7"			
	24"		Starter	J115026	7 Drawers / 5 Shelves			(4) 05 / 3-7/8", (2) 08 / 6-3/16", (1) 09 / 7"
	Add-On		J115026A	7 Drawers / 5 Shelves	(4) 05 / 3-7/8", (2) 08 / 6-3/16", (1) 09 / 7"			
36"	18"	85" (7'-1")	Starter	J115035	9 Drawers / 5 Shelves	48"*	60	(3) 05 / 3-7/8", (5) 07 / 5-7/16", (1) 10 / 7-3/4"
	Add-On		J115035A	9 Drawers / 5 Shelves	(3) 05 / 3-7/8", (5) 07 / 5-7/16", (1) 10 / 7-3/4"			
	24"		Starter	J115036	9 Drawers / 5 Shelves			(3) 05 / 3-7/8", (5) 07 / 5-7/16", (1) 10 / 7-3/4"
	Add-On		J115036A	9 Drawers / 5 Shelves	(3) 05 / 3-7/8", (5) 07 / 5-7/16", (1) 10 / 7-3/4"			

*48" High Brackets must be used by mounting two brackets sets stacked with a shelf between them.

OPTIONAL ACCESSORIES FOR MODULAR DRAWERS FOR 36" WIDE 2000 SERIES SHELVING



Steel Partitions Form, lengthwise, front to back, compartments in Modular Drawers on nominal 1" centers. Galvanized Finish.

Drawer No.	Height	18"d Cat. No.	24"d Cat. No.
04 / 05	1-7/8"	NF045P18DK	NF045P24DK
06 / 07	2-13/16"	NF067P18DK	NF067P24DK
08 / 09	4-1/2"	NF089P18DK	NF089P24DK
10 - 18	5-13/16"	NF100P18DK	NF100P24DK



Steel Dividers slip into partitions to create smaller compartments. Nominal width of dividers must equal 40 segments. Galvanized Finish.

Number of Segments	Approximate Length	Compartment Width (Clear)	Fits 04 & 05 Drawers (1-7/8"h) Cat. No.	Fits 06 & 07 Drawers (2-13/16"h) Cat. No.	Fits 08 & 09 Drawers (4-1/2"h) Cat. No.	Fits 10 - 18 Drawers (5-13/16"h) Cat. No.
3	2-1/4"	1-7/8"	NF045D03K	NF067D03K	NF089D03K	NF100D03K
4	3-1/16"	2-3/4"	NF045D04K	NF067D04K	NF089D04K	NF100D04K
5	3-7/8"	3-1/2"	NF045D05K	NF067D05K	NF089D05K	NF100D05K
6	4-5/8"	4-1/4"	NF045D06K	NF067D06K	NF089D06K	NF100D06K
7	5-7/16"	5-1/8"	NF045D07K	NF067D07K	NF089D07K	NF100D07K
8	6-1/4"	5-7/8"	NF045D08K	NF067D08K	NF089D08K	NF100D08K
9	7-1/16"	6-3/4"	NF045D09K	NF067D09K	NF089D09K	NF100D09K
10	7-7/8"	7-1/4"	NF045D10K	NF067D10K	NF089D10K	NF100D10K
11	8-5/8"	8-1/4"	NF045D11K	NF067D11K	NF089D11K	NF100D11K
12	9-7/8"	9-1/2"	NF045D12K	NF067D12K	NF089D12K	NF100D12K
13	10-1/4"	9-7/8"	NF045D13K	NF067D13K	NF089D13K	NF100D13K
14	11-1/8"	10-3/4"	NF045D14K	NF067D14K	NF089D14K	NF100D14K
15	11-7/8"	11-1/2"	NF045D15K	NF067D15K	NF089D15K	NF100D15K
16	12-5/8"	12-1/4"	NF045D16K	NF067D16K	NF089D16K	NF100D16K
17	13-7/16"	13-1/8"	NF045D17K	NF067D17K	NF089D17K	NF100D17K
18	14-1/4"	13-7/8"	NF045D18K	NF067D18K	NF089D18K	NF100D18K
19	15-1/16"	14-3/4"	NF045D19K	NF067D19K	NF089D19K	NF100D19K
20	15-7/8"	15-1/2"	NF045D20K	NF067D20K	NF089D20K	NF100D20K
21	16-5/8"	16-1/4"	NF045D21K	NF067D21K	NF089D21K	NF100D21K
22	17-7/16"	17-1/8"	NF045D22K	NF067D22K	NF089D22K	NF100D22K
23	18-1/4"	17-7/8"	NF045D23K	NF067D23K	NF089D23K	NF100D23K
24	19-1/16"	18-5/8"	NF045D24K	NF067D24K	NF089D24K	NF100D24K



Removable Plastic Bins allow you to form, lengthwise, front to back, compartments in Modular Drawers. Available in Yellow.

W x D x H	18"d / 24"d Qty to fill drawer	Bins Cat. No.	Divider for Bins Cat. No.
3" x 3" x 2"	50 / 70	240332	240332DIV
3" x 6" x 2"	20 / 30	240362	240332DIV
6" x 6" x 2"	10 / 15	240662	240662DIV
3" x 3" x 3"	50 / 70	240333	240333DIV
3" x 6" x 3"	20 / 30	240363	240333DIV
6" x 6" x 3"	10 / 15	240663	240663DIV

BULK STORAGE RACKS

Bulk storage rack is the integrated storage solution between the conventional light-duty shelving and heavy-duty pallet rack. Configured in a multitude of heights, depths, and widths, with five different decking options, allowing for both front and back side accessibility of the rack.


- Bulk Storage Rack uprights are either all-welded (assembled) or with ladder braces and posts (unassembled)
- Bulk Storage Rack beams are offered in three profiles with varying weight capacities. "Z" beam shape design increases strength and capacity of member. All mig-welded construction. Integral 3 prong beam connector allowing beams to secure to post without hardware
- 14 gauge steel, gray powder coated paint finish
- Available in 3 and 4 shelf levels, shelf levels are adjustable in 1-1/2" increments



- | | |
|-----------------------------|-----------------------------|
| Starter | Add-On |
| • 2 upright frames | • 1 upright frame |
| • Shelf levels with decking | • Shelf levels with decking |


DD - Dove Gray

6 Decking Options Available




No Decking

Features a front-to-back support to minimize beam rotation under heavy loads. You can also use front-to-back supports for plywood or create your own decking solution.




Flat Wire Decking.

Featuring 4" x 2" wire mesh with 5 gauge welded reinforcement wires. Galvanized Finish.




Solid Decking

Features Lyon heavy-duty industrial shelves for a smooth uninterrupted decking surface.



Particle Board Decking.

Durable, 5/8" thick particle board decking.



Ribbed Decking

Versatile 20 gauge ribbed decking. Ribbs allow for space to grab packages easily and prevent pinched fingers. 1-3/4" w x 5/8" d rib.

Easily Integrate Bulk Storage Racks

Bulk Storage Racks integrates seamlessly with 8000 Series shelving for a complete storage system. 8000 Series/BSR Integration Clip
No. 65160



PRE-ENGINEERED BULK STORAGE RACKS

Designed for the hand-loading of intermediate weight bulky items. In addition to storing cartoned merchandise, it can be used for display racking. Heavy-duty 14 gauge steel beams included. For specifications on individual components, see pages 30-34.

60"
Wide
Racks

DD - Dove Gray



Starter
• 2 upright frames
• Shelf levels with decking

Add-On
• 1 upright frame
• Shelf levels with decking



Levels	Height	Depth	Without Decking		Solid Decking		Ribbed Decking		Wire Decking		Particle Decking	
			Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
3	60"	24"	67201S	67201	—	—	67201SR	67201R	67201SW	67201W	67201SP	67201P
		30"	67202S	67202	67202SD	67202D	67202SR	67202R	67202SW	67202W	—	—
		36"	67203S	67203	67203SD	67203D	67203SR	67203R	67203SW	67203W	67203SP	67203P
		48"	67205S	67205	67205SD	67205D	67205SR	67205R	67205SW	67205W	67205SP	67205P
3	72"	24"	67211S*	67211*	—	—	67211SR*	67211R*	67211SW	67211W	67211SP*	67211P*
		30"	67212S	67212	67212SD	67212D	67212SR	67212R	67212SW	67212W	—	—
		36"	67213S*	67213*	67213SD*	67213D*	67213SR*	67213R*	67213SW	67213W	67213SP*	67213P*
		48"	67215S*	67215*	67215SD*	67215D*	67215SR*	67215R*	67215SW	67215W	67215SP*	67215P*
3	84"	24"	67221S*	67221*	—	—	67221SR	67221R	67221SW	67221W	67221SP	67221P
		30"	67222S	67222	67222SD	67222D	67222SR	67222R	67222SW	67222W	—	—
		36"	67223S*	67223*	67223SD*	67223D*	67223SR*	67223R*	67223SW	67223W	67223SP*	67223P*
		48"	67225S*	67225*	67225SD*	67225D*	67225SR*	67225R*	67225SW	67225W	67225SP*	67225P*
4	96"	24"	67231S*	67231*	—	—	67231SR*	67231R*	67231SW	67231W	67231SP*	67231P*
		30"	67232S	67232	67232SD	67232D	67232SR	67232R	67232SW	67232W	—	—
		36"	67233S*	67233*	67233SD*	67233D*	67233SR*	67233R*	67233SW	67233W	67233SP*	67233P*
		48"	67235S*	67235*	67235SD*	67235D*	67235SR*	67235R*	67235SW	67235W	67235SP*	67235P*

NOTE: In the interest of safety, Lyon strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 38 for important anchoring information.

PRE-ENGINEERED BULK STORAGE RACKS

Designed for the hand-loading of intermediate weight bulky items. In addition to storing cartoned merchandise, it can be used for display racking. Heavy-duty 14 gauge steel beams included. For specifications on individual components, see pages 64-67.

**72"
Wide
Racks**



DD - Dove Gray

Starter

- 2 upright frames
- Shelf levels with decking

Add-On

- 1 upright frame
- Shelf levels with decking



Levels	Height	Depth	Without Decking		Solid Decking		Ribbed Decking		Wire Decking		Particle Decking	
			Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
3	60"	24"	67301S	67301	67301SD	67301D	67301SR	67301R	67301SW	67301W	67301SP	67301P
		30"	67302S	67302	-	-	67302SR	67302R	67302SW	67302W	-	-
		36"	67303S	67303	67303SD	67303D	67303SR	67303R	67303SW	67303W	67303SP	67303P
		48"	67305S	67305	67305SD	67305D	67305SR	67305R	67305SW	67305W	67305SP	67305P
3	72"	24"	67311S*	67311*	67311SD*	67311D*	67311SR*	67311R*	67311SW	67311W	67311SP*	67311P*
		30"	67312S	67312	-	-	67312SR	67312R	67312SW	67312W	-	-
		36"	67313S*	67313*	67313SD*	67313D*	67313SR*	67313R*	67313SW	67313W	67313SP*	67313P*
		48"	67315S*	67315*	67315SD*	67315D*	67315SR*	67315R*	67315SW	67315W	67315SP*	67315P*
3	84"	24"	67321S	67321	67321SD	67321D	67321SR	67321R	67321SW	67321W	67321SP	67321P
		30"	67322S	67322	-	-	67322SR	67322R	67322SW	67322W	-	-
		36"	67323S*	67323*	67323SD*	67323D*	67323SR*	67323R*	67323SW	67323W	67323SP*	67323P*
		48"	67325S*	67325*	67325SD*	67325D*	67325SR*	67325R*	67325SW	67325W	67325SP*	67325P*
4	96"	24"	67331S*	67331*	67331SD*	67331D*	67331SR*	67331R*	67331SW	67331W	67331SP*	67331P*
		30"	67332S	67332	-	-	67332SR	67332R	67332SW	67332W	-	-
		36"	67333S*	67333*	67333SD*	67333D*	67333SR*	67333R*	67333SW	67333W	67333SP*	67333P*
		48"	67335S*	67335*	67335SD*	67335D*	67335SR*	67335R*	67335SW	67335W	67335SP*	67335P*

NOTE: In the interest of safety, Lyon strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 38 for important anchoring information.

PRE-ENGINEERED BULK STORAGE RACKS

Designed for the hand-loading of intermediate weight bulky items. In addition to storing cartoned merchandise, it can be used for display racking. Heavy-duty 14 gauge steel beams included. For specifications on individual components, see pages 64-67.

**96"
Wide
Racks**



DD - Dove Gray

Starter

- 2 upright frames
- Shelf levels with decking

Add-On

- 1 upright frame
- Shelf levels with decking



Levels	Height	Depth	Without Decking		Solid Decking		Ribbed Decking		Wire Decking		Particle Decking	
			Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
3	60"	24"	67501S	67501	67501SD	67501D	67501SR	67501R	67501SW	67501W	67501SP	67501P
		30"	67502S	67502	—	—	67502SR	67502R	67502SW	67502W	—	—
		36"	67503S	67503	67503SD	67503D	67503SR	67503R	67503SW	67503W	67503SP	67503P
		48"	67505S	67505	67505SD	67505D	67505SR	67505R	67505SW	67505W	67505SP	67505P
3	72"	24"	67511S*	67511*	67511SD*	67511D*	67511SR*	67511R*	67511SW	67511W	67511SP*	67511P*
		30"	67512S	67512	—	—	67512SR	67512R	67512SW	67512W	—	—
		36"	67513S*	67513*	67513SD*	67513D*	67513SR*	67513R*	67513SW	67513W	67513SP*	67513P*
		48"	67515S*	67515*	67515SD*	67515D*	67515SR*	67515R*	67515SW	67515W	67515SP*	67515P*
3	84"	24"	67521S*	67521*	67521SD*	67521D*	67521SR*	67521R*	67521SW	67521W	67521SP*	67521P*
		30"	67522S	67522	—	—	67522SR	67522R	67522SW	67522W	—	—
		36"	67523S*	67523*	67523SD*	67523D*	67523SR*	67523R*	67523SW	67523W	67523SP*	67523P*
		48"	67525S*	67525*	67525SD*	67525D*	67525SR*	67525R*	67525SW	67525W	67525SP*	67525P*
4	96"	24"	67531S*	67531*	67531SD*	67531D*	67531SR*	67531R*	67531SW	67531W	67531SP*	67531P*
		30"	67532S	67532	—	—	67532SR	67532R	67532SW	67532W	—	—
		36"	67533S*	67533*	67533SD*	67533D*	67533SR*	67533R*	67533SW	67533W	67533SP*	67533P*
		48"	67535S*	67535*	67535SD*	67535D*	67535SR*	67535R*	67535SW	67535W	67535SP*	67535P*

NOTE: In the interest of safety, Lyon strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 38 for important anchoring information.

HOW TO BUILD YOUR OWN - BULK STORAGE RACK

Dimensions for Bulk Storage Racks

Refer to illustration and charts below



When figuring floor space for Lyon bulk storage racks first add 4-7/32" to nominal beam length for width of single section.

Next, add 2-15/32" to nominal beam length for each additional section.

Then, add 9/16" to nominal depth of upright assembly.

Also, racks must be level and plumb and installed per assembly instruction #10206-AA.

DD - Dove Gray



"C"
Heavy - 3-5/8"
Extra-Heavy - 4-5/8"
Low Profile - 2"

Nominal Rack Depth	Rack Depth "A"	Inside Depth "B"
15"	15-9/16"	15-1/4"
18"	18-9/16"	18-1/4"
24"	24-9/16"	24-1/4"
30"	30-9/16"	30-1/4"
36"	36-9/16"	36-1/4"
42"	42-9/16"	42-1/4"
48"	48-9/16"	48-1/4"

Nominal Width	Actual Width	"D"	"E"
48"*	48-1/2"	50-15/32"	48-23/32"
60"	60-1/2"	62-15/32"	60-23/32"
72"*	72-1/2"	74-15/32"	72-23/32"
84"	84-1/2"	86-15/32"	84-23/32"
96"*	96-1/2"	98-15/32"	96-23/32"

Capacities shown are maximum safe evenly distributed static loads per pair of beams with front-to-back support. Upright capacities are based on beam centers no greater than 36". Call customer service for lead time.

HOW TO BUILD YOUR OWN - BULK STORAGE RACK

Step 1

Select Upright Assembly - Choose All-Welded Assembled or Unassembled with Ladder Braces and Posts. Each Upright Assembly is constructed with the following:

- 14 gauge with a 10,000 lb. capacity per section
- Upright: 1-3/4" x 1-13/16"
- Adjustment on 1-1/2" centers



All-Welded Assembled Upright has tubular bracing, mig-welded to post

	60" High	72" High	84" High	96" High	120" High	144" High
Depth	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.
24"	64242	64243*	64244*	64245*	64247*	64249
30"	64302	64303	64304	64305	64307	64309
36"	64362	64363*	64364*	64365*	64367*	64369
42"	64422	64423	64424	64425	64427	64429
48"	64482	64483*	64484*	64485*	64487	64489

Unassembled Ladder Upright

includes two posts and two or more bolt on ladder braces


	60" High	72" High	84" High	96" High	120" High	144" High
Depth	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.
15"	63152	63153	63154	63155	63157	63159
18"	63182	63183	63184	63185	63187	63189
24"	63242	63243*	63244*	63245*	63247	63249
30"	63302	63303	63304	63305	63307	63309
36"	63362	63363*	63364*	63365*	63367	63369
42"	63422	63423	63424	63425	63427	63429
48"	63482	63483*	63484*	63485*	63487	63489



Step 2

Select Beams

- **Heavy and Extra Heavy-Duty "Z" Beams**
Unique "Z" beam design increases strength and load capacity, resists tipping and eliminates wasted space, front-to-back. Beam clips are mig-welded for added strength. Fold in lock tab easily engages for security against displacement.
- **Low-Profile Beams**
Offer light weight, high-density alternative for commercial applications. Narrow height design increases vertical storage capacity.




Note: The catalog numbers in the chart below are sold as 2 packs

Nominal Width	Actual Width	Heavy-Duty 14 Gauge		Extra-Heavy Duty 12 Gauge		Low Profile 12 Gauge	
		Cat. No.	Capacity	Cat. No.	Capacity	Cat. No.	Capacity
48"	48-1/2"	62148*	3,300 lbs.	**	**	62048	665 lbs.
60"	60-1/2"	62160*	2,600 lbs.	**	**	62060	530 lbs.
72"	72-1/2"	62172*	1,900 lbs.	62272	3,300 lbs.	62072	440 lbs.
84"	84-1/2"	62184	1,775 lbs.	**	**	62084	380 lbs.
96"	96-1/2"	62196*	1,650 lbs.	62296	3,300 lbs.	62096	330 lbs.

Capacities shown are maximum safe evenly distributed static loads per pair of beams with front-to-back support. Upright capacities are based on beam centers no greater than 36". **These items are available through manufactured schedule. Call customer service for lead time.

Features




HOW TO BUILD YOUR OWN - BULK STORAGE RACK

Step 3


Select Decking

Two to three panels per level are required based on beam width (see chart below).




Ribbed Decking

Versatile 20 gauge ribbed decking. Ribs allow for space to grab packages easily and prevent pinched fingers.
1-3/4"w x 5/8"d rib.




Wire Decking

Featuring 4" x 2" wire mesh with 5 gauge welded reinforcement wires.
Galvanized finish.



Solid Decking

Features Lyon heavy-duty industrial shelves for a smooth uninterrupted decking surface.



Particle Board Decking**

Durable, 5/8" thick particle board decking. **Refer to page 70 for ordering information. Pre-cut sizes available.

Beam Width	Quantity of Decking Panels Required
48"	2 - 24"w
60"	1 - 24"w + 1 - 36"w
72"	2 - 36"w
84"	2 - 24"w + 1 - 36"w
96"	1 - 24"w + 2 - 36"w

Width	Depth	Ribbed Decking		Wire Decking		Solid Decking	
		Cat. No.	Capacity	Cat. No.	Capacity	Cat. No.	Capacity
24"	24"	652241 •	1,400 lbs.	—	—	Available through manufactured schedule	
24"	30"	652301	1,200 lbs.	—	—		
24"	36"	652361 •	1,000 lbs.	—	—	8562H1 •	800 lbs.
24"	42"	652421	800 lbs.	—	—	8567X1	880 lbs.
24"	48"	652481 •	600 lbs.	—	—	8302X1 •	750 lbs.
36"	18"	—	—	GV3618FW6 •	550 lbs.	8562H1 •	800 lbs.
36"	24"	653241	1,800 lbs.	GV3624FW6 •	550 lbs.	8562H1 •	800 lbs.
36"	30"	653301	1,600 lbs.	—	—	Available through manufactured schedule	
36"	36"	653361 •	1,400 lbs.	GV3636FW6 •	550 lbs.	(2) 8561H1 •	850 lbs.
36"	42"	653421 •	1,100 lbs.	—	—	(2) 8566H1	820 lbs.
36"	48"	653481 •	900 lbs.	—	—	(2) 8562H1 •	640 lbs.
48"	18"	—	—	GV4818FW6 •	500 lbs.	—	—
48"	24"	—	—	GV4824FW6 •	500 lbs.	—	—
48"	36"	—	—	GV4836FW6 •	500 lbs.	—	—
48"	48"	—	—	GV4848FW6 •	500 lbs.	—	—
60"	24"	—	—	GV6024FW6 •	500 lbs.	—	—
60"	36"	—	—	GV6036FW6 •	500 lbs.	—	—
72"	24"	—	—	GV7224FW6 •	500 lbs.	—	—
72"	36"	—	—	GV7236FW6 •	500 lbs.	—	—


Capacities are based on evenly distributed static load, with beams joined by correct number of front-to-back supports and no allowance for shock or uneven loading. Load is limited to support capacity of beams and upright assemblies. Parts listed in single pack quantities, for multi-pack quantities, contact Customer Service at 1-800-323-0082.

HOW TO BUILD YOUR OWN - BULK STORAGE RACK

Step 4

Select Front-to-Back Supports

One to four supports per level are required based on beam width and type of decking (see chart below).
Used to minimize beam rotation under heavy loads. Also serves as a plywood support. No hardware or tools needed.



Rack Depth	Cat. No.
15"	65815
18"	65818
24"	65824*
30"	65830
36"	65836*
42"	65842
48"	65848*

Minimum required when used with:

Beam Width	Plywood/ Particle Board/Wire	Solid/Ribbed No Deck
48"	2	1
60"	2	1
72"	3	2
84"	3	2
96"	4	2

Step 5

Select Accessories



Back-To-Back Tie

Ties bulk storage rack back-to-back, maintains stability, and spacing without interfering with storage space.

Overall Extension: 12" - 17-1/2"

No. 65140*



Back-To-Wall Tie

Bolts to upright member and wall to maintain shelving stability.

Overall Extension: 12" - 17-1/4"

No. 65145*



2 Level Splice Channels

For two-level Bulk Storage Rack applications, simply insert reinforcing splice channels into bottom upright assembly posts and fit second-level upright assembly posts over channel extensions. The galvanized splice channels provide rigidity at the splice.

No. 65120*



Anchoring Foot

To anchor upright assembly to floor.

Dove Gray only.

No. 65130*



Wedge Anchor

3/8" dia x 3"
1 per post

No. 8861*



Tie Plate

Ties Bulk Storage Rack back-to-back to maintain uniform spacing and stability. 3-1/2" x 2-1/2"

No. 65142*

Ladder Braces or Upright Posts

- 14 gauge with a 10,000 lb. capacity per section
- Upright: 1-3/4" x 1-13/16"
- Adjustment on 1-1/2" centers



**Unassembled
Upright
Posts Only**

Height	Cat. No.
60"	63602
72"	63603*
84"	63604*
96"	63605*
120"	63607
144"	63609

**Unassembled
Ladder Braces
Only**

Use as
replacement,
or as a
component

Depth	Cat. No.
15"	635152
18"	635182
24"	635242*
30"	635302
36"	635362*
42"	635422
48"	635482*

BULK STORAGE RACKS - ACCESSORIES

Additional Levels

Quickly add more levels to your Bulk Storage Rack shelving units with the decking options below. Unique "Z" Beam design increases strength and load capacity, resists tipping and eliminates wasted space. Beam clips are mig-welded for added strength. Fold in lock tab easily engages for security against displacement.

Additional Levels Includes

- Two (2) Heavy-duty, 14 gauge beams.
- Front-to-back supports and/or decking panels to fit length of beam

DD - Dove Gray



Solid Decking



Ribbed Decking



No Decking



Particle Board Decking



Wire Decking

Width	Depth	No Decking		Particle Board Decking		Ribbed Decking		Wire Decking		Solid Decking	
		Cat. No.	Capacity per Level	Cat. No.	Capacity per Level	Cat. No.	Capacity per Level	Cat. No.	Capacity per Level	Cat. No.	Capacity per Level
60"	24"	DD66010	2,600 lbs	DD66010P	2,600 lbs	DD66010R	2,600 lbs	DD66030	2,600 lbs	—	—
	36"	DD66011	2,600 lbs	DD66011P	2,600 lbs	DD66011R	2,600 lbs	DD66031	2,600 lbs	—	—
	48"	DD66012	2,600 lbs	DD66012P	2,600 lbs	DD66012R	2,600 lbs	DD66032	2,600 lbs	—	—
72"	24"	DD66013*	1,900 lbs	DD66013P*	1,900 lbs	DD66013R*	1,900 lbs	DD66033	1,900 lbs	DD66023*	1,900 lbs
	36"	DD66014*	1,900 lbs	DD66014P*	1,900 lbs	DD66014R*	1,900 lbs	DD66034	1,900 lbs	DD66024*	1,900 lbs
	48"	DD66015*	1,900 lbs	DD66015P*	1,900 lbs	DD66015R*	1,900 lbs	DD66035	1,900 lbs	DD66025*	1,900 lbs
96"	24"	DD66016*	1,650 lbs	DD66016P*	1,650 lbs	DD66016R*	1,650 lbs	DD66036	1,650 lbs	DD66026*	1,650 lbs
	36"	DD66017*	1,650 lbs	DD66017P*	1,650 lbs	DD66017R*	1,650 lbs	DD66037	1,650 lbs	DD66027*	1,650 lbs
	48"	DD66018*	1,650 lbs	DD66018P*	1,650 lbs	DD66018R*	1,650 lbs	DD66038	1,650 lbs	DD66028*	1,650 lbs

NOTE: In the interest of safety, Lyon strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 38 for important anchoring information.

RIVET RACK

Pre-Engineered 84" High Rivet Rack

- Beams drop into slots on uprights to create a sturdy, rigid structure
- Starter uprights are 14 gauge angle posts for use as stand alone sections or at the ends of two or more sections
- Add-on uprights are 14 gauge T-posts for use as intermediate posts in multiple section rows

- Adjustable on 1-1/2" centers
- Easy assembly

DD - Dove Gray



Photo for illustrative purposes only.
Particle board and wire decking sold separately

**Double-Rivet,
Medium-
Duty Beam**

**"C" Channel,
Heavy-Duty
Beam**

W x D x H	Capacity	3 Level		4 Level	
		Starter	Add-On	Starter	Add-On
48" x 24" x 84"	1,000 lbs.	73020*	73020A*	73040*	73040A*
48" x 36" x 84"	1,000 lbs.	73021*	73021A*	73041*	73041A*
48" x 48" x 84"	1,000 lbs.	73022*	73022A*	73042*	73042A*
60" x 24" x 84"*	800 lbs.	73023*	73023A*	73043*	73043A*
60" x 36" x 84"*	800 lbs.	73024*	73024A*	73044*	73044A*
60" x 48" x 84"*	800 lbs.	73025*	73025A*	73045*	73045A*
72" x 24" x 84"*	800 lbs.	73026*	73026A*	73046*	73046A*
72" x 36" x 84"*	800 lbs.	73027*	73027A*	73047*	73047A*
72" x 48" x 84"*	800 lbs.	73028*	73028A*	73048*	73048A*
96" x 24" x 84"*	650 lbs.	73029*	73029A*	73049*	73049A*
96" x 36" x 84"*	650 lbs.	73030*	73030A*	73050*	73050A*
96" x 48" x 84"*	650 lbs.	73031*	73031A*	73051*	73051A*
96" x 24" x 84"*	1,200 lbs.	73035*	73035A*	73055*	73055A*
96" x 36" x 84"*	1,200 lbs.	73036*	73036A*	73056*	73056A*
96" x 48" x 84"*	1,200 lbs.	73037*	73037A*	73057*	73057A*

Decking sold separately. *Sections 60", 72" and 96" wide include center support.


ACCESSORIES AND RELATED PRODUCT

Back-to-Wall Tie

No. 72110 – Wall Tie 9"L,
Fastens back to wall

Back-to-Back Tie

No. 72115 – 18"L,
Ties double rows together



Particle Board Decking

Decking is 5/8" thick and pre-cut to size for use with Lyon rivet rack. For general purpose and record storage applications.

W x D	Cat. No.
36" x 12"	72504
36" x 18"	72506
36" x 24"	72508
48" x 12"	72524
48" x 18"	72526
48" x 24"	72528*
48" x 36"	72532*
48" x 48"	72534
60" x 24"	72544*
60" x 36"	72546*
60" x 48"	72548
72" x 24"	72554*
72" x 36"	72556*
72" x 48"	72558*
96" x 24"	72564*
96" x 36"	72566*
96" x 48"	72568*
69" x 16"	72580
69" x 32"	72582

Not recommended for single rivet beam applications.

Rivet Rack Wire Decking

Manufactured with 6 gauge wire 2" x 4" mesh. Wire decking meets fire code standards, features easy drop in installation, and enhanced sprinkler system effectiveness. Galvanized finish.

W x D	Capacity	Cat. No.
36" x 18"	250 lbs.	GV3618FW6*
36" x 24"	250 lbs.	GV3624FW6*
36" x 36"	250 lbs.	GV3636FW6*
48" x 24"	850 lbs.	GV4824FW6*
48" x 36"	800 lbs.	GV4836FW6*
48" x 48"	1,600 lbs.	GV4848FW6*
60" x 24"	800 lbs.	GV6024FW6*
60" x 36"	750 lbs.	GV6036FW6*
72" x 24"	800 lbs.	GV7224FW6*
72" x 36"	750 lbs.	GV7236FW6*



Hanging Bar
No. 72120 – 36"L
No. 72121 – 42"L



Anchor
No. 8861*



Foot Plate
Used to anchor Rivet Racks. Fits both Angle Posts and T-Posts.
No. 72092*



Tie Plate
Lock posts together to join two or more racks side by side.
No. 72090* – 2-7/8" x 2-5/8"

HOW TO BUILD YOUR OWN - RIVET RACK

How to Build Your Own Custom Unit

Each rack will require:

- 4 uprights
- 2 width beams per level
- 2 depth beams per level

Beams 60" and wider also require center supports.

All units utilizing single rivet beams require double rivet beams on both the top and bottom levels.

DD - Dove Gray

Step 1

Determine the Height of Uprights


Needed (qty 4)

Use angle posts for ends of rows and for stand-alone sections.

Use T-Post for intermediate uprights on multiple section rows.

14 Gauge Steel Uprights

Height	Angle Post Cat. No.	T-Post Cat. No.
39"	72001H	—
60"	72003H	72017H
72"	72004H*	72018H*
84"	72005H*	72019H*
96"	72006H*	72020H*
120"	72007H*	72021H*
144"	72008H	72022H
168"	72009H	72080H
192"	72010H	72081H
216"	72011H	72082H
240"	72012H	72083H



Angle posts:
1-1/2" x 1-1/2"

T-Posts:
3" x 1-1/2"

Step 2

Determine Width and Depth of Unit

14 Gauge Steel Beams

Single Rivet Light-Duty Beam

3/4"w x 1"h

NOTE: Beam may be used for width or depth dimension, however, double rivet beams must be used at minimum at top and bottom locations for both depth and width directions for stability.

Double Rivet Medium-Duty Beam


3/4"w x 2-5/8"h

NOTE: Beam may be used for width or depth dimension. Depth dimension not to exceed 48".

"C" Channel Heavy-Duty Beam

3/4"w x 2-13/16"h

NOTE: Beam is recommended for width dimension only.



Step 3

Select Center Supports

Required for beams 60" and wider.

- Overall: 1-1/2"w x 2-1/2"h.



Up to 72" beams use 1 Center Support. 84" and 96" beams use 2 center supports.

- No. 72070 - 12"d
- No. 72071 - 15"d
- No. 72072 - 16"d
- No. 72073 - 18"d
- No. 72074 - 24"d
- No. 72075 - 30"d
- No. 72076 - 32"d
- No. 72077 - 36"d
- No. 72078 - 42"d
- No. 72079 - 48"d

Beam Width	Single Rivet Light-Duty Beam		Double Rivet Medium-Duty Beam		"C" Channel Heavy-Duty Beam	
	Capacity (lbs)	Item No.	Capacity (lbs)	Item No.	Capacity (lbs)	Item No.
12"	—	—	***	72040H*	—	—
16"	—	—	***	72042H	—	—
18"	350	72028H*	***	72043H*	—	—
24"	350	72029H*	***	72044H*	—	—
32"	—	—	800	72046H	—	—
36"	350	72031H*	800	72047H*	—	—
48"	250	72033H*	1,000	72049H*	—	—
60"	—	—	800	72050H* *	—	—
72"	—	—	800	72053H* **	1,400	72062H*
96"	—	—	650	72055H* **	1,200	72064H*

Capacities based on dead weight evenly distributed over the entire surface per pair of beams.

*Requires one center support. **Requires two center supports. Beam used in width direction will determine capacity.

Single rivet and double rivet beams cannot be combined to make a shelf level. Shelf levels must consist of all single rivet or all double rivet beams.

Select Decking

Choose Particle Board or Wire Decking.

Step 4

See page 35.

PRE-ENGINEERED PALLET RACKS

PALLET RACK STARTER AND ADD-ON UNITS

To help take the hassle out of ordering Pallet Rack please select a starter or add-on unit.

Each unit is available as either 96" height or 144" height. 96" height units have two medium-duty beam levels. 144" height units have three medium-duty beam levels. Capacities vary based on beam width and largest beam spacing (see page 39). Units are available in 42" or 48" depth.

Level	Height	Depth	Width	Starter	Add-on	Decking
2	96"	42"	96"	97SFB096042096*	97AFB096042096*	Front-to-Back Supports
			108"	97SFB108042096*	97AFB108042096*	
			120"	97SFB120042096*	97AFB120042096*	
			144"	97SFB144042096*	97AFB144042096*	
			96"	97SWD096042096*	97AWD096042096*	Wire Deck
			108"	97SWD108042096*	97AWD108042096*	
			120"	97SWD120042096*	97AWD120042096*	
			144"	97SWD144042096*	97AWD144042096*	
		48"	96"	97SFB096048096*	97AFB096048096*	Front-to-Back Supports
			108"	97SFB108048096*	97AFB108048096*	
			120"	97SFB120048096*	97AFB120048096*	
			144"	97SFB144048096*	97AFB144048096*	
			96"	97SWD096048096*	97AWD096048096*	Wire Deck
			108"	97SWD108048096*	97AWD108048096*	
			120"	97SWD120048096*	97AWD120048096*	
			144"	97SWD144048096*	97AWD144048096*	
3	144"	42"	96"	97SFB096042144*	97AFB096042144*	Front-to-Back Supports
			108"	97SFB108042144*	97AFB108042144*	
			120"	97SFB120042144*	97AFB120042144*	
			144"	97SFB144042144*	97AFB144042144*	
			96"	97SWD096042144*	97AWD096042144*	Wire Deck
			108"	97SWD108042144*	97AWD108042144*	
			120"	97SWD120042144*	97AWD120042144*	
			144"	97SWD144042144*	97AWD144042144*	
		48"	96"	97SFB096048144*	97AFB096048144*	Front-to-Back Supports
			108"	97SFB108048144*	97AFB108048144*	
			120"	97SFB120048144*	97AFB120048144*	
			144"	97SFB144048144*	97AFB144048144*	
			96"	97SWD096048144*	97AWD096048144*	Wire Deck
			108"	97SWD108048144*	97AWD108048144*	
			120"	97SWD120048144*	97AWD120048144*	
			144"	97SWD144048144*	97AWD144048144*	

Starters include two uprights, Add-ons include one upright.

Note: For "Big Foot Seismic" – Heavy-Duty Pallet Rack, please contact customer service at 1-800-323-0082

HOW TO ORDER PALLET RACKS

Pallet Rack Safety Recommendations

Determine actual load requirements as accurately as possible and adhere to rated capacities shown in tables on the following pages. Additional precautions should be taken in applications where extraordinary rack abuse is anticipated. For example, when narrow aisles are used for high speed or high inventory turnover operations, Lyon recommends additional rack reinforcement. Impact supports and aisle guidance devices may be advisable – especially at aisle intersections and other vulnerable locations.


Beam Length

Lyon recommends a clearance of 4" between palletized loads – and between loads and uprights. Beams over 120" in length should be tied together with the appropriate front-to-back support to maintain proper spacing at each storage level.

Back-to-back Clearance

Clearance should be sufficient to accommodate minimum pallet overhang and tolerances – where pallet placement may vary. Additional clearances may be required to accommodate building structures or intermediate sprinkler systems (according to local codes).

Note: For "Big Foot" – Heavy-Duty Pallet Rack, please contact customer service at 1-800-323-0082




Installation and Anchoring

To insure minimum stability standards, racks should be level, plumb and properly anchored.

Seismic Zones

Since requirements vary so widely, we advise you to contact Lyon for assistance on rack projects in high risk seismic zones.



Lyon's teardrop design features a roll form welded upright and is totally interchangeable with all major teardrop-style products on the market today.

Tough, durable, and smooth finish features our baked-on powder epoxy finish which gives an appliance-like finish that is impact and corrosion resistant.

Available in stock:

Lake Green – Upright Frames/ Accessories

Safety Orange – Beams

Special Orders:

Additional capacities and dimensions are available upon request, contact Customer Service at 1-800-323-0082.

HOW TO BUILD YOUR OWN - PALLET RACK

Unique Design - Roll formed upright provides greater strength-to-weight ratio. Minimum-sized slots mean more steel per upright. Upright's structures are 100% mig-welded with precision K-brace and heavy-duty cross channel reinforcement for increased strength, rigidity and resistance to abuse.

Easy Adjustment - Tapered keyhole slots on 2" centers, provide quick, easy vertical adjustment of beams. There are no "dead spots" or obstructions in upright posts to impede movement of beam along the entire height.

Interchangeable - Lyon pallet rack fits with other traditional teardrop designs. That means you can upgrade damaged, weak, or worn out uprights and beams with our versatile rack. No need to change your whole system.

Upright Ordering Information

Choose uprights to suit your storage requirements:

- Medium-Duty - 3" x 2-1/4", 14 gauge
- Heavy-Duty - 3" x 3", 13 gauge

Two frames are required per bay, and any number may be joined together in continuous row applications

Available in Lake Green



Step 1

Select Upright Frames

Add the following figures:

Height of pallet loads (including pallet)

+ Height of shelf beam

+ 4" Min. vertical clearance for each pallet load

Sum of above dimensions = rack height

For uppermost load level, location of shelf beam should be 6" less than fork truck's maximum lift height. Top of beams need to be at even increments.

- Compute total frame capacity needed to satisfy your load requirements. *(Weight of heaviest pallet X number of pallets per level) X number of beam levels = total frame capacity*
- Determine "Largest Beam Spacing". Vertical distance between floor and first beam level or vertical distance between beam spacing; whichever is greater.
- Refer to the Upright Capacity Chart. Find the "Largest Beam Spacing" number that closest resembles the number determined in Step 2. Move down the table to the desired capacity required. This will identify if the upright is Medium or Heavy-Duty.
- Using the required depth and height of the upright for the corresponding type identified in Step 3, select the appropriate catalog number from the table.


Largest Beam Spacing has a significant impact on the capacity rating of an upright.

Frame Height	Capacity per pair	36" Deep Cat. No.	42" Deep Cat. No.	48" Deep Cat. No.	Gauge
96"	20,600 lbs.	9736M096*	9742M096*	9748M096*	.075
120"	20,600 lbs.	9736M120*	9742M120*	9748M120*	.075
144"	20,600 lbs.	9736M144*	9742M144*	9748M144*	.075
192"	25,100 lbs.	-	9742H192*	9748H192*	.075
240"	29,800 lbs.	-	9742H240*	9748H240*	.085



Uprights conform to the latest standards set by Rack Manufacturers' Institute LRFD Specifications.

Upright Capacity Chart



HOW TO BUILD YOUR OWN - PALLET RACK

Beam Ordering Information

- Roll-formed beams feature an integrated 1-5/8" step for decking and are totally enclosed for clean applications
- Heavy-duty rivet-type connectors engage upright wedge slots for increased holding power
- Beams are easy to install, take down and relocate
- Available in Safety Orange

Three-Point Safety Catch –

Each beam has 3 rugged studs (4 on heavy-duty) that engage the tapered keyhole slots in the upright with a compression fit. Integral safety lock automatically locks into place when beam is properly seated.




Step 2

Select Beams

1. Determine load weights per pair of beams.
(Two 2,500 lb. pallet loads = 5,000 lb. beam capacity).
2. Determine length of beam required based on load width and minimum clearances.
(Minimum clearance between pallet and upright is 4", or for two 48" pallets, a total of 12". Use 108" beam). (See illustration on page 40)
3. Refer to desired beam length and move across table to rated capacities.
(For 108" beam and 5,000 lb. load, select beam N108).

Duty	Clear Span	Capacity per pair	Beam-Face Height	Cat. No.
Medium	96"	5,200 lbs.	4.1"	SON96*
	108"	6,320 lbs.	4.65"	SON108*
	120"	6,140 lbs.	5"	SON120*
	144"	6,790 lbs.	6"	SON144*
Heavy	96"	8,330 lbs.	5"	SOS96*
	108"	9,940 lbs.	6"	SOS108*
	120"	8,920 lbs.	6"	SOS120*
	144"	9,370 lbs.	6.5"	SOS144*



Beams 120" long and greater should be tied together with at least one front-to-back support except when solid decking panels are used.

Beams conform to the standards set by the latest Rack Manufacturers' Institute LRFD Specifications.

Step 3

Select Decking




Solid Decking Panels

Heavy, 14 gauge panels feature three 3" x 1-5/8" x 14 gauge hat channels welded to the underside for maximum strength and durability. Panels drop into place to provide a solid deck surface.

Solid Decking Panels

W x D	Capacity Per Piece	Cat. No.
48" x 36"	8,247 lbs.	SODP4836*
60" x 36"	8,247 lbs.	SODP6036*
48" x 42"	6,057 lbs.	SODP4842*
60" x 42"	6,057 lbs.	SODP6042*
48" x 48"	5,198 lbs.	SODP4848*
60" x 48"	5,198 lbs.	SODP6048*



Wire Decking

Heavy-duty waterfall decking features a 2-1/2" x 4" 6 gauge wire mesh with 14 gauge steel channels for safe, durable storage and ease of installation. Meets all fire and safety regulations. Available in Frost Gray.

Wire Decking

W x D	# Channels	Capacity Per Piece	Cat. No.
46" x 36"	3	2,750 lbs.	FFWD4636H*
52" x 36"		2,500 lbs.	FFWD5236H*
58" x 36"		2,500 lbs.	FFWD5836H*
46" x 42"	4	3,500 lbs.	FFWD4642H*
46" x 42"	3	2,000 lbs.	FFWD4642L*
52" x 42"	4	3,500 lbs.	FFWD5242H*
52" x 42"	3	2,500 lbs.	FFWD5242L*
58" x 42"		3,000 lbs.	FFWD5842L*
46" x 48"	4	3,000 lbs.	FFWD4648H*
46" x 48"	3	2,500 lbs.	FFWD4648L*
52" x 48"		2,800 lbs.	FFWD5248L*
58" x 48"		3,000 lbs.	FFWD5848L*

Wire decking sizes necessary to fit Lyon pallet rack	Beam Width	Wire Decking Sizes
	96"	(2) 46"W
	108"	(2) 52"W
	120"	(2) 58"W
	144"	(3) 46"W

HOW TO BUILD YOUR OWN - PALLET RACK

Step 4 Select Accessories

A Front-to-Back Support

Reduces the likelihood of inaccurately placed pallets falling through.

B Plywood Support Channel

To support plywood or other decking material, or as front-to-back member between beams.

C Skid Support

Provides secure, easily adjustable base for skid runners.


D Fork Entry Bar

Solid base and proper fork clearance for non-palletized loads.

E Drum Cradle

For safe storage of cylindrical items. Welded unit fits securely on beams.

Dimension	Capacity	Cat. No.
Front-to-Back Support		
36" Deep	1,840 lbs.	GVFBSUP36*
42" Deep	1,540 lbs.	GVFBSUP42*
48" Deep	1,320 lbs.	GVFBSUP48*
Plywood Support Channel		
36" Deep	730 lbs.	GVPWSUP36*
42" Deep	610 lbs.	GVPWSUP42*
48" Deep	530 lbs.	GVPWSUP48*
Skid Support		
36" Deep	650 lbs.	SOSKSUP36*
42" Deep	550 lbs.	SOSKSUP42*
48" Deep	475 lbs.	SOSKSUP48*
Fork Entry Bar		
36" Deep	7000 lbs.	SOFEBAR36*
42" Deep	6000 lbs.	SOFEBAR42*
48" Deep	5000 lbs.	SOFEBAR48*
Drum Cradle		
36" Deep	2170 lbs.	SODRCD36
42" Deep	1860 lbs.	SODRCD42



F Pallet Rack Guard

Provides extra protection against abuse. Bolt on to floor only. Finish is Safety Yellow.



No. SYIMSUP12 - 12" high
No. SYIMSUP24 - 24" high
No. SYIMSUP36 - 36" high
No. SYIMSUP48 - 48" high

Upright Anchor


Optional wedge-type anchor can be used to secure column posts. 1/2" dia. x 3-3/4" long.



No. NF25163*

G Shim Plate

Nests under footplate. Unpainted.



No. NFFLSH34*

H, I Row Spacers & Wall Ties

Row spacer provides a stabilizing connection for back-to-back rows of racks; wall ties provide stability and consistent spacing from the wall. Galvanized construction resists rust and corrosion. Two spacers recommended for each pair of uprights. Bolts included.

	Dimension	Cat. No.
Back-to-Back Row Spacer	4"	GVRSPC04*
	6"	GVRSPC06*
	8"	GVRSPC08*
	10"	GVRSPC10*
	12"	GVRSPC12*
	18"	GVRSPC18*
Back-to-Wall Tie	4"	GVWSPC04*
	6"	GVWSPC06*
	8"	GVWSPC08*
	10"	GVWSPC10*
	12"	GVWSPC12*
	18"	GVWSPC18*



NOTE: Load-carrying capacities for individual accessories listed are based on evenly distributed loads and are limited by the support capacity of the beams and/or upright assemblies. When skid supports, fork-entry bars and/or front-to-back supports are used to support the load, the weight is not evenly distributed to the beam and, therefore, beam capacities are reduced significantly.



BAR AND PIPE RACK

Store long items with maximum efficiency. Great for steel, iron, aluminum, wood, plastic tubes and other materials that are awkward to store on shelving or conventional racking.

- All models feature heavy-duty arms with 450 lb. capacity that can be adjusted every 1-1/2", with spacing as close as 7-1/2"
- Heavy-duty 12" deep arms
- **Single-Face Rack:**
3,000 lb. max capacity
- **Double-Face Rack:**
6,000 lb. max capacity

DD - Dove Gray

Join multiple racks to create storage for any length item.



Single-Face Rack

Designed for use against walls with arms and base on one side of uprights. Brace panels and cross braces included.


Overall size: 36"w x 21-7/8"d x 79-1/4"h

No. 3700S-- Starter

No. 3700-- Add-On

No. 3701-- Unassembled Rack End

(converts Add-on into Starter)



Double-Face Rack

Designed for free-standing use with arms and base on both sides of uprights. Brace panels and cross braces included.

Overall size: 36"w x 33-3/4"d x 79-1/4"h

No. 3710S-- Starter

No. 3710-- Add-On

No. 3711-- Unassembled Rack End

(converts Add-on into Starter)

Accessories and Related Products

Steel Shelves

Flanged back and notched corners fit all racks above. Makes Bar, Pipe and Rod Rack more versatile. 300 lb. capacity.

No. 3720-- 36"w x 12"d



Extra Arms and Separator Pegs

All arms are slotted for Separator Pegs (order separately). Pegs are great for segmenting arms.

No. 3725-- Extra arm, 12" long

No. 3730-- Separator Peg, 4" high



Base


Use to convert single side rack into double side rack.

No. 3713


PRE-ENGINEERED 72" WIDE CANTILEVER RACK

Store bulky, irregular, long and odd-shaped items at low cost. Achieve maximum utilization of warehouse cube without front posts or columns to restrict horizontal space. Handle hard-to-store items, including appliances, building materials, fabrics, flooring, furniture, steel, pipe and other items, with ease. Wide, open rows allow proper load support and easy access.

- Units are 72" wide from center post to center post
- Choose single or double faced units in regular or heavy-duty strengths
- Arms are adjustable on 4" centers, and are available in 24", 36" and 48" lengths. Arm Slope = 4°
- Includes Upright Frames, Brace Set Kits and accessories in Green, and Arms in Safety Orange.




72" w Starter




72" w Add-On

		Per Arm Capacity	Upright Capacity	Starter Cat. No.	Add-On Cat. No.
Single Face Racks	Regular-Duty (8' High, 24" Arms)	3,360 lbs.	17,548 lbs.	RUCSRSF09624S	RUCSRSF09624
	Regular-Duty (10' High, 36" Arms)	2,240 lbs.	13,800 lbs.	RUCSRSF12036S	RUCSRSF12036
	Regular-Duty (12' High, 48" Arms)	1,680 lbs.	11,371 lbs.	RUCSRSF14448S	RUCSRSF14448

Note: 8' high units are supplied with 4 arms, 10' and 12' high units are supplied with 5 arms per upright. 12' high unit includes horizontal bar.



72" w Starter



72" w Add-On


		Per Arm Capacity	Upright Capacity	Starter Cat. No.	Add-On Cat. No.
Double Face Racks	Regular-Duty (8' High, 24" Arms)	3,360 lbs.	17,548 lbs.	RUCSRDF09624S	RUCSRDF09624
	Regular-Duty (10' High, 36" Arms)	2,240 lbs.	13,800 lbs.	RUCSRDF12036S	RUCSRDF12036
	Regular-Duty (12' High, 48" Arms)	1,680 lbs.	11,371 lbs.	RUCSRDF14448S	RUCSRDF14448

Note: 8' high units are supplied with 4 arms, 10' and 12' high units are supplied with 5 arms per upright. 12' high unit includes horizontal bar. Upright capacities are per side. Double stated capacity is for Double Face Racks.

BUILD YOUR OWN CANTILEVER RACK




How to Order - Rack Arm

Divide the total weight by the number of arms required. Example: with a load weight of 6,000 lbs. on 3 arms, each arm needs a capacity of at least 2,000 lbs. (6,000 divided by 3).



Stacking Height and Vertical Arm Spacing

- Height to ceiling: Measure distance from floor to ceiling and subtract 10" clearance (subtract 18" clearance where ceiling sprinklers are present). Consult building codes in your area for exact clearance required.
- Allow for equipment capabilities: When usable floor-to-ceiling space exceeds equipment lift heights, determine maximum equipment lift height and subtract 6" margin. Add the height of top level load for revised stacking height.
- Number of load levels: For loads of consistent size, determine height of one load plus 10" for arm clearance. Divide that stacking height by dimension above to determine number of possible load levels.




Horizontal Arm Spacing

When figuring the length of a load, allow for clearance between loads; 8 to 10 inches is a good rule of thumb for long loads. Check rack arm spacing with fork arm spacing on handling equipment for safe working clearances.

- Arm spacing is determined by degree of load deflection between arms, which is dependent on rigidity of load. For safe loads with two-arm support, distance between arms should be 1/2 the load length. Three-arm support should be 1/3 the load length.
- You can perform on-site tests by setting required load on two 2x4's on floor at maximum arm spacing (96") and reduce spacing in 24" increments to arrive at an acceptable sag tolerance. If necessary, add more 2x4's to accomplish this. Loose loads have a tendency to sag more than bundled loads.

BUILD YOUR OWN - CANTILEVER RACK




*NOTE: Base load not included to determine upright capacity.

Cat. No.	Size	Description	Duty	Capacity (lbs.)
Columns				
RULSC0818C096	96" H	Column	Regular	11,371
RULSC0818C120	120" H	Column	Regular	11,371
RULSC0818C144	144" H	Column	Regular	11,371
Bases				
RULSC0818B024	24" D	Base	Regular	N/A
RULSC0818B036	36" D	Base	Regular	N/A
RULSC0818B048	48" D	Base	Regular	N/A
Regular-Duty Arms				
RALSC357A024	3" D	24" Regular-Duty Arm	Regular	3,360
RALSC357A036	3" D	36" Regular-Duty Arm	Regular	2,240
RALSC357A048	3" D	48" Regular-Duty Arm	Regular	1,680
Heavy-Duty Arms				
RALSC477A036	4" D	36" Heavy-Duty Arm	Heavy	4,053
RALSC477A048	4" D	48" Heavy-Duty Arm	Heavy	3,040
Diagonal Brace				
RULSCCDBK04848A	48" W	Diagonal Brace	Regular	N/A
RULSCCDBK06048A	60" W	Diagonal Brace	Regular	N/A
RULSCCDBK07248A	72" W	Diagonal Brace	Regular	N/A
Horizontal Braces				
RULSCCHBK048A	48" W	Horizontal Brace	Regular	N/A
RULSCCHBK060A	60" W	Horizontal Brace	Regular	N/A
RULSCCHBK072A	72" W	Horizontal Brace	Regular	N/A
Wedge Anchor				
LSHRAWL7433	N/A	5/8" x 5" Wedge Anchor	Regular	N/A

*Based on 48" Arms. Shorter Arms are higher capacity.

*Structural cantilever is made from wide flange steel for columns, bases and arms and all are fastened through a high strength connection.



End view of Regular and Heavy-Duty uprights.

Nominal Depth	A	B	Single Sided C	Double Sided D
Bases				
24"	24"	8.125"	32.125"	56.125"
36"	36"	8.125"	44.125"	80.125"
48"	48"	8.125"	56.125"	104.125"
Arms				
24"	24"	8.125"	32.125"	56.125"
36"	36"	8.125"	44.125"	80.125"
48"	48"	8.125"	56.125"	104.125"



Diagonal Brace




Horizontal Brace

Brace Set Kits

Brace Kits determine the width of the unit. Tie upright assemblies together for added strength. 96" and 120" tall units require one brace panel. 144" tall units require one brace panel and a horizontal brace. Taller units will require additional bracing and (or) panels.

Upright Frames, Brace Set Kits and accessories available in Green. Arms available in Safety Orange.





**PRE-
ENGINEERED
MODULAR
DRAWER
CABINETS**

Organized Storage

Designed for Efficiency.

Why Choose Lyon Modular Drawer Cabinets...

...to provide you with
the highest density
storage solution for small
to mid-sized products,
while reducing your
storage footprint by as
much as 50%.

PERFORMANCE

The Lyon drawer suspension features the highest quality glides resulting in the “smoothest”, most reliable operating drawers in the industry, empty and fully loaded.

ACCESSIBILITY

Full extension drawers provide 100% visibility to the stored product. Lyon drawers are ergonomically engineered to provide the best possible human reach points.

EFFICIENCY

Drawer interiors can be sub-divided into compartments for the storage of parts without cartons. Neat and organized storage improves inventory control.

SECURITY

Choose from many different types of latching systems to provide for the safe secure storage of valuable products.

MODULARITY

Flexible design based on a “Building-Block” approach. From pre-engineered to custom-built products, Lyon offers an innovative array of easy order options to adapt to your future growth.

NOTE:

With a fully loaded (400 lbs.) drawer capacity, Lyon averaged 8,000 cycles compared to 4,000 competitive cycles before drawer push-pull forces exceeded 50 lbs.

Customizing the Right Storage Solution - Contact us with your special requirements; Lyon's engineering and manufacturing departments will develop a unique modular drawer cabinet to fit your special application.

PRE-ENGINEERED MODULAR DRAWER CABINETS ORDERING GUIDE

Lyon's hand picked Pre-Engineered Modular Drawer Cabinets meet the most popular workspace requirements. To complete an item number, follow the steps and see example to the right:

Step 1

Choose from 6 housing heights: Desk, Table, Bench, Mid-Range, Counter, or Eye-level - see below.

Step 2

Choose housing and drawer colors from the 49 cabinet/drawer-door color combinations below

2a. Enter the **LETTER** designation for the **HOUSING** color

2b. Enter the **LETTER** designation for the **DRAWER** color



Step 3

Choose drawer access requirements

Enter **S** for **SINGLE** drawer access (**SDA**)

Enter **M** for **MULTIPLE** drawer access (**MDA**)

Enter **N** for **MDA** drawer access without lock

Choose layout kit installation

Enter **I** for **INSTALLED KIT**

Enter **K** for **KITTED KITS**

Enter **O** for **NO KITS**

Step 5

Choose locking requirements

Enter **N** for **NO LOCK**


Enter **L** for **STANDARD LOCK**

Enter **1** for **KEYED ALIKE LOCKS**


EXAMPLE

Drawer Number designated in the chart at the bottom of this page.


Layout Kit Numbers designates the drawer interior configuration that can be found on the layout kit pages 58 & 59 for Standard size cabinets.




The catalog number for the pre-engineered cabinet shown in the illustration is a Standard, Mid-Range 37-3/16" h Cabinet with 6 drawers and 144 compartments from page 52 featuring Vulcan Black housing with Dove Gray drawers, multiple drawer access, 1 keyed alike locking system and layout kits installed would be: **KDM403030100111**




6 Housing Heights



5 Housing footprints



15 Drawer heights



Drawer Number Segments	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
"U" Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
"S" Side Height	1-7/8"		3"		4-3/8"						6-1/4"				
"H" Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

PRE-ENGINEERED MODULAR DRAWER CABINETS


STANDARD CABINET - 30" WIDE

DESK HEIGHT – 26-7/8" H x 28-1/4" D

All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.


Drawer Number Segments	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

5 DRAWERS




5 drawers with
144 compartments

273030000B




4 DRAWERS



4 drawers with
70 compartments


2730301004



4 drawers with
41 compartments


2730301001

3 DRAWERS




3 drawers with
50 compartments

273030000A




3 drawers with
48 compartments

2730301007




3 drawers with
44 compartments

2730301008



3 drawers with
42 compartments

2730301005



3 drawers with
38 compartments

2730301006

PRE-ENGINEERED MODULAR DRAWER CABINETS


STANDARD CABINET - 30" WIDE

TABLE HEIGHT - 30-1/8" H x 28-1/4" D

All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.

Drawer Number Segments	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"


7 Drawers



7 drawers with
160 compartments


■ ■ ■ 313030000A ■ ■ ■

6 Drawers



6 drawers with
136 compartments


■ ■ ■ 3130301014 ■ ■ ■



6 drawers with
132 compartments


■ ■ ■ 3130301010 ■ ■ ■

5 Drawers



5 drawers with
108 compartments


■ ■ ■ 3130301011 ■ ■ ■



5 drawers with
112 compartments


■ ■ ■ 313030000B ■ ■ ■

4 Drawers




4 drawers with
68 compartments

■ ■ ■ 3130301001 ■ ■ ■



4 drawers with
56 compartments


■ ■ ■ 3130301002 ■ ■ ■



4 drawers with
56 compartments


■ ■ ■ 3130301012 ■ ■ ■

3 Drawers




3 drawers with
40 compartments

■ ■ ■ 3130301003 ■ ■ ■



3 drawers with
40 compartments


■ ■ ■ 3130301013 ■ ■ ■



3 drawers with
28 compartments

■ ■ ■ 3130301004 ■ ■ ■

2 Drawers



2 drawers with
16 compartments

■ ■ ■ 3130301005 ■ ■ ■


PRE-ENGINEERED MODULAR DRAWER CABINETS

STANDARD CABINET - 30" WIDE

BENCH HEIGHT – 33-1/4" H x 28-1/4" D


All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.

5 Drawers




5 drawers with 104 compartments

353030000B



5 drawers with 100 compartments


3530301025



5 drawers with 92 compartments


3530301003

7 Drawers




7 drawers with 152 compartments

3530301001




7 drawers with 140 compartments

3530301018




5 drawers with 92 compartments

3530301004



5 drawers with 90 compartments


3530301029



5 drawers with 84 compartments


3530301028

6 Drawers




6 drawers with 110 compartments

3530301026




6 drawers with 108 compartments

3530301002




5 drawers with 84 compartments

3530301027



5 drawers with 80 compartments


3530301023



5 drawers with 76 compartments


3530301007

4 Drawers




4 drawers with 88 compartments

353030000A




4 drawers with 68 compartments

3530301030




4 drawers with 62 compartments

3530301032




4 drawers with 58 compartments

3530301031



4 drawers with 56 compartments


3530301008



4 drawers with 56 compartments


3530301024

3 Drawers




3 drawers with 36 compartments

3530301021




3 drawers with 36 compartments

3530301010




3 drawers with 28 compartments

3530301033




3 drawers with 24 compartments

3530301034



3 drawers with 40 compartments

3530301009



2 drawers with 16 compartments

3530301005

2 Drawers

PRE-ENGINEERED MODULAR DRAWER CABINETS


STANDARD CABINET - 30" WIDE

MID-RANGE - 37-3/16" H x 28-1/4" D

All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.

Drawer Number Segments	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

10 Drawers



10 drawers with
342 compartments

4030301010


8 Drawers



8 drawers with
176 compartments

403030000A


7 Drawers



7 drawers with
144 compartments

4030301007


6 Drawers



6 drawers with
144 compartments


4030301001

5 Drawers




5 drawers with
88 compartments

4030301003



5 drawers with
84 compartments

4030301011




5 drawers with
84 compartments

4030301012



5 drawers with
80 compartments


4030301002



5 drawers with
78 compartments


4030301013

4 Drawers




4 drawers with
56 compartments

4030301005



4 drawers with
48 compartments

4030301004



4 drawers with
44 compartments

4030301014


PRE-ENGINEERED MODULAR DRAWER CABINETS

STANDARD CABINET - 30" WIDE

COUNTER HEIGHT - 44-1/4" H x 28-1/4" D

All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.


11 Drawers



11 drawers with
248 compartments

■ ■ ■ 4930301001 ■ ■ ■


10 Drawers



10 drawers with
200 compartments

■ ■ ■ 4930301002 ■ ■ ■


9 Drawers



9 drawers with
180 compartments


■ ■ ■ 493030000B ■ ■ ■

8 Drawers



8 drawers with
152 compartments


■ ■ ■ 4930301005 ■ ■ ■



8 drawers with
144 compartments


■ ■ ■ 4930301004 ■ ■ ■

7 Drawers




7 drawers with
137 compartments

■ ■ ■ 493030000D ■ ■ ■




7 drawers with
129 compartments

■ ■ ■ 493030000E ■ ■ ■




7 drawers with
120 compartments

■ ■ ■ 493030000F ■ ■ ■



7 drawers with
120 compartments


■ ■ ■ 4930301006 ■ ■ ■



7 drawers with
114 compartments


■ ■ ■ 4930301018 ■ ■ ■

6 Drawers




6 drawers with
98 compartments

■ ■ ■ 4930301012 ■ ■ ■



6 drawers with
84 compartments


■ ■ ■ 4930301008 ■ ■ ■



6 drawers with
78 compartments

■ ■ ■ 493030000C ■ ■ ■


5 Drawers



5 drawers with
64 compartments

■ ■ ■ 4930301019 ■ ■ ■

4 Drawers




4 drawers with
44 compartments

■ ■ ■ 4930301009 ■ ■ ■

3 Drawers

3 drawers with
17 compartments

■ ■ ■ 4930301027 ■ ■ ■



PRE-ENGINEERED MODULAR DRAWER CABINETS


STANDARD CABINET - 30" WIDE

EYE-LEVEL – 59-1/4" H x 28-1/4" D

All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.

Drawer Number Segments	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"


17 Drawers



17 drawers with
591 compartments

683030000A


15 Drawers



15 drawers with
336 compartments

6830301001


14 Drawers



14 drawers with
300 compartments

6830301002


13 Drawers



13 drawers with
256 compartments


6830301003

12 Drawers




12 drawers with
264 compartments

6830301024



12 drawers with
240 compartments

6830301005



12 drawers with
224 compartments

6830301004


PRE-ENGINEERED MODULAR DRAWER CABINETS

STANDARD CABINET - 30" WIDE

EYE-LEVEL – 59-1/4" H x 28-1/4" D


All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.

11 Drawers




11 drawers with
269 compartments

683030000F




11 drawers with
224 compartments

6830301026




11 drawers with
222 compartments

683030000B




11 drawers with
216 compartments

6830301025




11 drawers with
204 compartments

6830301008




11 drawers with
200 compartments

6830301007



11 drawers with
192 compartments


6830301006



11 drawers with
192 compartments


6830301019

10 Drawers




10 drawers with
228 compartments

683030000K




10 drawers with
210 compartments

683030000H




10 drawers with
192 compartments

6830301027




10 drawers with
180 compartments

683030000C



10 drawers with
168 compartments

6830301009



10 drawers with
164 compartments

6830301010

PRE-ENGINEERED MODULAR DRAWER CABINETS


STANDARD CABINET - 30" WIDE

EYE-LEVEL – 59-1/4" H x 28-1/4" D

All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.


Drawer Number Segments	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

9 Drawers




9 drawers with
156 compartments

6830301028




9 drawers with
144 compartments

6830301013




9 drawers with
144 compartments

6830301011



9 drawers with
140 compartments


6830301012



9 drawers with
128 compartments


6830301029

8 Drawers




8 drawers with
184 compartments

683030000D




8 drawers with
181 compartments

683030000E




8 drawers with
120 compartments

6830301031



8 drawers with
116 compartments

6830301033



8 drawers with
112 compartments

6830301030


PRE-ENGINEERED MODULAR DRAWER CABINETS

STANDARD CABINET - 30" WIDE

EYE-LEVEL – 59-1/4" H x 28-1/4" D

All Pre-Engineered Modular Drawer Cabinets on this page feature a Fork Lift Base.

8 Drawers




8 drawers with
104 compartments

6830301014

8 drawers with
100 compartments

6830301032

7 Drawers



7 drawers with
96 compartments

6830301034


7 drawers with
80 compartments

6830301015

7 drawers with
77 compartments

683030000G

6 Drawers



6 drawers with
72 compartments

6830301035

6 drawers with
68 compartments

6830301037


6 drawers with
64 compartments

6830301036

6 drawers with
64 compartments

6830301016

5 Drawers




5 drawers with
52 compartments

6830301038

5 drawers with
37 compartments

6830301017

4 Drawers



4 drawers with
29 compartments

6830301018

PRE-ENGINEERED MODULAR DRAWER CABINETS LAYOUT KITS

STANDARD WIDTH CABINET - 30" WIDE

How to Order:

Complete the part number with one of the following drawer numbers:


045 for 04 & 05

067 for 06 & 07

089 for 08 & 09

100 for 10+

Example:



2 compartments

NF0A **3030**

↑ ↑ ↑
drawer number

The catalog number for the pre-engineered layout kit for a 04 and 05 drawer number with 2 compartments is:

NF0A0453030

Usable Height


Use the chart below to identify "Usable Height" dimensions for the specific drawer numbers.

Drawer Number Segment	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"


Compartment Size

The chart below identifies individual compartment sizes found in the layout kit illustrations.


Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"




2 compartments
NF0A **3030**




3 compartments
NFAB **3030**




4 compartments
NFAC **3030**




4 compartments
NF0B **3030**




6 compartments
NF0M **3030**




8 compartments
NF0D **3030**




8 compartments
NFHH **3030**




9 compartments
NF0C **3030**




12 compartments
NF0L **3030**



12 compartments
NF0R **3030**



15 compartments
NFAG **3030**




16 compartments
NF0P **3030**


For the drawer and housing heights and housing footprints.

PRE-ENGINEERED MODULAR DRAWER CABINETS LAYOUT KITS


STANDARD WIDTH CABINET - 30" WIDE




18 compartments
NFAH ___ 3030




20 compartments
NF0K ___ 3030




24 compartments
NF0E ___ 3030




25 compartments
NF0G ___ 3030




30 compartments
NFAF ___ 3030




32 compartments
NFAJ ___ 3030




32 compartments
NF0J ___ 3030




36 compartments
NF0H ___ 3030




40 compartments
NFMM ___ 3030




48 compartments
NFTT ___ 3030




16 plastic bins
6" w x 6" d & partition
NFCC0453030 04 & 05
NFCC0673030 06 & 07




24 plastic bins
3" w x 6" d
6" w x 6" d & partition
NFBC0453030 04 & 05
NFBC0673030 06 & 07




32 plastic bins
3" w x 6" d & partition
NFBB0453030 04 & 05
NFBB0673030 06 & 07




48 plastic bins
3" w x 6" d
3" w x 3" d & partition
NFBA0453030 04 & 05
NFBA0673030 06 & 07




64 plastic bins
3" w x 3" d
& partition
NFAA0453030 04 & 05
NFAA0673030 06 & 07



80 compartments
2-1/2" w x 1-7/8" d
4 quarter trays
NFDD0453030 04 & 05



140 compartments
1-3/16" w x 1-7/8" d
4 quarter trays
NFEE0453030 04 & 05



2 Hanging File Frames
NHFH1003030 14+

For the drawer and housing heights and housing footprints.

PRE-ENGINEERED MODULAR DRAWER CABINETS OVERHEAD UNITS

- Provides additional bulk storage above cabinets
- Flat bottom attaches directly to cabinet top below (Fasteners are included. No drilling)
- Shipped pre-assembled to lower cabinet when ordered together

Step 1

Choose Overhead Unit size and configuration.

Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Step 2

- A - Ash
 B - Wedgewood Blue
 D - Dove Gray
 H - Red Baron
 J - Hunter Green
 K - Vulcan Black
 P - Putty

2a. Enter the **LETTER** designation for the **HOUSING** color

2b. Enter the **LETTER** designation for the **DRAWER** color

Step 3

Determine locking system. Use either; N for No locking system, L for standard locking system or 1 for keyed alike when ordered with lower cabinet. Add the locking system digit as a suffix to the part number.

EXAMPLE

The part number for the overhead unit shown is a double unit, 59-5/8" wide in dove gray, multiple drawer access, standard locking system:

DD35603010550L

35603010550
 2a 2b 3



	Slender (22-13/16" Wide)	Standard (30" Wide)	Medium (36-3/8" Wide)	Extra (44-3/8" Wide)	Double (59-5/8" Wide)
24-7/8" Height	Base shelf and 1 adjustable shelf without base channels ■ ■ N27223010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N27303010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N27363010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N27453010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N27603010500N
	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N27223010550_	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N27303010550_	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N27363010550_	Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels ■ ■ N27453010550_	Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels ■ ■ N27603010550_
28" Height	Base shelf and 1 adjustable shelf without base channels ■ ■ N31223010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N31303010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N31363010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N31453010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N31603010500N
	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N31223010550_	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N31303010550_	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N31363010550_	Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels ■ ■ N31453010550_	Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels ■ ■ N31603010550_
31-1/8" Height	Base shelf and 1 adjustable shelf without base channels ■ ■ N35223010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N35303010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N35363010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N35453010500N	Base shelf and 1 adjustable shelf without base channels ■ ■ N35603010500N
	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N35223010550_	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N35303010550_	Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels ■ ■ N35363010550_	Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels ■ ■ N35453010550_	Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels ■ ■ N35603010550_

Note: Overhead cabinet width must match width of lower cabinet; exception, double overhead cabinets at 59-5/8" wide can be assembled over two (2) standard cabinets which are 30" wide, keep in mind this installation will produce a 3/8" gap on either side of the overhead unit. Field installation only.



1-800-323-0082
lyonworkspace.com

LYON

61


PRE-ENGINEERED MODULAR DRAWER CABINETS SHELF UNITS WITH DOORS

Each unit consists of a base shelf and an adjustable shelf behind a lockable swing door.

Slender, Standard, and Medium units include one lockable swing door.

Extra and Double units include one lockable swing door and one swing door.

- Specify color (add the two (2) letter digit as a prefix to the part number from the color options below)
- Determine locking system. Use either; N for No locking system, L for standard locking system. Add the locking system digit as a suffix to the part number



	Slender 22-13/16" Wide	Standard 30" Wide	Medium 36-3/8" Wide	Extra 44-3/8" Wide	Double 59-5/8" Wide
Desk 26-7/8" High	■ ■ N27223010020_	■ ■ N27303010020_	■ ■ N27363010020_	■ ■ N27453010020_	■ ■ N27603010020_
Table 30-1/8" High	■ ■ N31223010070_	■ ■ N31303010070_	■ ■ N31363010070_	■ ■ N31453010070_	■ ■ N31603010070_
Bench 33-1/4" High	■ ■ N35223010060_	■ ■ N35303010060_	■ ■ N35363010060_	■ ■ N35453010060_	■ ■ N35603010060_
Mid-Range 37-3/16" High	■ ■ N40223010080_	■ ■ N40303010080_	■ ■ N40363010080_	■ ■ N40453010080_	■ ■ N40603010080_
Counter 44-1/4" High	■ ■ N49223010210_	■ ■ N49303010210_	■ ■ N49363010210_	■ ■ N49453010210_	■ ■ N49603010210_
Eye-Level 59-1/4" High	■ ■ N68223010220_	■ ■ N68303010220_	■ ■ N68363010220_	■ ■ N68453010220_	■ ■ N68603010220_

PRE-ENGINEERED MODULAR DRAWER CABINETS

OPEN SHELF UNITS

Each unit comes with a base shelf and an adjustable shelf.

- Specify color (add the two (2) letter digit as a prefix to the part number from the color options below)

- AA - Ash
- BB - Wedgewood Blue
- DD - Dove Gray
- HH - Red Baron
- JJ - Hunter Green
- KK - Vulcan Black
- PP - Putty




	Slender 22-13/16" Wide	Standard 30" Wide	Medium 36-3/8" Wide	Extra 44-3/8" Wide	Double 59-5/8" Wide
Desk 26-7/8" High	■ ■ N27223010030N	■ ■ N27303010030N	■ ■ N27363010030N	■ ■ N27453010030N	■ ■ N27603010030N
Table 30-1/8" High	■ ■ N31223010080N	■ ■ N31303010080N	■ ■ N31363010080N	■ ■ N31453010080N	■ ■ N31603010080N
Bench 33-1/4" High	■ ■ N35223010130N	■ ■ N35303010130N	■ ■ N35363010130N	■ ■ N35453010130N	■ ■ N35603010130N
Mid-Range 37-3/16" High	■ ■ N40223010090N	■ ■ N40303010090N	■ ■ N40363010090N	■ ■ N40453010090N	■ ■ N40603010090N
Counter 44-1/4" High	■ ■ N49223010220N	■ ■ N49303010220N	■ ■ N49363010220N	■ ■ N49453010220N	■ ■ N49603010220N
Eye-Level 59-1/4" High	■ ■ N68223010230N	■ ■ N68303010230N	■ ■ N68363010230N	■ ■ N68453010230N	■ ■ N68603010230N

PRE-ENGINEERED MOBILE CABINETS

Various mobile cabinet sizes provide a workshop on wheels.

- Includes easy-to-assemble tubular handle, rubber end caps, and fastening hardware.
- Cabinet built with polyolefin (2) fixed and (2) swivel with brake, 6" dia. x 2" w casters (2,800 lb. capacity) that do not mar floors
- Drawer units feature single drawer access
- Drawer layout kits include black polyester mesh insert. Layout Kit part numbers can be found on the product illustrations on the right side of the drawers. To determine the compartment configuration see lyonworkspace.com/cat/modular-cabinets/modular-drawer-layout-kits.
- Choose layout kit installation:
Enter i for INSTALLED KIT
Enter 0 for EMPTY DRAWERS
- Use the chart below to identify "Usable Height" dimensions for the specific drawer numbers.



- Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color

Enter the **LETTER** designation for the **DRAWER** color

- A - Ash
- B - Wedgewood Blue
- D - Dove Gray
- H - Red Baron
- J - Hunter Green
- K - Vulcan Black
- P - Putty

Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	1-7/8"		3"		4-3/8"		6-1/4"								

Options



Hardwood Tops

- Kiln-dried hard maple, birch or beech grade selects and better
- 1-3/4" thick, 28" deep with 3/16" rounded edges
- Flush to housing sides
- Finished with a two-coat moisture resistant sealer
- Field or factory installed, add an I for Installed or a K for Kitted to the suffix of the part number

Cat. No.*	Housing	Top Size
NFNHT3030NN00_	Standard	30"w
NFNHT3630NN00_	Medium	36-3/8"w
NFNHT4530NN00_	Extra	44-3/8"w



Steel Retainer Top with Vinyl Mat

- Retains small parts from rolling off top of mobile cabinets
- Heavy-gauge steel top 28-1/4"d, with 3/4" raised edges on all four sides. Flush with all edges of cabinet
- Includes black duraflex vinyl mat
- Ships pre-assembled when ordered with cabinet
- Field or factory installed, add an I for Installed or a K for Kitted to the suffix of the part number
- Specify color (add the two (2) letter digit as a prefix from below)

Cat. No.*	Housing	Top Size
■ ■ NRT3030NN00_	Standard	30"w
■ ■ NRT3630NN00_	Medium	36-3/8"w
■ ■ NRT4530NN00_	Extra	44-3/8"w

- AA - Ash
- BB - Wedgewood Blue
- DD - Dove Gray
- HH - Red Baron
- JJ - Hunter Green
- KK - Vulcan Black
- PP - Putty




Black Polyester Mesh Liner

- 1/8"t x 25-3/8"d

Cat. No.*	Drawer	Width
NFNML3030NN00K	Standard	25-3/8"
NFNML3630NN00K	Medium	31-3/4"
NFNML4530NN00K	Extra	39-3/4"

PRE-ENGINEERED MOBILE CABINETS

Standard (30" Wide)



4 drawers with
21 compartments
overall height = 35-1/2"

■ ■ ■ S3130301009 ■ ■ ■




6 drawers with
75 compartments
overall height = 38-5/8"

■ ■ ■ S3530301019 ■ ■ ■



5 drawers with
92 compartments
overall height = 38-5/8"

■ ■ ■ S3530301020 ■ ■ ■



8 drawers with
24 compartments
overall height = 42-9/16"

■ ■ ■ S4030301020 ■ ■ ■

Medium (36-3/8" Wide)



6 drawers with
108 compartments
overall height = 38-5/8"

■ ■ ■ S3536301021 ■ ■ ■



5 drawers with
104 compartments
overall height = 38-5/8"


■ ■ ■ S3536301022 ■ ■ ■



5 drawers with
84 compartments
overall height = 42-9/16"

■ ■ ■ S4036301021 ■ ■ ■

Extra (44-3/8" Wide)



5 drawers with
92 compartments
overall height = 38-5/8"

■ ■ ■ S3545301020 ■ ■ ■



5 drawers with
64 compartments
overall height = 38-5/8"

■ ■ ■ S3545301023 ■ ■ ■



8 drawers with
44 compartments
overall height = 42-9/16"

■ ■ ■ S4045301020 ■ ■ ■

Side-by-side cabinets provide a workshop on wheels.

- Includes easy-to-assemble tubular handle, rubber end caps, and fastening hardware.
- Cabinet built with polyolefin (2) fixed and (2) swivel with brake, 6" dia. x 2" w casters (2,800 lb. capacity) that do not mar floors
- Drawer units feature single drawer access
- Cabinet and door locks are keyed-alike
- Drawer layout kits include black polyester mesh insert. Layout Kit part numbers can be found on the product illustrations on the right side of the drawers. To determine the compartment configuration see lyonworkspace.com/cat/modular-cabinets/modular-drawer-layout-kits.
- Choose layout kit installation:
Enter i for INSTALLED KIT
Enter 0 for EMPTY DRAWERS
- Use the chart below to identify "Usable Height" dimensions for the specific drawer numbers.

PRE-ENGINEERED MOBILE WORKSTATIONS



- Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color

Enter the **LETTER** designation for the **DRAWER** color



Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	1-7/8"		3"		4-3/8"		6-1/4"								

Options



Hardwood Tops

- Kiln-dried hard maple, birch or beech grade selects and better
- 1-3/4" thick, 28" deep with 3/16" rounded edges
- Flush to housing sides
- Finished with a two-coat moisture resistant sealer
- *Field or factory installed, add an I for Installed or a K for Kitted to the suffix of the part number*

Cat. No.*	Housing
NFNHT4530NN00_	2 Slender - 45-5/8"w
NFNHT6030NN00_	2 Standard - 60"w



Steel Retainer Top with Vinyl Mat

- Retains small parts from rolling off top of mobile cabinets
- Heavy-gauge steel top 28-1/4"d, with 3/4" raised edges on all four sides. Flush with all edges of cabinet
- Includes black duraflex vinyl mat
- Ships pre-assembled when ordered with cabinet
- Field or factory installed, add an I for Installed or a K for Kitted to the suffix of the part number
- Specify color (add the two (2) letter digit as a prefix from below)



Cat. No.*	Housing
■ ■ NRT4530NN00_	2 Slender - 45-5/8"w
■ ■ NRT6030NN00_	2 Standard - 60"w



Black Polyester Mesh Liner

- 1/8"t x 25-3/8"d

Cat. No.*	Drawer	Width
NFNML2230NN00K	Slender	18-3/16"
NFNML3030NN00K	Standard	25-3/8"


PRE-ENGINEERED MOBILE WORKSTATIONS

Bench (39-3/4" High)



6 drawers with 108 compartments
base shelf and adjustable shelf behind
lockable swing door

■ S352230W1001 ■ - 45-5/8"w
■ S353030W2001 ■ - 60"w



5 drawers with 104 compartments
base shelf and adjustable shelf behind
lockable swing door

■ S352230W1002 ■ - 45-5/8"w
■ S353030W2002 ■ - 60"w



4 drawers with 21 compartments
base shelf and adjustable shelf behind
lockable swing door

■ S352230W1003 ■ - 45-5/8"w
■ S353030W2003 ■ - 60"w




12 drawers with 216 compartments

■ S352230W1004 ■ - 45-5/8"w
■ S353030W2004 ■ - 60"w



10 drawers with 208 compartments

■ S352230W1005 ■ - 45-5/8"w
■ S353030W2005 ■ - 60"w



8 drawers with 42 compartments

■ S352230W1006 ■ - 45-5/8"w
■ S353030W2006 ■ - 60"w

Mid-Range (43-3/4" High)



6 drawers with 58 compartments
base shelf and adjustable shelf behind
lockable swing door

■ S402230W1001 ■ - 45-5/8"w
■ S403030W2001 ■ - 60"w



5 drawers with 60 compartments
base shelf and adjustable shelf behind
lockable swing door

■ S402230W1002 ■ - 45-5/8"w
■ S403030W2002 ■ - 60"w



4 drawers with 96 compartments
2 base shelves and 2 adjustable shelves
behind 2 lockable swing doors

■ S402230W1003 ■ - 45-5/8"w
■ S403030W2003 ■ - 60"w

WORKBENCH CONCEPTIONS



● A - Ash
 ● B - Wedgewood Blue
 ● D - Dove Gray
 ● H - Red Baron
● J - Hunter Green
 ● K - Vulcan Black
 ● P - Putty

- Choose pre-engineered units (single part number) or build your own by modifying the "consist of" lists.
 - Component details can be found on pages 76-79
 - All pre-engineered units feature empty drawers (no layouts) and multiple drawer locking system
 - All concepts can be assembled either left or right side
 - Field assembled only (easy to follow instructions provided)
 - Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.
- Enter the **LETTER** designation for the **HOUSING** color
- Enter the **LETTER** designation for the **DRAWER** color
- Example = **DD251WBC01** (for dove gray frame/housing and dove gray drawers)

Concept 1

Cat. No. ■■251WBC01

Consists of:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	240853	Adjustable Footrest
1	251WHD60	Hardwood Work Surface, 60"w



Concept 2

Cat. No. ■■251WBC02

Consists of:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	240853	Adjustable Footrest
1	251WHD60	Hardwood Work Surface, 60"w
1	251WBS60	Back Stop, 60"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2625	12"h Shelf Riser, 60"w



WORKBENCH CONCEPTIONS

Concept 3

Cat. No. ■■251WBC03

Consists of:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
1	251WHD72	Hardwood Work Surface, 72"w



Concept 4

Cat. No. ■■251WBC04

Consists of:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop, 72"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w



Concept 5

Cat. No. ■■251WBC05

Consists of:

Qty.	Cat. No.	Description
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
2	251OPL350	Bench Open Panel Leg
2	251STR36	Stringer
1	251WHD72	Hardwood Work Surface, 72"w



Concept 6

Cat. No. ■■251WBC06

Consists of:

Qty.	Cat. No.	Description
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
2	251OPL350	Bench Open Panel Leg
2	251STR36	Stringer
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop, 60"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w



WORKBENCH CONCEPTIONS

- Choose pre-engineered units (*single part number*) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 76-79
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (*easy to follow instructions provided*)
- Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color
Enter the **LETTER** designation for the **DRAWER** color

- Example = **DD251WBC01** (*for dove gray frame/housing and dove gray drawers*)

A - Ash
 B - Wedgewood Blue
 D - Dove Gray
 H - Red Baron
 J - Hunter Green
 K - Vulcan Black
 P - Putty

**Concept
7**

Cat. No. ■■251WBC07

Consists of:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251UCSD60	Under-Counter Shelf (set of 2)
1	250HILO	Hi-Lo Bracket Kit
1	251WHD60	Hardwood Work Surface, 60"w

**Concept
8**

Cat. No. ■■251WBC08

Consists of:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251UCSD60	Under-Counter Shelf (set of 2)
1	250HILO	Hi-Lo Bracket Kit
1	251WHD60	Hardwood Work Surface, 60"w
1	251WBS60	Back Stop 60"w
1	251WSSL	Side Stop, LH
1	2625	12"h Shelf Riser, 60"w

WORKBENCH CONCEPTIONS

Concept 9

Cat. No. **251WBC09**

Consists of:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	250HILO	Hi-Lo Bracket Kit
1	251WHD72	Hardwood Work Surface, 72"w



Concept 10

Cat. No. **251WBC10**

Consists of:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	250HILO	Hi-Lo Bracket Kit
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop 72"w
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w



Concept 11

Cat. No. **251WBC11**

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	251CPL350	Bench Closed Panel Leg
2	251UCS72	Under-Counter Shelf
1	251MDP72350	Bench Modesty Panel
1	251WHD72	Hardwood Work Surface, 72"w



Concept 12

Cat. No. **251WBC12**

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	251CPL350	Bench Closed Panel Leg
2	251UCS72	Under-Counter Shelf
1	251MDP72350	Bench Modesty Panel
1	251WHD72	Hardwood Work Surface, 72"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	251BRS7221	21"h Bookcase Riser, 72"w
1	251RBP7221	21"h Bookcase Riser Back Panel, 72"w
1	79020	Light Fixture



WORKBENCH CONCEPTIONS

- Choose pre-engineered units (*single part number*) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 76-79
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (*easy to follow instructions provided*)
- Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color

Enter the **LETTER** designation for the **DRAWER** color

- Example = **DD251WBC01** (*for dove gray frame/housing and dove gray drawers*)



Concept
13

Cat. No. **251WBC13**

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	251CPL350	Bench Closed Panel Leg
2	251UCS72	Under-Counter Shelf
1	251MDP72350	Bench Modesty Panel
1	251WHD72	Hardwood Work Surface, 72"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	251BRS7221	21"h Bookcase Riser, 72"w
1	251RBP7221	21"h Bookcase Riser Back Panel, 72"w
1	79020	Light Fixture
2	251BKCD270M	Bookcase with Doors, 36"w



WORKBENCH CONCEPTIONS

Concept 14

Cat. No. ■ ■ 251WBC14

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251WHD90	Hardwood Work Surface, 90"w



Concept 15

Cat. No. ■ ■ 251WBC15

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251WHD90	Hardwood Work Surface, 90"w
1	251BRS9021	Bookcase Riser



Concept 16

Cat. No. ■ ■ 251WBC16

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251WHD90	Hardwood Work Surface, 90"w
1	251BRS9021	Bookcase Riser
3	251BKCD270	Bookcase with Doors, 30"w



WORKBENCH CONCEPTIONS

- Choose pre-engineered units (*single part number*) or build your own by modifying the "consist of" lists.
- Component details can be found on pages 76-79
- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system
- All concepts can be assembled either left or right side
- Field assembled only (*easy to follow instructions provided*)
- Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color

Enter the **LETTER** designation for the **DRAWER** color

- Example = **DD251WBC01** (*for dove gray frame/housing and dove gray drawers*)



Concept
17

Cat. No. **251WBC17**

Consists of:

Qty.	Cat. No.	Description
1	M353030000AOL	Bench Standard Pre-Engineered Cabinet
1	M353030000BOL	Bench Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251WHD90	Hardwood Work Surface, 90"w
1	251WHD60	Hardwood Work Surface, 60"w
1	250SPICE	Splice Plate Kit



WORKBENCH CONCEPTIONS



Concept
18

Cat. No. ■ ■ 251WBC18

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251WHD90	Hardwood Work Surface, 90"w
1	251WHD60	Hardwood Work Surface, 60"w
1	250SPICE	Splice Plate Kit
2	251BRS6021	Bookcase Riser
2	251RBP6021	Bookcase Riser Back Panel
1	251BCR3021	Bookcase Corner Riser
2	79020	Light Fixture



Concept
19

Cat. No. ■ ■ 251WBC19

Consists of:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251WHD90	Hardwood Work Surface, 90"w
1	251WHD60	Hardwood Work Surface, 60"w
1	250SPICE	Splice Plate Kit
2	251BRS6021	Bookcase Riser
2	251RBP6021	Bookcase Riser Back Panel
1	251BCR3021	Bookcase Corner Riser
2	79020	Light Fixture
4	251BKCD270	Bookcase with Doors, 30"w

WORKBENCH ACCESSORIES

Modular storage systems that provide flexibility with a custom building block approach to storage that maximizes use of cubic space. Tackle your storage project by first determining your size requirement. Then work your way through the accessories and configure a workbench that is custom built for your space requirements.

Color Selection Determine which color you need and add the two letter digits as a prefix to part numbers.

- AA - Ash
- BB - Wedgewood Blue
- DD - Dove Gray
- HH - Red Baron
- JJ - Hunter Green
- KK - Vulcan Black
- PP - Putty



Modular Drawer Cabinets

Choose from any Standard Pre-Engineered Cabinet (pages 49-57)

Note: Consider cabinets with **Multiple Drawer Access (M)** locking, since tipping is highly unlikely.

Panel Legs

- One-piece, heavy-gauge welded frame pre-punched
- Supplied with knock-outs for customer supplied electrical outlet
- Supplied with leg levelers and mounting hardware
- Match panel leg height to cabinet height chosen

Specify color

Open Panel Leg (for industrial applications)

- No. ■ 251OPL270 - Desk, 26-7/8"H
- No. ■ 251OPL310 - Table, 30-1/8"H
- No. ■ 251OPL350 - Bench, 33-1/4"H
- No. ■ 251OPL400 - Mid-Range, 37-3/16"H
- No. ■ 251OPL490 - Counter, 44-1/4"H

Closed Panel Leg (for office applications)

- No. ■ 251CPL270 - Desk, 26-7/8"H
- No. ■ 251CPL310 - Table, 30-1/8"H
- No. ■ 251CPL350 - Bench, 33-1/4"H
- No. ■ 251CPL400 - Mid-Range, 37-3/16"H
- No. ■ 251CPL490 - Counter, 44-1/4"H

Work Surfaces - Custom lengths for all work surfaces are available on special request.



Laminate (WLT) = Particle board core with plastic laminate cover.

- Ideal for light-duty applications
- 180° soft edge, chip resistant
- Color = Putty or Dove Gray Only

Specify color


- No. ■ 251WLT30 - 30"d x 1-5/8"h x 30"w
- No. ■ 251WLT45 - 30"d x 1-5/8"h x 45"w
- No. ■ 251WLT60 - 30"d x 1-5/8"h x 60"w
- No. ■ 251WLT72 - 30"d x 1-5/8"h x 72"w
- No. ■ 251WLT84 - 30"d x 1-5/8"h x 84"w
- No. ■ 251WLT90 - 30"d x 1-5/8"h x 90"w
- No. ■ 251WLT96 - 30"d x 1-5/8"h x 96"w
- No. ■ 251WLT120 - 30"d x 1-5/8"h x 120"w



Hardwood (WHD) = Solid-laminated with rounded edges and sealed finish.

- Ideal for precision work
- Sealed Kiln-dried hardwoods
- 3/16" radius edges

- No. 251WHD30 - 30"d x 1-3/4"h x 30"w
- No. 251WHD45 - 30"d x 1-3/4"h x 45"w
- No. 251WHD60 - 30"d x 1-3/4"h x 60"w
- No. 251WHD72 - 30"d x 1-3/4"h x 72"w
- No. 251WHD84 - 30"d x 1-3/4"h x 84"w
- No. 251WHD90 - 30"d x 1-3/4"h x 90"w
- No. 251WHD96 - 30"d x 1-3/4"h x 96"w
- No. 251WHD120 - 30"d x 1-3/4"h x 120"w



Steel (WSL) = 12 Gauge formed panel with reinforcing channels.

- Ideal for heavy-duty maintenance work
- Not for use with two panel legs

Specify color

- No. ■ 251WSL30 - 30"d x 1-3/4"h x 30"w
- No. ■ 251WSL45 - 30"d x 1-3/4"h x 45"w
- No. ■ 251WSL60 - 30"d x 1-3/4"h x 60"w
- No. ■ 251WSL72 - 30"d x 1-3/4"h x 72"w
- No. ■ 251WSL84 - 30"d x 1-3/4"h x 84"w
- No. ■ 251WSL90 - 30"d x 1-3/4"h x 90"w
- No. ■ 251WSL96 - 30"d x 1-3/4"h x 96"w



Stainless (WST) = 16 Gauge type 304, #4 finish formed stainless steel cover over Industrial Grade Particle Board (IGPB).

- For the ultimate workbench application
- Edges are wrapped and welded

- No. 251WST30 - 30"d x 1-5/8"h x 30"w
- No. 251WST45 - 30"d x 1-5/8"h x 45"w
- No. 251WST60 - 30"d x 1-5/8"h x 60"w
- No. 251WST72 - 30"d x 1-5/8"h x 72"w
- No. 251WST84 - 30"d x 1-5/8"h x 84"w
- No. 251WST90 - 30"d x 1-5/8"h x 90"w
- No. 251WST96 - 30"d x 1-5/8"h x 96"w
- No. 251WST120 - 30"d x 1-5/8"h x 120"w

WORKBENCH ACCESSORIES



Stringers for Cabinet-to-Leg Configuration

- Formed steel channel attaches panel leg to cabinet with mounting hardware supplied

Specify color

Used with Standard Cabinet

- No. ■ 251STR60
- No. ■ 251STR72
- No. ■ 251STR84
- No. ■ 251STR90
- No. ■ 251STR96
- No. ■ 251STR108
- No. ■ 251STR120



Stringers for Leg-to-Leg Configuration

- Formed steel channel attaches panel leg to panel leg with mounting hardware supplied

Specify color

- No. ■ 251STR30WB - 30"W
- No. ■ 251STR45WB - 45"W
- No. ■ 251STR60WB - 60"W
- No. ■ 251STR72WB - 72"W
- No. ■ 251STR84WB - 84"W
- No. ■ 251STR90WB - 90"W
- No. ■ 251STR96WB - 96"W
- No. ■ 251STR120WB - 120"W




Under-Counter Shelves for Cabinet-to-Leg Configuration

- Provides additional storage space below work surface
- 150 lb. evenly distributed weight capacity, 12-1/2" deep
- Formed steel panel attaches to panel leg and cabinet with brackets and hardware supplied

Specify color

Used with Standard Cabinet

- No. ■ 251UCS60
- No. ■ 251UCS72
- No. ■ 251UCS84
- No. ■ 251UCS90
- No. ■ 251UCS96
- No. ■ 251UCS108
- No. ■ 251UCS120



Under-Counter Shelves Side-Mounted to Cabinet

- Available in pairs for work surfaces side-mounted to the cabinet using a Hi-Lo Bracket.

Specify color

for 60"W Work Surface

No. ■ 251UCSD60 - 2 shelves

for 72"W Work Surface

No. ■ 251UCSD72 - 2 shelves



Modesty Panel

- Provides privacy below for workbench applications
- Formed steel panel attaches panel leg to cabinet with supplied hardware
- Match modesty panel size to width of work surface and cabinet

Specify color

for 60"W Work Surface with Desk/Table Height Cabinet

No. ■ 251MDP60270 - Standard Cabinet

for 60"W Work Surface with Bench/Mid-Range Height Cabinet

No. ■ 251MDP60350 - Standard Cabinet

for 72"W Work Surface with Desk/Table Height Cabinet

No. ■ 251MDP72270 - Standard Cabinet

for 72"W Work Surface with Bench/Mid-Range Height Cabinet

No. ■ 251MDP72350 - Standard Cabinet




WORKBENCH ACCESSORIES

Modular storage systems that provide flexibility with a custom building block approach to storage that maximizes use of cubic space. Tackle your storage project by first determining your size requirement. Then work your way through the accessories and configure a workbench that is custom built for your space requirements.

Color Selection Determine which color you need and add the two letter

digits as a prefix to part numbers.



Bookcase Risers

- Designed to support the weight of up to three, loaded Bookcases
- Corner riser used to join two adjacent ends (*includes Back Panel*). Attaches to work surface with supplied hardware
- Hardware supplied to support the optional **No. 79020** Light Fixture

Bookcase Riser Specify color

- No. ■ **251BRS6018** - 60"w x 14"d x 18"h
- No. ■ **251BRS6021** - 60"w x 14"d x 21"h
- No. ■ **251BRS6024** - 60"w x 14"d x 24"h
- No. ■ **251BRS7218** - 72"w x 14"d x 18"h
- No. ■ **251BRS7221** - 72"w x 14"d x 21"h
- No. ■ **251BRS7224** - 72"w x 14"d x 24"h
- No. ■ **251BRS9018** - 90"w x 14"d x 18"h
- No. ■ **251BRS9021** - 90"w x 14"d x 21"h
- No. ■ **251BRS9024** - 90"w x 14"d x 24"h

Bookcase Corner Riser Specify color

- No. ■ **251BCR3018** - 90"w x 14"d x 18"h
- No. ■ **251BCR3021** - 90"w x 14"d x 21"h
- No. ■ **251BCR3024** - 90"w x 14"d x 24"h

Bookcase Riser Back Panels

- Protected cord access holes in all four corners
- Formed steel panel attaches to Riser with hardware supplied.

Specify color

- No. ■ **251RBP6018** - 60"w x 18"h
- No. ■ **251RBP6021** - 60"w x 21"h
- No. ■ **251RBP6024** - 60"w x 24"h
- No. ■ **251RBP7218** - 72"w x 18"h
- No. ■ **251RBP7221** - 72"w x 21"h
- No. ■ **251RBP7224** - 72"w x 24"h
- No. ■ **251RBP9018** - 90"w x 18"h
- No. ■ **251RBP9021** - 90"w x 21"h
- No. ■ **251RBP9024** - 90"w x 24"h

Bookcases

- One false bottom shelf and one adjustable shelf included with 100 lb. capacity each. Both shelves will match color of the doors
- Overhead storage unit attaches to riser with supplied hardware
- Can be wall-mounted, hardware not included

30"W without lockable swing doors Specify color

- No. ■ **251BKC270** - 30"w x 14"d x 24-3/4"h
- No. ■ **251BKC350** - 30"w x 14"d x 31-1/8"h

30"W with lockable swing doors Specify color

- No. ■ **251BKCD270** - 30"w x 14"d x 24-3/4"h
- No. ■ **251BKCD350** - 30"w x 14"d x 31-1/8"h

36"W without lockable swing doors Specify color

- No. ■ **251BKC270M** - 36"w x 14"d x 24-3/4"h
- No. ■ **251BKC350M** - 36"w x 14"d x 31-1/8"h

36"W with lockable swing doors Specify color

- No. ■ **251BKCD270M** - 36"w x 14"d x 24-3/4"h
- No. ■ **251BKCD350M** - 36"w x 14"d x 31-1/8"h

Adjustable Footrest

- Multi-formed, reinforced steel channels pre-punched for assembly
- Sleeved and adjustable for many length combinations

Specify color

- No. ■ **240853** - 27" to 46-1/4"
- No. ■ **240854** - 46-1/4" to 69"
- No. ■ **240855** - 18" to 29"

WORKBENCH ACCESSORIES

Side Stops

- Front tapered to 1-1/2" above work surface with rounded front edge. Extends 3" above work surface
- Includes mounting fasteners

Specify color

No. ■ **251WSSR** - Right Side

No. ■ **251WSSL** - Left Side

Back Stops

- Extends 3" above work surface
- Match the length of the Back Stop to the work surface width chosen
- Includes mounting fasteners

Specify color

No. ■ **251WBS60** - 60"w

No. ■ **251WBS84** - 84"w

No. ■ **251WBS72** - 72"w

No. ■ **251WBS90** - 90"w

Shelf Risers

- Match the width of the Shelf Riser to the work surface width chosen

Specify color

60"w Work Surface

72"w Work Surface

No. ■ **2625** - 12"h x 10-1/2"d

No. ■ **2626** - 12"h x 10-1/2"d

No. ■ **2628** - 18"h x 14"d

No. ■ **2629** - 18"h x 14"d

Pick Racks

- Allows easy hanging of plastic bins for additional on-hand storage
- Match the width of the Pick Rack to the Shelf Riser width chosen

Specify color

No. ■ **2630** - 60"w

No. ■ **2631** - 72"w

Plastic Bins (Color - blue only)

- Impervious to most solvents and corrosives

No. **78203** - 4-1/8"w x 4-1/8"d x 3"h

No. **78206** - 4-1/8"w x 7-1/4"d x 3"h

No. **78209** - 5-7/8"w x 11-1/2"d x 5"h

Outlet Strip (Color - light gray only)

- Easily attaches to any flanged surface
- UL approved for 15 AMPS @ 125V
- Match the length of the Outlet Strip to the work surface width chosen

No. **2662** - 5 outlets - 60"w

No. **2663** - 8 outlets - 72" w

Hi-Lo Bracket Kit

- Allows for mounting worksurface directly to the side of a cabinet
- Galvanized finish, includes mounting fasteners

No. **250HILO**

Splice Plate Kit

- Allows for attaching two (2) worksurfaces into a corner, creating an "L"
- Galvanized finish, includes mounting fasteners

No. **250SPICE**



WEAPONS STORAGE

The Ultimate Storage Solution for military, domestic defense and police professionals

Maximize your storage, workspace and security with LYON Modular Drawer Weapons Cabinets. This high density storage solution provides a maximum level of security in an organized and efficient storage footprint.

- Meets the requirements of paragraph 4 of the Small Arms Storage Rack Certification Document; part of AR 190-11 for the physical security of arms, ammunition and explosives
- Integrated locking system using eternal lock bars (*see facing page*) at both vertical drawer ends provides for ultimate security (*padlock not included*)

- 4:1 storage space savings as compared to typical rack systems
- Rubber-coated gun partitions and foam inserts for pistols protect and secure weapons within each drawer
- All drawers feature a bottom polyester mesh liner for weapon surface protection


ACCESSORIES:

- Choose a hardwood top work surface from page 76 or
- Add an Overhead Unit for the bulk storage of ancillary items from pages 60-61.

PRE-ENGINEERED UNITS - EYE-LEVEL - 59-1/4"H X 28-1/4"D


Rifle Storage

Extra
(44-3/8"w)



XXN6845300WPNI
40 Weapons
A4, MP542, M1200,
M16, M4, M4A1


Double
(59-5/8"w)



XXN6860300WPNI
40 Weapons
CAR15, M-1A, M24,
M16 w/M203


Pistol Storage

Slender
(22-13/16"w)




XXN6822300WPNI
220 Pistols

Standard
(30"w)



XXN6830300WPNI
320 Pistols

Medium
(36-3/8"w)



XXN6836300WPNI
400 Pistols

ADDITIONAL WEAPONS CABINET ACCESSORIES

To add options to your weapon storage cabinet please see below. Keep in mind that there is a drawer height minimum as referenced on this page, or contact Customer Service at 1-800-323-0082. Dimensions listed are the clear inside dimensions of the drawer.

Partitions

(Rifle Storage)

*Weapons length must be less than 39-1/4" for storage in "Extra" (39-1/2"w) Drawer



Weapon Model	Drawer Insert Part Number (includes drawer liner)	Minimum Drawer Height	EXTRA (39-1/2"w)	Weapons per Drawer DOUBLE (54-11/16"w)
SUBMACHINE GUN				
A4	250GSP1	13	8	---
A4	250GSP3	13	---	15
A5	250GSP1	14	8	---
A5	250GSP3	14	---	15
MP5A2	250GSP1	13	8	---
MP5A2	250GSP3	13	---	15
MP5A3	250GSP1	14	8	---
MP5A3	250GSP3	14	---	15
M3A1	250GSP5	12	11	---
M3A1	250GSP6	12	---	15
SD	250GSP1	14	8	---
SD	250GSP3	14	---	15
CARBINE				
CAR15	250GSP2	13	---	8
M4	250GSP1	13	8	---
M4	250GSP3	13	---	15
M4A1	250GSP1	13	8	---
M4A1	250GSP3	13	---	15
MACHINE GUN				
MAG-58	250GSP4	16	---	5
M240B	250GSP4	16	---	5
M240G	250GSP4	16	---	5
M249	250GSP4	16	---	5
SHOTGUN				
M1200*	250GSP1	13	8	---
M1200	250GSP2	13	---	8
RIFLE				
M16*	250GSP1	13	8	---
M16	250GSP2	13	---	8
M16 w/ M203	250GSP2	13	---	8
M-1A	250GSP2	13	---	8
SNIPER RIFLE				
M-24	250GSP2	13	---	8
BARREL				
M2	250GSP2	10	---	8

Foam Insert

(Pistol Storage)



Drawer Width	Drawer Insert Part Number (includes drawer liner)	Minimum Drawer Height	Weapons per Drawer
Slender (17-15/16")	250PSF1	13	44
Standard (25-1/8")	250PSF2	13	64
Medium (31-1/2")	250PSF3	13	80
Extra (39-1/2")	250PSF4	13	100
Double (54-11/16")	250PSF5	13	140

Foam Insert

(Rifle Storage for Machine Guns)

Weapon Model	Drawer Insert Part Number (includes drawer liner)	Minimum Drawer Height	Weapons per Drawer DOUBLE (54-11/16"w)
M2	250GSF1	14	4
M60	250GSF2	13	4
MK19	250GSF3	13	2



External Lock Bar

- Secures all drawers with hinged bar (padlock not included)

ALL-WELDED SHELF CABINETS

- All-welded 14-gauge steel construction provides a payload capacity of **1,450 lbs. per shelf**
- Heavy-duty steel doors have a padlock hasp (lock not included) and heavy-duty 5/16" brass-pin hinge plates securely welded to each door
- Shelves bolt securely into welded keyhole slots and can be repositioned on 3" centers
- Secure, 3-point locking system on doors features 3/8" latch rod and 3/16" latch plate
- 4" high legs welded to cabinet – forklift base allows for easy movement anywhere in your facility
- Additional shelves can be added for increased versatility
- Ships assembled

DD - Dove Gray



**Available with
Diamond
Perf Doors**



1114



1120



1145

W x D x H	No. of Shelves	Shelf Capacity	Standard Doors Cat. No.	Diamond Perf Doors Cat. No.	Extra Shelf
36" x 21" x 82"	4	1,450 lbs.	1114*	1114DP	11161*
36" x 24" x 82"	4	1,450 lbs.	1115*	1115DP	11191
48" x 24" x 82"	4	1,450 lbs.	1120*	1120DP	1161*
60" x 24" x 82"	4	1,450 lbs.	1145*	1145DP	1146*

Note: Cabinet heights include 4"h legs

Features



Heavy-duty 14-gauge flanged shelves, adjustable on 3" centers.



Rugged cast aluminum handles with 3/8" thick padlock hasp.



Three heavy-duty 5/16" diameter brass-pin hinges securely welded to each cabinet door



1121

ALL-WELDED COMBINATION WARDROBE CABINETS

Combines garment with package and supply item storage in one convenient unit. Includes one fixed, full-width top shelf.

- Three half-shelves adjustable on 3" centers
- Includes one coat rod to accommodate garments on hangers
- Ships assembled

W x D x H	No. of Shelves	Shelf Capacity	Cat. No.	Extra Half Shelf
36" x 24" x 82"	1 full / 3 half	1,450 lbs.	1121*	1162
48" x 24" x 82"	1 full / 3 half	1,450 lbs.	1148*	1165
60" x 24" x 82"	1 full / 3 half	1,450 lbs.	1149*	1166

Note: Cabinet heights include 4"h legs

DD - Dove Gray



1112

1110

ALL-WELDED COUNTER HIGH AND EYE-LEVEL SHELF CABINETS

All the same specifications of the All-Welded Shelf Cabinets (facing page) with a shorter height.

- Ships assembled

W x D x H	No. of Shelves	Shelf Capacity	Cat. No.	Extra Half Shelf
36" x 21" x 64"	3	1,450 lbs.	1112*	11161*
36" x 24" x 64"	3	1,450 lbs.	1113	11191
36" x 21" x 46"	2	1,450 lbs.	1110*	11161*
48" x 24" x 64"	3	1,450 lbs.	1147*	1161*

Note: Cabinet heights include 4"h legs

DD - Dove Gray



ALL-WELDED MOBILE SHELF CABINET

Extra wide and 24" deep, also functions as a storage closet on the shop floor.

- All-welded 14-gauge construction
- Load capacity of 1,450 lbs. per shelf
- Wide, double doors for easy access
- Full-width shelves are adjustable on 3" centers
- 6" polyolefin casters - 2 swivel with brakes; 2 rigid without brakes. 700 lb. capacity each, 2,800 lb. total
- Overall Size: 60"w x 24"d x 67-1/2"h
- Ships assembled. Casters preassembled, handle ships loose

No. 1170*

Extra Shelf for 1170 - **No. 1146***

DD - Dove Gray

ALL-WELDED CLEARVIEW AND 4-DOOR SHELF CABINETS

Quickly evaluate supply inventory without even opening the doors.

- All-welded, 14-gauge construction
- Clearview cabinets feature heavy-duty 3/16" thick Lexan® door inserts
- 14-gauge flanged shelves are adjustable on 3" centers
- Rugged cast aluminum handle features a 3/8" thick padlock hasp
- Three heavy-duty 5/16" brass-pin hinge plates welded to each door
- Additional shelves are available for customized configurations
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility
- Ships assembled

DD - Dove Gray



SAFETY CENTER

- Includes four full-width shelves
- Yellow finish only
- Overall Size: 48"w x 24"d x 82"h

No. 1120SC

Extra 48"w Shelf for 1120SC

No. 1161•



CLEARVIEW CABINET

- Includes four full-width shelves
- Overall Size: 48"w x 24"d x 82"h

No. 1120V•

Extra 48"w Shelf for 1120V

No. 1161•



CLEARVIEW SHELF/BIN CABINET

- Includes three full-width shelves
- 16 large (8-1/4"w x 14-3/4"d x 7"h) plastic parts bins
- Overall Size: 36"w x 21"d x 82"h

No. 1123V

Extra 36"w Shelf for 1123V

No. 11161•



CLEARVIEW MULTI-DOOR CABINET

- Create secure storage for 4 people in a single cabinet
- Includes one full-width shelf per compartment
- Overall Size: 48"w x 24"d x 82"h

No. 11204DV



MULTI-DOOR CABINET


- Create secure storage for 4 people in a single cabinet.
- Includes one full-width shelf per compartment
- Overall Size: 48"w x 24"d x 82"h

No. 11204D

VISIBLE STORAGE CABINETS

- All-welded construction with expanded metal doors
- Five pre-engineered configurations featuring shelves, bins and shelf-bin combinations
- Provide secure, visible storage for quick inspection without needless opening
- Full length doors feature a three-point latch design and cam-bar system
- Chrome plated handle will accept a padlock (not included), can accommodate flat key lock (optional)
- Shelves bolt into place and are adjustable on 2" centers with payload capacity of 300 lbs. each
- Plastic Bins, impervious to most solvents and corrosives, clip on and off galvanized Pick Racks bolted to cabinet back
- Shelves are included, but not installed
- All bins shown are 5-1/2"w x 10-7/8"d x 5"h with capacity of 285 cu. in.
- 36"w x 72"h

DD - Dove Gray



Description	No. of Shelves	No. of Bins	Cat. No.
18" Deep Cabinet	2	15	1152
18" Deep Cabinet with 4" base	2	15	1152B
18" Deep Cabinet	4	0	1150
18" Deep Cabinet with 4" base	4	0	1150B
18" Deep Cabinet	0	45	1154
18" Deep Cabinet with 4" base	0	45	1154B
21" Deep Cabinet	2	15	1153
21" Deep Cabinet with 4" base	2	15	1153B
21" Deep Cabinet	4	0	1151
21" Deep Cabinet with 4" base	4	0	1151B

Accessories and Related Products

No. 11371• - 36"w x 18"d Shelf

No. 11381• - 36"w x 21"d Shelf

No. 1142• - 18"d x 4"h Base

No. 1143• - 21"d x 4"h Base

No. 11403• - 36"w Galvanized Pick Rack

No. 78203• - 4-1/8"w x 5-3/8"d x 3"h Plastic Bin

No. 78206• - 4-1/8"w x 7-3/8"d x 3"h Plastic Bin

No. 78209• - 5-1/2"w x 10-7/8"d x 5"h Plastic Bin



HIGH VISIBILITY STORAGE CABINET

- All-welded construction with expanded metal doors
- Three walls of mesh for extra visibility
- Reinforcing K-brace welded to the door frame delivers added strength and proper door alignment
- 13-gauge diamond shaped steel mesh stands up to heavy use
- Adjustable shelves bolt into holes spaced from 8-3/4" at bottom to 8-3/4" from top
- Full length door has three-point latching system with cam-locking system and chrome plated handle
- Ships assembled
- Overall Size: 24"w x 21"d x 78"h

No. 1130•

DD - Dove Gray

ALL-WELDED CABINETS WITH REMOVABLE BINS

- All-welded 14-gauge steel construction delivers secure storage behind heavy-gauge steel doors
- Evenly distributed load capacity: 1,450 lbs. per shelf
- 3-point locking system featuring 3/8" latch rods and 3/16" latch plates
- Additional shelves can be added for increased versatility
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility
- Ships assembled. Plastic bins ship loose in boxes within cabinet

DD - Dove Gray



Shelf/Bin Cabinet

- Includes 3 full-width shelves adjustable on 3" centers
- 16 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 36"w x 21"d x 82"h

No. 1123



Shelf/Bin Cabinet

- Includes 4 full-width shelves adjustable on 3" centers
- 81 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors
- Overall Size: 36"w x 21"d x 82"h

No. 1155



Shelf/Bin Cabinet

- Includes one full-width shelf
- 3 half-shelves adjustable on 3" centers with 50 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on door
- 14 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 36"w x 21"d x 82"h

No. 1122*



Features

Removable plastic parts bins increase storage density, speed selection and retrieval. Corrosion resistant, and impervious to most solvents. Safety Yellow plastic bins easily clip on and off racks welded to cabinets and doors.



Shelf/Bin Cabinet

- Includes 3 full-width shelves, adjustable on 3" centers
- 86 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors
- 16 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 36"w x 21"d x 82"h

No. 1156

ALL-WELDED CABINETS WITH REMOVABLE BINS

- All-welded 14-gauge steel construction delivers secure storage behind heavy-gauge steel doors
- Evenly distributed load capacity: 1,450 lbs. per shelf
- 3-point locking system featuring 3/8" latch rods and 3/16" latch plates

DD - Dove Gray

- Additional shelves can be added for increased versatility
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility
- Ships assembled. Plastic bins ship loose in boxes within cabinet



Bin Storage Cabinet

- Includes 136 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors
- 45 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 48"w x 21"d x 82"h

No. 1136



Bin Storage Cabinet

- Includes 170 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors
- 54 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 60"w x 21"d x 82"h

No. 1141*



Bin Storage Cabinet

- Includes 100 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors
- 36 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 36"w x 21"d x 82"h

No. 1124*



Accessories and Related Products

Extra Plastic Bins for Bin Cabinets

No. 78228* – Large, 8-1/4"w x 14-3/4"d x 7"h (60 lb. capacity)

No. 78222* – Small, 4-1/8"w x 5-3/8"d x 3"h (10 lb. capacity)

Extra Dividers

No. 78229* – Divider for 78228

No. 78223* – Divider for 78222

Extra Shelves

No. 11161* – Extra Shelf, 36"w x 18-9/16"d

No. 11163 – Extra Half Shelf, 14"w x 18-9/16"d

ALL-WELDED DEEP-DOOR CABINETS WITH REMOVABLE TILT-BINS

- All-welded 14-gauge steel construction delivers secure storage behind heavy-gauge steel doors
- Evenly distributed load capacity: 1,450 lbs. per shelf
- 3-point locking system featuring 3/8" latch rods and 3/16" latch plates

DD - Dove Gray

- Additional shelves can be added for increased versatility
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility
- Ships assembled



Four-Shelf, 24 Bin Cabinet

- 4 full-width shelves adjustable on 3" centers
 - 12 removable tilt-bins in each door
 - Overall Size: 39"w x 27"d x 76"h
- No. 1125•**



Two-Shelf, 40 Bin Cabinet

- 2 full-width shelves adjustable on 3" centers
 - 16 large removable plastic bins (8-1/4"w x 14-3/4"d x 7"h) in cabinet
 - 12 removable tilt-bins 15"w x 5"d x 5-1/2"h in each door
 - Overall Size: 39"w x 27"d x 76"h
- No. 1126•**



Features

Hard composition casters underneath swing out doors maintain positive alignment, provide smooth door opening and closing under heavy loads. Casters and legs provide clearance for forklift access.



Unique Tilt-Bins
swing forward to allow
100% access to contents,
then tilt back for storage.
Easily removable. Ships
assembled.

3427BWYB•
(shown with optional dividers)

NOTE: Interior depth of cabinet is 21". Doors are 5-5/8" deep. Cabinets ship with shelves bolted in and doors casters pre-assembled, ready-to-use as shown. Tilt-bins pre-assembled. Large plastic bins shipped loose in boxes within cabinet.

ALL-WELDED DEEP-DOOR CABINETS WITH REMOVABLE TILT-BINS

- All-welded 14-gauge steel construction delivers secure storage behind heavy-gauge steel doors
- Evenly distributed load capacity: 1,450 lbs. per shelf
- 3-point locking system featuring 3/8" latch rods and 3/16" latch plates
- Additional shelves can be added for increased versatility
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility
- Ships assembled

DD - Dove Gray



Four-Shelf, 12 Bin Cabinet

- 4 full-width shelves adjustable on 3" centers
- 6 removable tilt-bins and 3 adjustable on 5-1/2" centers (75 lb. capacity) shelves in each door

Overall Size, 39"w x 27"d x 76"h

No. 1127•



Four-Shelf, 36 Bin Cabinet

- 1 full-width shelf, 3 half-shelves adjustable on 3" centers
- 12 large removable plastic bins
- 12 removable tilt-bins in each door
- Overall Size, 39"w x 27"d x 76"h

No. 1128•

Accessories and Related Products

Extra Plastic Parts Bins and Dividers

No. 78228• - Large Parts Bins, 8-1/4"w x 14-3/4"d x 7"h
(60 lb. capacity)

No. 78229• - Large Parts Bin Dividers

No. 3427BWYB• - Tilt-Bins, 15"w x 5"d x 5-1/2"h
(40 lb. capacity)


No. 3445BWYB-18• - Tilt-Bin Dividers

Extra Shelves

No. 1160• - Extra Shelf, 38"w x 18-9/16"d

No. 1164• - Extra Half Shelf, 16"w x 18-9/16"d
only fits No. 1128

Choose from our exclusive,
Easy Access Tilt-Bins or Standard Bins.



Standard Bins

Tilt-Bins

ALL-WELDED MAINTENANCE CENTERS WITH MODULAR DRAWERS

Payload Capacity: 400 lbs. per drawer!

Safely store tools, equipment, maintenance and repair parts, even personal effects. There's even a slide-out work surface for light maintenance and repair work.

- All-welded 14-gauge steel construction
- 400 lb. drawer capacity
- Forklift accessible base
- Ball-bearing drawer suspension
- Door shelves provide a payload capacity of 75 lbs. per door and adjust on 5-1/2" centers

IMPORTANT: Other drawer sizes are available. Contact Lyon at 1-800-323-0082 for details.

DD - Dove Gray



39" Wide Cabinet with Modular Drawers

- One modular drawer 31-1/2"w x 2-1/4"h* with latch-in/latch-out & flip-up drawer cover kit that provides a work surface for light-duty maintenance work
- 1 modular drawer, 31-1/2"w x 3"h*
- 2 modular drawers, 31-1/2"w x 4-5/8"h*
- Hinged lock bar on modular drawers
- 1 39"w adjustable shelf provides a payload capacity of 1,450 lb.
- 8 tilt bins (15"w x 5"d x 5-1/2"h) per door
- 2 shelves per door
- Overall Size: 39"w x 36-1/2"d x 76"h

No. 1104F•

**Interior drawer dimensions, all drawers are 25-1/8"d*

Features



Heavy-duty 14-gauge flanged shelves, adjustable on 3" centers.



Rugged cast aluminum handles with 3/8" thick padlock hasp.



Hard composition casters underneath swing out doors maintain positive alignment, provide smooth door opening and closing under heavy loads. Casters and legs provide clearance for forklift access.

ALL-WELDED MAINTENANCE CENTERS WITH MODULAR DRAWERS

60" Wide Cabinet with Modular Drawers

- 1 modular drawer, 39-1/2"w x 2-1/4"h*
- 1 modular drawer, 39-1/2"w x 3"h*
- 2 modular drawers, 39-1/2"w x 9-3/8"h*
- Hinged lock bar on modular drawers
- 400 lb. capacity roll out shelf
- 18 tilt bins (15"w x 5"d x 5-1/2"h)
- 5 adjustable shelves in right-hand door
- 1 shelf/coat rod (14"w x 21-1/2"d)
- Overall Size: 60"w x 36-1/2"d x 60"h

No. 1101F

**Interior drawer dimensions, all drawers are 25-1/8"d*



60" Wide Cabinet with Modular Drawers

- 1 modular drawer, 39-1/2"w x 2-1/4"h*
- 1 modular drawer, 39-1/2"w x 3"h*
- 2 modular drawers, 39-1/2"w x 9-3/8"h*
- 400 lb. capacity roll out shelf
- Hinged lock bar on modular drawers
- 18 tilt-bins (15"w x 5"d x 5-1/2"h)
- 52 small plastic bins (4-1/8"w x 5-3/8"d x 3"h)
- 1 shelf/coat rod (14"w x 21-1/2"d)
- Overall Size: 60"w x 36-1/2"d x 60"h

No. 1102F

**Interior drawer dimensions, all drawers are 25-1/8"d*



60" Wide Cabinet with Modular Drawers

- One modular drawer 31-1/2"w x 2-1/4"h* with latch-in/latch-out & flip-up drawer cover kit that provides a work surface for light-duty maintenance work
- 1 modular drawer, 31-1/2"w x 3"h*
- 2 modular drawers, 31-1/2"w x 4-5/8"h*
- 2 modular drawers, 31-1/2"w x 9-3/8"h*
- Hinged lock bar on modular drawers
- 3 adjustable shelves, 21-1/4"w x 21-1/2"d and provide a payload capacity of 1,450 lbs.
- 18 tilt-bins (15"w x 5"d x 5-1/2"h) in left-hand door
- 5 adjustable shelves in right-hand door
- Overall Size: 60"w x 36-1/2"d x 60"h

No. 1103F

**Interior drawer dimensions, all drawers are 25-1/8"d*




1000 SERIES STORAGE CABINETS

- Contemporary styling with rounded front corners
- Three-point door locking system
- Polished chrome plated handles. Separate grooved key lock with 2 keys
- Pan type reinforcements maintain door alignment
- "Quiet Door" feature reduces noise when opening and closing doors
- Durable heavy-gauge steel construction
- Shelf adjustments on 2" centers
- 4" high base

Note: Reinforced shelves boost the load capacity of standard 36" w shelves to 230 lbs. Contact Customer Service at 1-800-323-0082 for special ordering information.

DD - Dove Gray



Features

Back corners are slotted and front corners are supported with clips for easy adjustment

Counter High Cabinets

- Waist high



1042



1035

W x D x H	No. of Shelves	Shelf Capacity	Assembled Cat. No.	Unassembled Cat. No.	Extra Shelf	Reinforced Shelf
36" x 18" x 42"	2	180 lbs.	1042	1043*	10551*	10711*
36" x 21" x 42"	2	180 lbs.	1040	1041*	10501*	10701
36" x 24" x 42"	2	180 lbs.	1045	1046*	10601*	10721*
48" x 24" x 42"	2	325 lbs.	1035SU	1035*	10581*	-

Standard Cabinets

- A virtual storeroom of space – holds up to 2,000 total lbs.
- Double doors permit full access to all areas of cabinet



1080



1031

W x D x H	No. of Shelves	Shelf Capacity	Assembled Cat. No.	Unassembled Cat. No.	Extra Shelf	Reinforced Shelf
36" x 18" x 78"	4	180 lbs.	1080	1081*	10551*	10711*
36" x 21" x 78"	4	180 lbs.	1000	1001*	10501*	10701
36" x 24" x 78"	4	180 lbs.	1090	1091*	10601*	10721*
48" x 24" x 78"	4	325 lbs.	1031SU	1031	10581	-

1000 SERIES STORAGE CABINETS

- Contemporary styling with rounded front corners
- Three-point door locking system
- Polished chrome plated handles. Separate grooved key lock with 2 keys
- Pan type reinforcements maintain door alignment
- "Quiet Door" feature reduces noise when opening and closing doors
- Durable heavy-gauge steel construction
- Shelf adjustments on 2" centers

DD - Dove Gray

Combination Wardrobe Cabinets

- 4 side-shelves with 2" adjustability and 5 compartments maximize storage space
- Full-width shelf at top for hats and other articles
- Coat rod below shelf
- Smooth, snag-free finished interior



1088



1033

W x D x H	No. of Shelves	Assembled Cat. No.	Unassembled Cat. No.	Extra Shelf
36" x 18" x 78"	1 full / 4 half	1088	1089*	10571*
36" x 21" x 78"	1 full / 4 half	1010	1011*	10521*
36" x 24" x 78"	1 full / 4 half	1098	1099*	10621*
48" x 24" x 78"	1 full / 4 half	1033SU	1033*	10631*

Wardrobe Cabinets

- Full-width shelf at top for hats and other articles
- Coat rod below shelf
- Smooth, snag-free finished interior



1085



1032

W x D x H	No. of Shelves	Assembled Cat. No.	Unassembled Cat. No.	Extra Shelf	Extra Shelf with Coat Rod
36" x 18" x 78"	1	1085	1086*	10551*	1056*
36" x 21" x 78"	1	1005	1006*	10501*	1051*
36" x 24" x 78"	1	1095	1096*	10601*	1061*
48" x 24" x 78"	1	1032SU	1032*	10581*	1059*



Handle Features

Steel cabinets features 3-point locking system with polished chrome plated handle that easily turns to hold the doors closed. A built-in grooved key lock provides further security.



1000 SERIES VISIBLE STORAGE CABINETS

Bring the Inside Out

- Plexiglas® windows on both doors provides visual inventory without opening them
- Three-point door locking system provides outstanding security with key lock
- Shelf reinforcements increase shelf capacity to 230 lbs.
- Four shelves adjustable on 2" centers (additional shelves available - contact customer service).

DD - Dove Gray

Set Up with Four Shelves

No. 1080V - 36" x 18" x 78"

No. 1090V - 36" x 24" x 78"

Knocked Down with Four Shelves

No. 1081V• - 36" x 18" x 78"

No. 1091V• - 36" x 24" x 78"

Extra Shelf

No. 10551• - 18"

No. 10601• - 24"

Reinforced Shelf

No. 10711• - 18"

No. 10721• - 24"

HAZMAT RESPONSE / SAFETY CABINETS

HazMat Response Cabinets

Organize and store your spill containment/ HazMat response equipment on the shop floor, close to the areas at greatest risk. Safety experts agree that rapid response to a HazMat emergency can greatly reduce risk exposure and collateral damage

- Shelves adjustable on 2" centers
- Double doors swing full 180° for maximum access
- 3-point locking device
- Shipped fully assembled, ready to use
- Safety yellow finish
- Overall size: 36"w x 24"d x 78"h

No. 5460HM – Cabinet with 4 shelves

No. 5461HM – Cabinet with center partition, coat rod, full width shelf and 4 half shelves (permits storage of HazMat response apparel on hangers)



5460HM



5461HM



Safety Centers allow you to quickly evaluate supply inventory without even opening the doors.

- Includes four full-width shelves
- Ships fully assembled
- Overall Size: 48"w x 24"d x 82"h

● Yellow finish only

No. 1120SC

CHOOSING THE RIGHT SAFETY CABINET

Flammable Liquid • Acids and Corrosives • Paints and Inks • Pesticides



Step 1

Identify the type of chemicals to be stored and choose from the cabinets listed above.

Step 2

Identify the size of containers being stored and your capacity requirements.

Step 3

Choose the Door Style that best fits your needs. (Some states or locales follow either the International Fire Code or NFPA 1 Uniform Fire Code™ which mandates the use of self-closing cabinets.)

Manual and Self-Closing Doors



Manual-closing door




Self-closing doors feature manual latch with fusible link.



Latch holds door open when in use and will release to close door automatically when temperatures reach 165°F.

Full length continuous door hinges

Powder coat finish



Heavy-duty ribbed, galvanized steel shelves deliver load capacity of 350 lbs. per shelf and are adjustable on 3" vertical centers

Screened flame arrester vents on both sides of cabinet (one high and one low) are threaded to accept standard 2" pipe for external exhaust

Four, Zinc-plated leveling legs included

All-welded 18-gauge, double wall construction with 1-1/2" of insulating air space offers fire resistant protection



Black, flush-mounted paddle handle design allows easy fingertip operation and features a Cam Lock that includes 2 keys and can be padlocked (padlock not included)

Slam-action closing mechanism utilizes a three-point stainless steel bullet latching system.

Ground wire connection deters static build-up (wire not included)

2" high leak-proof bottom pan

Polyethylene Shelf Tray

Replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills. Shelf liners are optional with Flammable Liquid Cabinets.



SAFETY CABINETS

Adjustable shelves offer the ideal solution for storing the wide variety of containers, from half pints to 5 gallon pails, all in one cabinet

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Adjust or add shelves to accommodate different size, or additional containers

- Optional polyethylene trays offer additional protection
- To resist aggressive chemicals, some cabinets include polyethylene trays for the shelves and bottom pans
- Separate and identify Class III combustibles



Capacity (Gallons)	W x D x H	No. of Shelves	Cat. No. Manual-Closing	Cat. No. Self-Closing	Cabinet Options		
					Cat. No. Extra Shelf	Cat. No. Mounting Brackets	Cat. No. Replacement Tray
60	32" x 32" x 65"	2	74R5460	74R5461	N5450	—	—
45	43" x 18" x 65"	2	74R5444N •	74R5445N •	N5449 •	—	5550
30	43" x 18" x 44"	1	74R5440N •	74R5441N •	N5449 •	—	5550
22	35" x 22" x 35"	1	74R5467	—	N5468	—	5568
20	43" x 12" x 44"	2	74R5466*	—	N5477	included	5552
		2	74R5469	—	N5477	5479	5552
17	43" x 18" x 24"	1	74R5472	—	N5449 •	5479	5550
		1	74R5465*	—	N5449 •	included	5550
15	23-1/4" x 18" x 44"	1	74R5474	—	N5476	—	5548
12	43" x 18" x 18"	—	74R5471	—	—	5479	5550
12	23-1/4" x 18" x 35"	1	74R5473	—	N5476	—	5548
4	17" x 17" x 22"	1	74R5470	—	N5478	5480	—

Note: Not Recommended for Phenol, Sulfuric or Nitric Acids.

*Includes brackets for wall-mounting.

• Denotes Stock Items

1-800-323-0082 • lyonworkspace.com

LYON



VALTEC™

THE ECONOMICAL DURABLE LOCKER SOLUTION

**Introducing our
newly designed,
budget-friendly
locker**

ValTec™ lockers are engineered for the savvy shoppers in need of a quick turnaround that offers a durable and long lasting solution, yet outfitted with all the features you need to secure valuables.

These lockers feature 16 gauge steel construction and can be used for personal storage in schools, hospitals, offices, and industrial settings.

VALTEC™ STEEL LOCKERS

All ValTec Steel Lockers Include:

- All one-piece locker door construction from 16-gauge steel for extra strength and durability
- All door frame corners are lapped and welded to form a strong, rigid assembly
- Aluminum number plates with blank space are installed on each door
- Locker legs are 6" high to raise bottom of locker off the finished floor and allow additional toe room. Rear legs can be adjusted to insure a level locker installation
- Lockers are available to be shipped assembled or unassembled

Color Selection



DD - Dove Gray



PP - Putty



			Locker Opening			Overall Locker Size <i>with 6" high legs</i>						
Unassembled		Assembled	Unit	Width	Depth	Height	Width	Depth	Height	Storage	Handles	Louvers
Single Tier	VT51041•	VT51041SU	1 Wide	12"	12"	72"	12"	12"	78"	Shelf, a double prong coat hook, and three single prong coat hooks	Steel Recessed Handle	Six 6" louvers top & bottom
	VT51061•	VT51061SU		12"	18"	72"	12"	18"	78"	Shelf, coat rod, and three single prong coat hooks		
	VT51081•	VT51081SU		15"	18"	72"	15"	18"	78"			
	VT51043•	VT51043SU	3 Wide	12"	12"	72"	36"	12"	78"	Shelf, a double prong coat hook, and three single prong coat hooks		
	VT51063•	VT51063SU		12"	18"	72"	36"	18"	78"	Shelf, coat rod, and three single prong coat hooks		
	VT51083•	VT51083SU		15"	18"	72"	45"	18"	78"			
Double Tier	VT52041•	VT52041SU	1 Wide	12"	12"	72"	12"	12"	78"	Three single prong wall hooks and one double prong hook per door	Steel Recessed Handle	Four 6" louvers top & bottom
	VT52051•	VT52051SU		12"	15"	72"	12"	15"	78"			
	VT52061•	VT52061SU		12"	18"	72"	12"	18"	78"			
	VT52043•	VT52043SU	3 Wide	12"	12"	72"	36"	12"	78"			
	VT52053•	VT52053SU		12"	15"	72"	36"	15"	78"			
	VT52063•	VT52063SU		12"	18"	72"	36"	18"	78"			
Triple Tier	VT53051•	VT53051SU	1	12"	15"	72"	12"	15"	78"	Three single prong wall hooks and one double prong hook per door	Steel Recessed Handle	Two 6" louvers top & bottom
	VT53061•	VT53061SU	Wide	12"	18"	72"	12"	18"	78"			
	VT53053•	VT53053SU	3	12"	15"	72"	36"	15"	78"			
	VT53063•	VT53063SU	Wide	12"	18"	72"	36"	18"	78"			

Anchoring: To prevent tipping or injury, it is strongly recommended that lockers be floor and wall anchored.

VALTEC™

1-800-323-0082

99

VALTEC™ STEEL LOCKERS

All ValTec Steel Lockers Include:

- All one-piece locker door construction from 16-gauge steel for extra strength and durability
- All door frame corners are lapped and welded to form a strong, rigid assembly
- Aluminum number plates with blank space are installed on each door
- Locker legs are 6" high to raise bottom of locker off the finished floor and allow additional toe room. Rear legs can be adjusted to insure a level locker installation
- Lockers are available to be shipped assembled or unassembled

Color Selection

- DD - Dove Gray ● PP - Putty



			Locker Opening			Overall Locker Size <i>with 6" high legs</i>						
Unassembled		Assembled	Unit	Width	Depth	Height	Width	Depth	Height	Storage	Handles	Louvers
Four Tier	VT54041*	VT54041SU	1 Wide	12"	12"	72"	12"	12"	78"	-	Steel Pull Handle with Built-In Padlock Attachment	Three 3.5" louvers centered
	VT54043*	VT54043SU	3 Wide	12"	12"	72"	36"	12"	78"			
Six Tier	VT56041*	VT56041SU	1	12"	12"	72"	12"	12"	78"	-	Steel Pull Handle with Built-In Padlock Attachment	Three 3.5" louvers centered
	VT56051*	VT56051SU	Wide	12"	15"	72"	12"	15"	78"			
	VT56043*	VT56043SU	3	12"	12"	72"	36"	12"	78"			
	VT56053*	VT56053SU	Wide	12"	15"	72"	36"	15"	78"			

Anchoring: To prevent tipping or injury, it is strongly recommended that lockers be floor and wall anchored.

VALTEC™ STEEL LOCKERS

All ValTec Steel Lockers Include:

- All one-piece locker door construction from 16-gauge steel for extra strength and durability
- All door frame corners are lapped and welded to form a strong, rigid assembly
- Aluminum number plates with blank space are installed on each door
- Locker legs are 6" high to raise bottom of locker off the finished floor and allow additional toe room. Rear legs can be adjusted to insure a level locker installation
- Lockers are available to be shipped assembled or unassembled

Color Selection



DD - Dove Gray



PP - Putty



Name Plate
No. VT5900NP



Individual Slope-Top Kits

Quickly convert standard flat top steel lockers into sloping-top lockers. Includes hardware and instructions.

Slope-Top Kits include:

- tops and ends
- interim supports

Sizes W x D	Kits	
	Cat. No. 1-Wide	Cat. No. 3-Wide
12" x 12"	VT59301*	VT59303*
12" x 15"	VT59311*	VT59313*
12" x 18"	VT59321*	VT59323*
15" x 18"	VT59351*	VT59353*

Sloping
tops

Closed Style
Bases



Closed Style Bases

Quickly attach without tools to lockers with 6" legs. For ValTec™ Lockers.

End Bases

Only required at exposed ends.

Pack of 2

No. VT59241 • 12"d x 6"h

No. VT59251 • 15"d x 6"h

No. VT59261 • 18"d x 6"h

Front Bases

One Pack

No. VT59101 • 12"d x 6"h

No. VT59111 • 15"d x 6"h

STANDARD STEEL LOCKERS

Lyon has long been America's leading manufacturer of a complete line of quality lockers and accessories for schools, hospitals, and industry. Lyon lockers include:

- Recessed handle standard
- Secure latching system increases the break-in protection compared to existing locker latching systems
- Nylon lockbar glides quiet door operations
- All door frame corners are lapped and welded to form a strong, rigid assembly
- All one-piece locker door construction from prime, high-grade Class 1 16-gauge steel for extra strength and durability
- One piece, top-to-bottom 16-gauge steel door-strike on all lockers for strength and security
- Single-Tier Lockers includes a separate shelf space for books, electronics, lunches, etc.
- 6" Louvers

DD - Dove Gray

Alternate color selections only include the door and frame assembly. Interior components including: tops, bottoms, sides, backs, and shelves will be painted putty.

Dove Gray and Putty Lockers from stock will include matching interior components.



ADA REQUIREMENTS for lockers.

Note, sticker is 4" x 4:



- Doors must be able to be opened without a twisting or clasping motion. The standard test for compliance is if the door can be opened with closed fingers.

A recessed handle with a lockbar or single point is compliant.

- The locker bottom must be a minimum of 15" from the finished floor. This is accomplished by locating a shelf 12" from the bottom of the locker. Additional shelves can be purchased separately, contact Lyon Customer Service. The shelf is acceptable as the locker bottom and when the locker is placed on a minimum 3" base the shelf/bottom is a minimum of 15" from the finished floor.

- The locker shelf or hooks can not exceed 48" from the finished floor. The shelf and hooks can be relocated during set-up.

Contact Lyon Customer Service for more ADA product specs, and project support on choosing the best locker solution for your project.



W x D x H (per locker opening)	Overall Size with 6" Legs W x D x H	No. of Frames	No. of Openings	Unassembled Cat. No.	Assembled Cat. No.
Single Tier					
12" x 12" x 60"	12" x 12" x 66"	1	1	5002*	5002SU
12" x 12" x 60"	36" x 12" x 66"	3	3	50023*	50023SU
12" x 15" x 60"	12" x 15" x 66"	1	1	5012*	5012SU
12" x 15" x 60"	36" x 15" x 66"	3	3	50123*	50123SU
12" x 18" x 60"	12" x 18" x 66"	1	1	5022*	5022SU
12" x 18" x 60"	36" x 18" x 66"	3	3	50223*	50223SU
12" x 12" x 72"	12" x 12" x 78"	1	1	5112*	5112SU
12" x 12" x 72"	36" x 12" x 78"	3	3	51123*	51123SU
12" x 15" x 72"	12" x 15" x 78"	1	1	5032*	5032SU
12" x 15" x 72"	36" x 15" x 78"	3	3	50323*	50323SU
12" x 18" x 72"	12" x 18" x 78"	1	1	5042*	5042SU
12" x 18" x 72"	36" x 18" x 78"	3	3	50423*	50423SU
15" x 18" x 72"	15" x 18" x 78"	1	1	5062*	5062SU
15" x 18" x 72"	45" x 18" x 78"	3	3	50623*	50623SU
18" x 18" x 72"	18" x 18" x 78"	1	1	5092*	5092SU
18" x 18" x 72"	54" x 18" x 78"	3	3	50923*	50923SU
18" x 21" x 72"	18" x 21" x 78"	1	1	5102	5102SU
18" x 21" x 72"	54" x 21" x 78"	3	3	51023	51023SU
Double Tier					
12" x 12" x 30"	12" x 12" x 66"	1	2	5242*	5242SU
12" x 12" x 30"	36" x 12" x 66"	3	6	52423*	52423SU
12" x 12" x 36"	12" x 12" x 78"	1	2	5202*	5202SU
12" x 12" x 36"	36" x 12" x 78"	3	6	52023*	52023SU
12" x 15" x 36"	12" x 15" x 78"	1	2	5212*	5212SU
12" x 15" x 36"	36" x 15" x 78"	3	6	52123*	52123SU
12" x 18" x 36"	12" x 18" x 78"	1	2	5222*	5222SU
12" x 18" x 36"	36" x 18" x 78"	3	6	52223*	52223SU
15" x 15" x 36"	15" x 15" x 78"	1	2	5252*	5252SU
15" x 15" x 36"	45" x 15" x 78"	3	6	52523*	52523SU
Triple Tier					
12" x 15" x 24"	12" x 15" x 78"	1	3	5283	5283SU
12" x 15" x 24"	36" x 15" x 78"	3	9	52833	52833SU

STANDARD STEEL LOCKERS

Provide high density storage for individual belongings and supplies. Great in classrooms, laboratories, gymnasiums, sports and recreational facilities, and more.

- Pull Handles with built-in padlock loop are standard on multiple tier lockers. Optional roll point catch available.
- Doors with built-in locks have no pulls
- Door frame corners are overlapped and welded for strength
- 6" legs – rear legs are adjustable for leveling
- 3" louvers for ventilation

DD - Dove Gray

Additional colors are available upon request

Alternate color selections only include the door and frame assembly. Interior components including: tops, bottoms, sides, backs, and shelves will be painted putty.

Dove Gray and Putty Lockers from stock will include matching interior components.



	W x D x H (per locker opening)	Overall Size with 6" Legs W x D x H	No. of Frames	No. of Openings	Unassembled Cat. No.	Assembled Cat. No.
Four Tier	12" x 12" x 12"	12" x 12" x 54"	1	4	5352	5352SU
	12" x 12" x 12"	36" x 12" x 54"	3	12	53523	53523SU
Five Tier	12" x 12" x 12"	12" x 12" x 66"	1	5	5302	5302SU
	12" x 12" x 12"	36" x 12" x 66"	3	15	53023	53023SU
	12" x 15" x 12"	12" x 15" x 66"	1	5	5312	5312SU
	12" x 15" x 12"	36" x 15" x 66"	3	15	53123	53123SU
	15" x 15" x 12"	15" x 15" x 66"	1	5	5322	5322SU
	15" x 15" x 12"	45" x 15" x 66"	3	15	53223	53223SU
Six Tier	12" x 12" x 12"	12" x 12" x 78"	1	6	5332*	5332SU
	12" x 12" x 12"	36" x 12" x 78"	3	18	53323*	53323SU
	12" x 15" x 12"	12" x 15" x 78"	1	6	5342	5342SU
	12" x 15" x 12"	36" x 15" x 78"	3	18	53423	53423SU
	12" x 18" x 12"	12" x 18" x 78"	1	6	5362*	5362SU
	12" x 18" x 12"	36" x 18" x 78"	3	18	53623*	53623SU

NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 106 for important locker anchoring information.

Example

Order one **No. 5332** & receive this one section: **one frame wide (six locker openings).**



Order one **No. 53323** & receive this one section: **three frames wide (eighteen locker openings).**



Accessories and Related Products



See pages
106-107

LOCKERACK®

LockeRack®

- Provides coat storage and lock-up compartments for 16 people in approximately one square foot per person
- Door pulls serve as padlock hasps (padlocks not furnished)
- Built-in locks and number plates may be added (see page 106)
- Shipped assembled, or unassembled with frames and doors factory assembled
- Coat rod included
- Overall dimensions: 69"w x 18"d x 78"h
- Compartments are 12"w x 18"d x 12"h

No. 5990• — ships Unassembled

No. 5990SU — ships Assembled



DD - Dove Gray



Four-Door Horizontal Section Mounts to wall

45"w x 18"d x 13-3/4"h

No. 5991CR• — ships Unassembled

No. 5991CRSU — ships Assembled

ANTIMICROBIAL HEALTHCARE LOCKERS

Antimicrobial lockers are recommended for healthcare, food processing facilities, and educational facilities of all types.

Antimicrobial steel lockers provide continuous, residual protection against the touch transfer of bacteria on the locker surface, as well as colonization of mold and bacteria in locker corners, seams and on hidden surfaces behind and under the locker.

- Antimicrobial advanced powder technology
- 20+ years of antimicrobial protection
- Single and double tier openings
- Other sizes available upon request

UG - Antimicrobial Monorail Gray
Additional colors are available upon request

Antimicrobial Lockers Feature:

- Antimicrobial coating
- Recessed handles
- Smooth fronts (no louvers)
- Sloping tops and E-Zee™ style locker base



Sloping tops



E-Zee™ Base





	W x D x H (per locker opening)	Overall Height with Slope Top and E-Zee™ Base W x D x H*	No. of Frames	No. of Openings	Unassembled Cat. No.	Assembled Cat. No.	Storage
Single Tier	15" x 18" x 72"	15" x 18" x 82"	1	1	UGRNS5062H	UGRNS5062HSU	1 coat rod, 1 shelf, and 3 single prong hooks
	15" x 18" x 72"	45" x 18" x 82"	3	3	UGRNS50623H	UGRNS50623HSU	
	18" x 18" x 72"	18" x 18" x 82"	1	1	UGRNS5092H*	UGRNS5092HSU	
	18" x 18" x 72"	54" x 18" x 82"	3	3	UGRNS50923H	UGRNS50923HSU	
Double Tier	12" x 12" x 36"	12" x 12" x 80"	1	2	UGRNS5202H*	UGRNS5202HSU	3 single prong hooks and 1 double prong hook per opening
	12" x 12" x 36"	36" x 12" x 80"	3	6	UGRNS52023H	UGRNS52023HSU	
	12" x 18" x 36"	12" x 18" x 82"	1	2	UGRNS5222H*	UGRNS5222HSU	
	12" x 18" x 36"	36" x 18" x 82"	3	6	UGRNS52223H	UGRNS52223HSU	

*NOTE: E-Zee™ Base ships unassembled. Some easy assembly is required.

NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 106 for important locker anchoring information.


How Does it Work?

Any moisture triggers the controlled release of powerful silver ions (see charts) to provide superior antimicrobial protection for decades. The antimicrobial compound is completely inorganic, less toxic than ordinary table salt, less irritating than talcum powder, and has been approved by the EPA, FDA and NSF for medical devices and food contact applications.



Antimicrobial Performance

% Reduction of Bacteria vs. Time



Tests conducted on epoxy coated stainless steel

STANDARD STEEL LOCKER ACCESSORIES

Anchoring Systems

Important: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored.



Anchoring Angle

For Lockers Without Legs

Locker Anchoring Angles (running from front to rear on the inside bottom of the locker) provide a bearing surface for the fasteners which are connected to the floor or locker base. Order one locker anchoring angle for each end of a row, plus sufficient quantity to provide angles on 36" centers. On single-row installations where backs are against a wall, lockers should be suitably wall anchored.

No. 5872• – For 12"d lockers - 10 pack

No. 5873• – For 15"d lockers - 10 pack

No. 5874• – For 18"d lockers - 10 pack

No. 5875• – For 21"d lockers - 10 pack

For more details – see assembly instructions packed with lockers.



Number Plates

• Etched black figures on aluminum plate

• Numbers stocked from 1 to 999

Size: 2-3/4"w x 1"h

(Must be purchased in addition to locker order).

For Lockers and Baskets **No. 5829**•



Lock Options

Can be used with all locker handles, and retrofitted to existing installations.

Flat-Key Locks – Same lock fits all Lyon Lockers except Personal Effects & ExchangeMaster®. Easy to install and furnished with two keys. **No. 7020**•

Built-in Combination Locks and Combination Padlocks -

Five combinations per lock with master key for emergency access. For use with Tamper Guard Handles, Single Point Latching Systems, Recessed Handles and Pull Handles.

**Locks are imported.*



**Zephyr Keyed
Built-in
Combination
Lock**



**Flat-Key
Locks**



**Zephyr Keyed
Combination
Padlock**

Locker Foot

For Lockers With Legs

When backs are exposed (free-standing) a locker foot is recommended for all locker legs. When backs are against a wall and suitably wall anchored, locker feet are recommended on front legs only.

No. 5870• – 10 pack



Touch-up Paint

For fast, easy touch-ups. Choose 12 oz. spray can.



Dove Gray **No. DD7003**•



Putty **No. PP7003**•



Wedgewood Blue **No. BB7003**•

Additional touch-up spray can colors are available, see page 115.


STANDARD STEEL LOCKER ACCESSORIES

Top and Front Fillers

Used to close space between two lockers when obstruction prevents installation of a locker. Can be furnished on flat or sloping tops.


DD - Dove Gray

Additional colors are available upon request




Flat Top Fillers

W x D	Cat. No.
For Corners	
12" x 12"	5900
15" x 15"	5901
18" x 18"	5902
21" x 21"	5898
For Tops of Lockers	
9-1/2" x 12"	5922
9-1/2" x 15"	5923
9-1/2" x 18"	5924
15-1/2" x 12"	5925
15-1/2" x 15"	5926
15-1/2" x 18"	5927



Sloping Top Fillers

W x D	Cat. No.
For Corners	
12" x 12"	5903
15" x 15"	5904
18" x 18"	5905
21" x 21"	5899
For Tops of Lockers	
9-1/2" x 12"	5916
9-1/2" x 15"	5917
9-1/2" x 18"	5918
15-1/2" x 12"	5919
15-1/2" x 15"	5920
15-1/2" x 18"	5921



Front Expansion Fillers

W x D	Cat. No.
For Lockers With 6" Legs	
7-1/2"w x 66"h	5906
7-1/2"w x 78"h	5907
13-1/2"w x 66"h	5910
13-1/2"w x 78"h	5911
For Lockers Without Legs	
7-1/2"w x 60"h	5912
7-1/2"w x 72"h	5913
13-1/2"w x 60"h	5914
13-1/2"w x 72"h	5915

Individual Slope-Top Kits


Quickly convert standard flat top steel lockers into sloping-top lockers. Includes hardware and instructions.

Slope-Top Kits include:

- tops and ends
- interim supports

Slope-Top Bulk Pack consist of:

- 40 slope tops
- 40 interim supports



Sizes W x D	Kits		Bulk Packages	
	Cat. No.	Cat. No.	Cat. No.	Cat. No.
	1-Wide	3-Wide	Tops (40 Pack)	Pair of Ends (20 Pack)
12" x 12"	58301*	5830	5841	5842
12" x 15"	58311*	5831	5846	5847
12" x 18"	58321*	5832	5851	5852
15" x 15"	58331*	5833	5856	5847
15" x 18"	58341*	5834	5861	5852
18" x 18"	58351*	5835	5866	5852
18" x 21"	58361	5836	-	-

Bulk pack ends (20 pairs) must be ordered separately.

Note: Lockers with Integral Sloping Tops are available from manufacturing schedules at a slight additional cost.

Not designed for use on welded lockers.

Closed Style Bases

Quickly attach without tools to lockers with 6" legs.

For Standard Lockers.

Front Bases

One Pack

No. 5800-1• – 12"w x 6"h

No. 5801-1• – 15"w x 6"h

No. 5802-1• – 18"w x 6"h

Three Packs

No. 5800-3• – 12"w x 6"h

No. 5801-3• – 15"w x 6"h

No. 5802-3• – 18"w x 6"h



End Bases

Only required at exposed ends.

Pack of 2

No. 5803• – 12"d x 6"h

No. 5804• – 15"d x 6"h

No. 5805• – 18"d x 6"h

No. 5806 – 21"d x 6"h

LOCKER ROOM BENCHES

All Aluminum Locker Benches

- Sleek design. Lightweight, corrosion resistant anodized aluminum bench and pedestals meet virtually any requirement for strength and durability
- Easy to maintain 9-1/2" w x 1-3/4" h bench planks have softly rounded edges and center braces for comfortable seating
- Optional rubber feet and/or concrete wedge anchors
- Weight capacity 120 lbs. per linear foot

Hardwood and Plastic Laminate Locker Benches

- Selected hardwoods or smooth plastic laminates
- Lightweight, anodized aluminum or painted steel pedestals
- Weight capacity 150 lbs. per linear foot


ADA Locker Bench

- Complies with the accessibility requirements of section 222 and 803 of the 2010 ADA standards
- Durable wooden bench tops and back rests made of hardwood finished with 2 coats of clear acrylic

Note: Each pedestal shall be attached to top by screws and shall be anchored to floor by suitable anchors.

Description	Size (L x D x H)	Cat. No.
Hardwood on Painted Steel Pedestals		
3-Ft. Bench w/ 2 pedestals	36" x 9-1/2" x 17-3/4"	5793*
4-Ft. Bench w/ 2 pedestals	48" x 9-1/2" x 17-3/4"	5794*
5-Ft. Bench w/ 2 pedestals	60" x 9-1/2" x 17-3/4"	5795*
6-Ft. Bench w/ 2 pedestals	72" x 9-1/2" x 17-3/4"	5810*
7-Ft. Bench w/ 2 pedestals	84" x 9-1/2" x 17-3/4"	5797*
8-Ft. Bench w/ 2 pedestals	96" x 9-1/2" x 17-3/4"	5811*
9-Ft. Bench w/ 3 pedestals	108" x 9-1/2" x 17-3/4"	5812*
10-Ft. Bench w/ 3 pedestals	120" x 9-1/2" x 17-3/4"	5813*
Hardwood on Aluminum Pedestals		
3-Ft. Bench w/ 2 pedestals	36" x 9-1/2" x 16-1/2"	5783*
4-Ft. Bench w/ 2 pedestals	48" x 9-1/2" x 16-1/2"	5784*
5-Ft. Bench w/ 2 pedestals	60" x 9-1/2" x 16-1/2"	5785*
6-Ft. Bench w/ 2 pedestals	72" x 9-1/2" x 16-1/2"	5786*
7-Ft. Bench w/ 2 pedestals	84" x 9-1/2" x 16-1/2"	5787*
8-Ft. Bench w/ 3 pedestals	96" x 9-1/2" x 16-1/2"	5788*
9-Ft. Bench w/ 3 pedestals	108" x 9-1/2" x 16-1/2"	5789*
10-Ft. Bench w/ 3 pedestals	120" x 9-1/2" x 16-1/2"	5790*
All Aluminum Benches		
6-Ft. Bench w/ 2 pedestals	72" x 9-1/2" x 17"	5824*
8-Ft. Bench w/ 2 pedestals	96" x 9-1/2" x 17"	5825*
9-Ft. Bench w/ 3 pedestals	108" x 9-1/2" x 17"	5826*
10-Ft. Bench w/ 3 pedestals	120" x 9-1/2" x 17"	5827*
Plastic Laminate on Painted Steel Pedestals		
6-Ft. Bench w/ 2 pedestals	72" x 12" x 18"	5815
10-Ft. Bench w/ 3 pedestals	120" x 12" x 18"	5817
ADA Wood Benches on Steel Pedestals		
Bench w/ 4 pedestals	48" x 24" x 17-3/4"	ADA4824*
Bench w/ Back & 4 pedestals	48" x 24" x 38"	ADABK4824*
ADA Wood Bench Top	48"L x 24"D	NF100760-48x24*

Each pedestal shall be attached to top by screws and shall be anchored to floor by suitable anchors. Lyon recommends not exceeding more than 6 feet between pedestals.



Pedestals

Aluminum Pedestals

Pedestals are 15-1/2" high. (Shown with optional rubber feet)

No. 58202* - 2-pack

No. 58203* - 3-pack

Steel Pedestals

14 gauge painted steel construction, 1-5/8" tubing, and 16-1/2" h and includes anchors. Use with Lyon's plastic laminate and hardwood locker benches.

● DD - Dove Gray or ● PP-Putty

No. 58182* - 2-pack

No. 58183* - 3-pack

Moveable Aluminum Trapezoid Pedestals

Black anodized finish aluminum pedestals are 3" w x 1/4" d. Includes non-skid pads.

No. 58282 - 2-pack

No. 58283 - 3-pack

Bench top not included

Cast Iron Pedestals

Cast Iron construction with 2-1/4" dia. post with 6" dia. base, 16-1/4" h. Can be used with Lyon's plastic laminate and hardwood locker benches.

No. 58191 - 1-pack

No. 58192 - 2-pack

No. 58193 - 3-pack

Rubber Feet

Add 1" to aluminum pedestal height (Optional)

No. 58224* - 4-pack


No. 58226* - 6-pack

Concrete Wedge Anchors

For aluminum pedestals are 3/8" w x 2-1/4" d.

No. 58234* - 4-pack

No. 58236* - 6-pack



TA-50 GEAR / COMMAND GEAR LOCKERS

TA-50 Gear Lockers

This heavy-duty, fully-ventilated and all-welded locker is the ultimate storage solution. Inspired for government and military grade gear and equipment, this locker withstands harsh usage.

Formed-steel panels and strategic diamond-perforation of the doors, back and sides maximize the strength and rigidity of the locker.

- Heavy-gauge "unibody" construction
- 16-gauge steel top with 14-gauge reinforced bottom, back, doors and sides
- Chrome-plated, pad-lockable handle with a high security three-point latching system
- 16-gauge steel shelf with center reinforcing channel for a 200 lb. capacity
- Pre-punched holes in back, sides, and bottom for attaching lockers to each other and/or to the wall or floor
- 1" coat rod and 4 coat hooks to hang coats, uniforms and heavy field dress
- Overall locker: 42"w x 24"d x 78"h

No. 1100TA50

No. 1100TA50G - Galvannealed

DD - Dove Gray

Additional colors are available upon request



Command Gear Lockers

This heavy-duty, all-welded locker offers a unique solution for storage and protection. The original design was inspired by military pilot's flight-related equipment storage needs.

- Open storage area for flight helmets
- Lockable upper storage compartment for personal effects with pull handle - 9"w x 15"h
- Aluminum 3-1/2"w x 2-1/4"h label holder
- 2 heavy duty, 18-gauge, 5/8" diameter hanging rods for flight gear, plus two side hooks for lighter gear
- 2 single prong hooks
- Ventilated sides
- Large compartment to house the torso harness, G-suit/G-vest, survival vest and related flying equipment jacket and helmet bags
- Lockable lower storage compartment with recessed handle for additional equipment - 24"w x 18"h
- Shipped assembled
- Overall locker: 24"w x 24"d x 72"h

No. RN5187W - one wide

DD - Dove Gray

Additional colors are available upon request. Shown in Lyon's premier color -Red Baron



VALOR™ LAW ENFORCEMENT LOCKERS

VALOR™ LAW ENFORCEMENT LOCKERS have customizable shelving components that maximize the storage space to meet the needs of officers. Each component ships separately and must be assembled on-site. Factory assembly is available. Please contact customer service for more details.

Large: Upper Locker Unit - 24"w x 24"d x 72"h
Lower Drawer Unit - 24"w x 36"d x 18"h
Small: Upper Locker Unit - 18"w x 24"d x 72"h
Lower Drawer Unit - 18"w x 36"d x 18"h

Electrical Feed Punch Outs for optional electric capability within locker

Horizontal Vest Storage for Kevlar® vests which are recommended to be stored horizontally

Partition Kit: Full width shelf (up to three shelves can be added), partition, two utility hooks, and coat rod

Personal Security Compartments are padlock, digital or combination lock ready for instant security

Shelf offers a flat area for small item storage and easy access

Vertical Storage with double prong hooks


Boot Drawer Latch provides quick and easy access to boot drawer and auto locking capability when the drawer is closed

Horizontal Vest Storage Shelf provides horizontal storage for Kevlar® vests in the lower drawer unit

Perforated Ventilation in all compartments allows for airflow throughout the locker, keeping contents cool and dry

Hat & Briefcase Storage Compartment accommodates larger items. Additional shelves are available

Stand Alone Security Compartments are all welded construction and may be secured above or below a full width shelf **only** when a partition kit is not used



Belt Utility Hooks for hanging a variety of duty belts

Door Mirror with magnetic backing can be positioned right where it is needed

Hat & Uniform/Garment Storage has ample space with coat rack and two utility hooks for uniforms, coats and civilian clothes

Boot Tray is perforated and removable for ease of use and cleaning

Hardwood Bench offers a convenient place to sit when removing shoes, boots or gear

Lower Drawer Unit provides ample storage for boots, duffle bags and larger gear



VALOR™ LOCKER ORDERING GUIDE

Step 1

Determine the width needed for your locker requirements. Lockers are offered in 18" or 24" wide.

18" Locker Units and Options

Size	Description	Cat. No.
18"w x 24"d x 72"h	Upper Unit Shell	VL5104

Step 2

Select upper shell configuration - **Configuration A**

A partition kit comprised of; two utility hooks, a coat rod, a partition and full width shelf. This option will support all personal compartment options.

Upper Unit Partition Kit consists of the following components (to configure locker using partition kit see personal compartment options below)		
18"w x 24"d	Partition Kit	VL1858PT
18"w	Full Width Shelf†	
—	Two Utility Hooks	
10"w	Coat Rod	
Upper Unit options AVAILABLE ONLY WITH a Partition Kit		
Personal Compartment Options		
8"w x 8"h	Security Compartment Door Kit**	VL0808LU
8"w x 8"h	Two Drawer/Shelf Kit** (not pictured)	VL0808DRW
8"w x 24"d	Compartment Shelf	VL0808
—	Double Prong Hook	NF6712
Boot Tray Options		
10"w x 24"d	Boot Tray	VL184BT

Step 2

Select upper shell configuration - **Configuration B**

Choose full width shelves and/or stand alone security compartments to fill this locker requirement.

Upper Unit Options		
Upper Shelf Options (Available only with a Partition Kit)		
18"w	Full Width Shelf†	VL184SS
18"w	Vest Shelf†	VL184VS
Stand Alone Security Compartment (Available only without a Partition Kit)		
8"w x 12"d x 11"h	Stand Alone Security Comp.††	VL081211
12"w x 20.625"d x 11"h	Stand Alone Security Comp.††	VL122411

Step 3

Determine if a Lower Drawer Unit is required - A boot drawer is equipped to provide storage for larger gear and has a hardwood bench top* that provides a seating option when changing. A vest shelf may also be added to the lower drawer unit.

18"w x 36"d x 18"h	Lower Drawer Unit	VL1836DRW
18"w x .75"h	18"w Hardwood Bench Top	100760-18X.75
18"w x 24"d	Vest Shelf for Lower Drawer Unit	VL1836DV

24" Locker Units and Options

Size	Description	Cat. No.
24"w x 24"d x 72"h	Upper Unit Shell	VL5578

Step 2

Select upper shell configuration - **Configuration A**

A partition kit comprised of; two utility hooks, a coat rod, a partition and full width shelf. This option will support all personal compartment options.

Upper Unit Partition Kit consists of the following components (to configure locker using partition kit see personal compartment options below)		
24"w x 24"d	Partition Kit	VL2458PT
24"w	Full Width Shelf†	
—	Two Utility Hooks	
16"w	Coat Rod	
Upper Unit options AVAILABLE ONLY WITH a Partition Kit		
Personal Compartment Options		
8"w x 8"h	Security Compartment Door Kit**	VL0808LU
8"w x 8"h	Two Drawer/Shelf Kit** (not pictured)	VL0808DRW
8"w x 24"d	Compartment Shelf	VL0808
—	Double Prong Hook	NF6712
Boot Tray Options		
16"w x 24"d	Boot Tray	VL244BT

Step 2

Select upper shell configuration - **Configuration B**

Choose full width shelves and/or stand alone security compartments to fill this locker requirement.

Upper Unit Options		
Upper Shelf Options (Available only with a Partition Kit)		
24"w	Full Width Shelf†	VL244SS
24"w	Vest Shelf†	VL244VS
Stand Alone Security Compartment (Available only without a Partition Kit)		
8"w x 12"d x 11"h	Stand Alone Security Comp.††	VL081211
12"w x 20.625"d x 11"h	Stand Alone Security Comp.††	VL122411

Step 3

Determine if a Lower Drawer Unit is required - A boot drawer is equipped to provide storage for larger gear and has a hardwood bench top* that provides a seating option when changing. A vest shelf may also be added to the lower drawer unit.

24"w x 36"d x 18"h	Lower Drawer Unit	VL2436DRW
24"w x .75"h	24"w Hardwood Bench Top	100760-24X.75
24"w x 24"d	Vest Shelf for Lower Unit Drawer	VL2436DV

Step 4

Select Additional Locker Door Options

• belt clips, • clip board holder, • magnetic mirror

Accessories for BOTH 18" and 24" Base Lockers

Locker Door Options		
—	Clip Board Holder (not pictured)	VL0808CB
7"w x 11"h	Mirror with Magnetic Backing	NFVLMIRROR
—	Belt Clips, (3-pack)	NFVLHOOK

† Up to two additional shelves may be used above the partition kit.

** A compartment shelf (No. VL0808) is necessary to close the tops of these items unless mounted directly below full shelf.

†† A stand alone security compartment may be secured above or below a full width shelf when a partition kit is not used. (Please review with Lyon sales representative when ordering to confirm correct configuration).

ATHLETIC LOCKERS - MVP

MVP Athletic Locker is a requirement for any athletic team. With an open-front design, the over-sized MVP Locker provides a large, closet-type space for clothing and uniforms and an optional foot locker for equipment storage. An upper shelf is ideal for small items, while the optional lockable compartment adds secure storage for valuables. Heavy gauge steel body parts and our premium paint finish guarantee durability in the demanding environment of a team room.

Standard Features

- Material: Body - 16 ga. mild cold rolled steel (backs 18 ga. on unassembled units).
- Assembly: Unassembled, Assembled with rivets or nuts and bolts.
- Interior Equipment:
1 full width 16 ga. shelf,
4 single prong coat hooks
and a coat rod.



- Ventilation: Diamond perforated sides - solid sides can be requested for either row ends or all sides.



Optional Features

- Material: Body - 16 ga. galvanized steel.
- Assembly: Unassembled, Assembled with Keps nuts and bolts; Pre-assembled of welded construction (backs are 16 ga.). Optional lockable compartment and/or foot locker are not welded into assembly.
- Interior Equipment:



Foot Locker - Fully enclosed foot locker with 14 ga. ventilated front panel and reinforced seat with continuous hinge. Front panel has recessed area and mounted padlock hasp for locking.



Lockable Compartment - 16 ga. vertical partition and 14 ga. door with framing members attached to the shelf, side, and top of the locker to provide lockable storage. Spring hinge holds door closed for safety. Door punched to accept padlock or built-in lock.

Configurations and Sizes:

Basic MVP



W: 18, 24
D: 18, 21, 24
H: 72

MVP with Foot Locker



W: 18, 24
D: 18, 21, 24
H: 72

MVP with Lockable Compartments



W: 18, 24
D: 18, 21, 24
H: 72

Complete MVP



W: 18, 24
D: 18, 21, 24
H: 72

ATHLETIC LOCKERS - COLLEGIATE

Deluxe Collegiate & Collegiate Lockers

SPECIFICATION SUMMARY

All-Welded

- All seams and Joints welded for rigidity
- Optional compartments shipped unassembled
- 16-gauge body parts with 18-gauge backs
- Full loop type hinges
- Powder coat finish
- 14-gauge sheet metal or no door compartments
- 16-gauge frame
- 16-gauge sheet metal
- All metal locking systems
- Optional installation of compartments at factory
- Stainless steel recessed handle

Unassembled

- 14-gauge sheet metal or 16-gauge sheet metal or no door
- 16-gauge frame
- 16-gauge sheet metal sides
- All metal locking systems
- Stainless steel recessed handle
- Powder coat finish

**Specify All-Welded or Unassembled at time of order*

Features

Deluxe Collegiate Lockers offer additional security for special equipment or assigned gear. 18" high interior compartment bench with padlock hasp. Upper compartment door may also be equipped with built-in key or combination lock.

Deluxe Collegiate Lockers with Doors offer the same design and construction features as above, plus the added security of a reinforced door.

Collegiate Lockers are designed to provide easy access to equipment and uniforms in team locker rooms. Shelf included.

Collegiate Lockers with Doors are recommended for storing bulky uniforms of hockey and football teams, offering up to 36" wide compartments.

Includes solid back and diamond perf sides. Optional diamond perforated door. Is also available as solid or louvered door.

Handle



All doors feature a Stainless Steel Recessed Handle with built-in padlock attachment. Zinc alloy recessed handle or turn handles are also available as an option. Recessed handles are designed to also accommodate built-in combination and digital locks. Not provided on bulk or security boxes with lockbar.



Configurations



Deluxe Collegiate Lockers

W: 24, 33, 36
D: 18, 21, 24
H: 72, 84



Deluxe Collegiate Lockers with Doors

W: 24, 33, 36
D: 18, 21, 24
H: 72, 84



Collegiate Lockers

W: 24, 33, 36
D: 18, 21, 24
H: 72, 84



Collegiate Lockers with Doors

W: 24, 33, 36
D: 18, 21, 24
H: 72, 84

SPECIALTY LOCKERS

ABC Cubbie for Kids

ABC Cubbies for Kids meet the casework needs of daycare centers, pre-primary and elementary schools with the colorful, durable traits of steel lockers. Manufactured from heavy gauge steel, with no doors or locks for simplicity, Cubbies are designed for safety with 180 degree bends, round corners, and smooth edges. For a colorful, long lasting, and fast installing alternative to casework, choose ABC Cubbies for Kids.




Single Compartment w/Shelf



W: 12, 15, 18
D: 15
H: 48

Double Compartment



W: 12, 15, 18
D: 15
H: 24

Companion Compartment



W: 12, 15, 18
D: 15
H: 48

Triple Compartment



W: 12, 15, 18
D: 15
H: 16



Cubbie Lockers for Kids

Meet the storage needs for daycare centers, preschools and elementary schools.

Feature antimicrobial powder paint finish that fights bacterial growth and corrosion on locker surfaces in the classroom.

Other Special Application Lockers

- Front/rear entry lockers for uniform exchange or legal evidence
- Combination lockers with variable compartment sizes
- Lockers without doors for divided, open storage
- Combination fire extinguisher and waste can doors



16" Leg Lockers

16" high legs make mopping or hosing floors easier when required. Legs also provide support for benches.

PREMIER COLORS

800-232-0082 | lyonworkspace.com



X6
Marine Blue



6Y
Brilliant Blue



4B
Ocean Blue



X3
Blue Streak



EQ
Midnight Blue



BB
Wedgewood Blue



3E
Green Blue



X7
True Navy



4A
Steel Blue



WV
Wood Violet



1N
Cosmos



CD
Minute Man Blue



X4
Verdant Green



H3
Hunter Green



74
Sunshine



YF
Red Baron



M5
Red Velvet



WE
Burgundy



5F
Wine Red



BU
Orange



PP
Putty



B6
Light Beige



78
Sand



NA
Canyon



6B
Gray Beige



7G
Monorail Gray



77
Stone Gray



DD
Dove Gray



3N
Taupe



AA
Ash



11
Whitewash



X2
Antique Vellum



9A
Sepia Brown



KK
Vulcan Black

A SUPERIOR FINISH

Our preparation and finishing procedures deliver a superior powder coat surface, highly resistant to chipping, cracking, and corrosion, to create a lasting impression for your locker installation

All color chips are reproductions and approximate the actual color as closely as possible

CHOOSING PRODUCT COLOR WHEN ORDERING

Add the double character prefix (ie. DD, PP) to the Catalog No.

LYON PREMIER COLORS

Lyon's Premier selection and/or a computerized match to your custom color offer a virtually endless combination of choices—including two tone effects.

LYON

NOTES

[illegible]

Most Lyon products are warranted against defects in materials and workmanship for the life of the product when used in accordance with Lyon's specifications and/or operating instructions. Lyon will repair or replace, at its option, any part found upon examination to be defective.

This warranty applies to the original purchaser only and the purchaser's sole remedy under this warranty is limited to the repair and replacement of the products and specifically excludes consequential, incidental or other damages directly or indirectly resulting from failure or loss of use of, or by, Lyon products. Damage from deliberate destruction and vandalism is excluded. The following items are warranted as stated:

STEEL LOCKERS

Lyon lockers are warranted against defects in material and workmanship for the life of the product, when used in accordance with Lyon's specifications, operating instructions and/or maintenance procedure.* (This warranty applies to the original purchaser only, and purchaser's sole remedy under this warranty is limited to replacement or repair of the product and specifically excludes consequential, incidental or any other damages directly or indirectly resulting from failure or loss of use of Lyon products). Damage from deliberate destruction and vandalism is excluded.

*Lock warranties limited.

CABINETS AND SAFETY STORAGE

Lyon cabinets are warranted against defects in material and workmanship for the life of the product for as long as the original purchaser retains ownership, possession and control of the product, and when product used in accordance with manufacturer's specifications and load capacities. Shelf capacities are based on evenly distributed loads. Concentrated (point) loads or impact (dropped) loads could fail shelves even though load may be considerably less than the allowable evenly distributed load shown and would not be covered under warranty.

MODULAR DRAWER CABINETS

Lyon warrants, only to the original purchaser, that its Modular Drawer Cabinets will remain free of defects in materials and workmanship for as long as the original purchaser retains ownership, possession and control of the product, when used in accordance with Lyon's specifications, operating instructions and/or maintenance procedure. Warranty specifically excludes consequential, incidental or other damages directly or indirectly resulting from failure or loss of use of, or by, Lyon products.

LYON SHELVING AND RACK

Lyon warrants that its 8000 Series Shelving, Rivet Rack, Bulk Storage Rack, and Bar Pipe and Rod Rack will remain free of defects in materials and workmanship for as long as the original purchaser retains ownership, possession and control of the product, when used in accordance with Lyon's specifications and load capacities. Shelf or Level capacities are based on evenly distributed loads. Concentrated (point) loads or impact (dropped) loads could fail shelves or levels even though load may be considerably less than the allowable evenly distributed load shown and would not be covered under warranty.

PALLET RACK AND CANTILEVER RACK

Pallet Rack and Cantilever products by Lyon that are still the property of the original purchaser, are warranted to be free of defects in material and workmanship for 1-year when used according to agreed specifications and for ordinary applications for which the products were designed. This warranty does not apply to parts which, through normal use, require replacement during the warranty period. The original purchaser shall notify Lyon as soon as any defect becomes apparent and shall confirm in writing such notice no later than thirty (30) days after the discovery of the defect.

ERGONOMIC SEATING

Lyon warrants all seating to be free from manufacturing defects for the life of the product when it is used in accordance with manufacturer's specifications and/or operating instructions. The life of the product is ten years of single shift users, five years for two shift users, and two-and-a-half years for three shift users, for users not weighing more than 250 pounds. Ergonomic sit-stands are warranted for five years.

OTHER PRODUCTS

Work surfaces and bench tops are warranted for 1-year against defects in materials and workmanship.

LIMITATIONS

1. The original purchaser must provide Lyon in writing the date of purchase, the original invoice number, and a description of the defect, prior to returning any product under a warranty claim.
2. Products purchased by Lyon such as casters, work surfaces, bench tops, pallet rack, and cantilever rack carry their manufacturer's warranty.
3. If the product was damaged in transit, the original purchaser must file a claim with the carrier within five days of delivery. This is not considered a warranty claim.

Lyon will not be responsible for charges of any repairs or alterations of the product unless made with Lyon's prior written consent. Routine replacement items such as safety clips, anchor bolts, and all parts that are replaced due to wear, misuse or abuse or etc. are not covered by this warranty. Warranty claims, which result from customer errors, failure to follow safe operational procedures or inadequate maintenance will not be accepted. Lyon will not be responsible for damage due to explosion, fire, wind, flood, intentional abuse, normal wear and tear or use beyond the designed capacity of the product. Freight, labor or service charges for removal of defective parts and installation of replacement parts are not included.

Buyer shall pay freight charges on the returned components covered under this warranty. Under any and all circumstances, the remaining warranty disclaimer and limitation of liability shall remain in effect. Any returned products must be handled via a return authorization from Lyon, or they will be refused.

PRODUCT WARRANTY STATEMENT



LYON ADVANTAGE

Lyon has been the leading manufacturer of metal products since 1901. We are passionately committed to helping our dealers, distributors, and end users store and organize their products while maximizing workspace storage.

20+ Solutions experts located throughout the USA providing immediate attention and support to every project.

We are centrally located in the USA with thousands of products available in stock, ready to ship.

LEED/Green Focused

Lifetime Product Warranty against defects in material and workmanship for the life of the product.

No hassle claims. Any Lyon product damaged in shipment by a Lyon designated carrier will be returned and Lyon will ship a replacement product in a timely manner. *Product damage must be noted on delivery receipt and damaged product must be refused at time of delivery.*



OUR MISSION

Be the storage system provider of choice by delivering the best possible workspace solutions for our customers. As a business with a rich heritage, we are passionately committed to helping our dealers, distributors, and end-users store and organize their products while maximizing workspace.

OUR VISION

To stay the market leader in each of our served markets. This leadership will be captured by providing our dealers, distributors, and end users high quality, innovative, cost-effective, and environmentally friendly products. We add value to these products by providing unmatched customer service through our commitment to customer satisfaction.

LYON®

PO Box 671, Aurora, IL 60507-0671

p: 800-323-0082 f: 800-367-6681

e: lyon@lyonworkspace.com

lyonworkspace.com

Members of:

