



ADA STANDARDS FOR ACCESSIBLE DESIGN

The Americans with Disabilities Act (ADA) specifies certain requirements that affect metal lockers. Lyon's single tier, double tier and triple tier metal lockers will meet those requirements. To comply, at least 5% of the lockers provided, but no less than one locker, needs to meet the ADA requirements.



CONTACT LYON
INSIDE SALES FOR
MORE ADA PRODUCT
SPECIFICATIONS

1. Doors must be able to be opened without a twisting or clasp motion. The standard test for compliance is if the door can be opened with closed fingers.

A recessed handle with a lockbar or single point is compliant.

2. The locker bottom must be a minimum of 15" from the finished floor. This is accomplished by locating a shelf 12" from the bottom of the locker. Additional shelves can be purchased separately, contact Lyon Customer Service. The shelf is acceptable as the locker

bottom and when the locker is placed on a minimum 3" base the shelf/bottom is a minimum of 15" from the finished floor.


3. The locker shelf or hooks can not exceed 48" from the finished floor. The shelf and hooks can be relocated during set-up.

LYON®

Learn more at
lyonworkspace.com or
call Customer Service at
800-323-0082


SINGLE TIER LOCKER

For single tier lockers, the shelf and coat hooks must be lowered to no more than 48" above the floor. An extra shelf needs to be added to bring the bottom of the locker to no lower than 15" above the floor. Extra shelves can be ordered as options upon request. In addition, only recessed handles and pull handles meet the ADA specifications.




DOUBLE TIER LOCKER

On double tier lockers, an extra shelf needs to be added to bring the bottom of the locker to no lower than 15" above the floor. Only the lower opening may be used for ADA compliance. Extra shelves can be ordered as options upon request. In addition, only recessed handles and pull handles meet the ADA specifications.



TRIPLE TIER LOCKER

On triple tier lockers, an extra shelf needs to be added to bring the top of the middle locker and bottom of the lower locker to 48" and 15" above the floor respectively. Only the middle and lower openings may be used for ADA compliance. Extra shelves can be ordered as options upon request. In addition, only recessed handles and pull handles meet the ADA specifications.




CONTACT YOUR LYON
PROJECT MANAGER FOR
MORE ADA PRODUCT
SPECIFICATIONS

ACCESSIBLE BENCHES


Dressing Rooms, Fitting Rooms, and Locker Rooms

The 2010 ADA Standards require dressing rooms, fitting rooms, and locker rooms to comply with the accessibility requirements of sections 222 and 803 of the 2010 Standards.

Where these types of rooms are provided in clusters, five percent (5%) but at least one room in each cluster must comply. The significant change from the 1991 Standards where the clear floor space was allowed in front of the bench is that the 2010 Standards require the clear floor space at the end of the bench. The technical criteria for benches are found in Section 903 of the 2010 ADA Standards for Accessible Design.



In addition, benches shall provide the following: seats that are 42 inches long minimum and 20 inches deep minimum and 24 inches deep maximum, back support 42 inches long minimum and extend from a point 2 inches maximum above the seat surface to a point 18 inches minimum above the seat surface, and be 2½ inches maximum from the rear edge of the seat measured horizontally or shall be affixed to a wall.



Bench Back Support and Seat Height

The requirements in the 2010 Standards for the bench in an accessible dressing, fitting, or locker room apply only to new construction and alterations after March 15, 2012. The requirements for alterations in the 2010 Standards only apply to specific elements or spaces that are being altered. So providing the clear floor space at the end of the bench as required by the 2010 Standards instead of in front of the bench as is allowed by the 1991 Standards would only be required when the bench in the accessible dressing room is altered or when the entire dressing room area is altered.

CONTACT YOUR LYON
PROJECT MANAGER FOR
MORE ADA PRODUCT
SPECIFICATIONS